5P-23-00001 Compliance Downert



KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES

411 N. Ruby St., Suite 2, Ellensburg, WA 98926

"Building Partnerships — Building Communities"

CDS@CO.KITTTAS.WA.US

X. **Decision and Conditions of Approval**

Kittitas County Community Development Services grants preliminary approval of the Egan Short Plat SP-23-00001 based on the above staff analysis, findings of fact, and conclusions with the following conditions of approval.

5 5 5 5 Conditions of Approval:

Kittitas County 10DS Building

A. All new construction must meet the International Building Code requirements.

Noted

B. Environmental and statutory review may be required for all current and future development, construction, and improvements. The applicant and/or all future owners of any lot or lots within this subdivision are responsible for compliance with all applicable local, state, and federal rules, requirements, codes, and regulations. It is incumbent upon said applicants and future owners to investigate for, and obtain from the appropriate agency or their representative, all required permits, licenses, and approvals for any development, construction, and/or improvements that occur within the boundaries of this subdivision.

Noted

C. The applicant shall provide evidence to CDS of project consistency with KRD General Subdivision Guidelines prior to final approval.

2. Roads and Transportation

A. This application is subject to the latest revision of the Kittitas County Road Standards, dated 2015. The following conditions apply and must be completed prior to final approval of this project. A performance guarantee may be used in lieu of the required improvements, per the conditions outlined. (KCC 12.01.150)

B. Conditions within approved road variance RV-22-00008 shall be met prior to the Noted approval of an access permit.

- C. A driveway shall serve no more than four tax parcels. See Kittitas County Road Standards, 2015 edition.
- D. New access easements shall be a minimum of 30'. The roadway width shall have a minimum width of 12' if the length of the driveway is less than 150', or 16' if the length of the driveway is more than 150'.

E. Driveways longer than 150' in length are required to provide a Fire Apparatus Road Turnaround meeting the requirements of the appendix D in the International Fire Code.

F. Max grade shall be 10%.

G. Crush surface depth per WSDOT Standards.

KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES



411 N. Ruby St., Suite 2, Ellensburg, WA 98926

"Building Partnerships – Building Communities"

CDS@CO.KITTITAS.WA.US

- H. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
- I. An approved access permit shall be required from the Department of Public Works prior to creating any new driveway access or performing work within the county road right-of- Noted way.
- J. Contact the Kittitas County Rural Addressing Coordinator at (509) 962-7523 to obtain addresses prior to obtaining a building permit. A parcel cannot receive a building permit Noted or utilities until such parcel is identified with a 911 address.
- K. Contact the Kittitas County Fire Marshal regarding any additional access requirements for Emergency Response.
- L. Mailboxes must be approved by U.S. Postal Service. Mailbox locations are site specific. Contact your local Post Office for location and design standards before beginning construction.
- M. Except as exempted in Section KCC 14.05.060, no grading or filling upon a site involving more than one hundred (100) cubic yards shall be performed without a grading permit from the County Engineer or Public Works designee (KCC 14.05.050). An application for grading in excess of five hundred (500) cubic yards shall be accompanied by an engineered grading plan (KCC 14.05.080).

3. State and Federal

A. Applicant shall meet all state and federal regulations.

Water & Sewer 4.

A. A soil log must be completed for proposed lot L2.

Noted
Completed
a See attached B. A signed and recorded shared water user's agreement between proposed lots and a current water right must be provided.

5. Survey

- A. Final plat shall meet the requirements of WAC 332-130-145 in regard to contour No Contour Sine sources, vertical datum, and contour accuracy. Updated See Sheet 1 line sources, vertical datum, and contour accuracy.
- B. The 30x60 driveway easement shall be labeled as existing, herein created, or created via separate document.

KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES



"Building Partnerships - Building Communities"

411 N. Ruby St., Suite 2, Ellensburg, WA 98926

CDS@CO.KITTITAS.WA.US



Water Mitigation/Metering

The following comments outline the requirements for legal availability of water and metering for the proposed short plat:

Kittitas County CDS

The applicant must provide legal water availability for all new uses on the proposed lots of this project, which can be provided through a mitigation certificate.

See attached

In accordance with KCC Chapter 13.35.027, the applicant shall provide one of the following documents before final plat approval:

- 1. A letter from a water purveyor stating that the purveyor has adequate water rights and will provide the necessary water for the new use;
- 2. An adequate water right for the proposed new use; or
- 3. A certificate of water budget neutrality from the Department of Ecology or other adequate interest in water rights from a water bank.

All applicants for land divisions shall also submit information on "proximate parcels" held in "common ownership" as those terms are defined in WAC 173-539A-030 and otherwise demonstrate how the proposed new use will not violate RCW 90.44.050 as currently existing or hereafter amended.

Failure to obtain mitigation before commencement of an activity requiring mitigation shall be a code violation subject to enforcement under Title 18 KCC.

7. Plat Notes

A. The following plat notes shall be recorded on the final mylar drawings:

See Sheet Z for plat notes:

- Environmental and statutory review may be required for all current and future development, construction, and improvements. The applicant and/or all future owners of any lot or lots within this subdivision are responsible for compliance with all applicable local, state, and federal rules, requirements, codes, and regulations. It is incumbent upon said applicants and future owners to investigate for, and obtain from the appropriate agency or their representative, all required permits, licenses, and approvals for any development, construction, and/or improvements that occur within the boundaries of this subdivision.

All development shall comply with International Fire Code.

Note 7

Maintenance of the access is the responsibility of the property owners who benefit from its use.

An approved access permit will be required from the Department of Public Works prior to creating any new driveway access or performing work within the county road Note 5 right-of-way.

Note 15

KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES



411 N. Ruby St., Suite 2, Ellensburg, WA 98926

"Building Partnerships – Building Communities"

CDS@CO.KITTITAS.WA.US



The approval of this division of land provides no guarantee that use of water under the ground water exemption (RCW 90.44.050) for this plat or any portion thereof will Note 14 not be subject to curtailment by the Department of Ecology or a court of law.

Kittitas County CDS Any further subdivision or lots to be served by proposed access may result in further Note County Pond Standards

- A public utility easement 10 feet in width is reserved along all lot lines. The 10-foot easement shall abut the exterior plat boundary and shall be divided by 5 feet on each side of interior lot lines. Said easement may also be used for irrigation.
- Metering is required for all new uses of domestic water for residential well connections and usage must be recorded in a manner consistent with Kittitas County Note (Co Code Chapter 13.35.027 and Ecology regulations.

8. Other

- A. Taxes shall be paid in full on all tax parcels involved in this land use action as required by Washington State Law (RCWs 84.40.042 & 84.56.345) prior to final plat recording.
- B. Should ground disturbing or other activities related to the proposed subdivision result in the inadvertent discovery of cultural or archaeological materials, work shall be stopped in the immediate area and contact be made with the Washington State Department of Noted Archaeology and Historic Preservation (DAHP). Work shall remain suspended until the findings are assessed, and appropriate consultation is conducted. Should human remains be inadvertently discovered, as dictated by Washington State RCW 27.44.055, work shall be immediately halted in the area and contact made with the coroner and local law enforcement in the most expeditious manner possible.
- C. Both sheets of the final mylars shall reflect short plat number SP-23-00001 and an accurate legal description shall be shown on the face of the final plat. Engineers and Surveyors need to be cognizant of all the requirements related to Final Plats (KCC 16.20) and Survey Data and Dedications (KCC 16.24). The final plat must be submitted in full conformance with these chapters of Kittitas County Code; non-compliant mylars will be rejected and returned to the applicant. A final plat file number will be assigned when CDS receives your final plat application. This file number will also be required on the face of the final plat.
- D. It is the responsibility of the Professional Licensed Surveyor (PLS) to ensure the lot closures are correct and accurate.
- E. This preliminary approval will expire 5 years from the date of this determination if no extension is filed in accordance with KCC 16.32.090.