



KITTITAS COUNTY

DEPARTMENT OF PUBLIC WORKS

MEMORANDUM

TO: Jeff Watson
FROM: Christina Wollman, Planner II
DATE: March 9, 2011
SUBJECT: Brown BL-11-00003

The Public Works Department has reviewed the Request for Boundary Line Adjustment Application. In order to ensure that it meets current Kittitas County Road Standards, the applicant needs to provide the following prior to final approval:

1. A revised legal description that describes the final configuration of the subject property shall be required.

The applicant needs to be aware of the following:

- a. An approved access permit shall be required from the Kittitas County Department of Public Works prior to creating any new driveway access or performing any work within the county road right of way.
- b. No access shall be allowed from US 97.
- c. A John Wayne Trail crossing permit may be required from Washington State Parks to access those parcels north of the JWT.
- d. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
- e. Any further subdivision or lots to be served by proposed access may result in further access requirements. See Kittitas County Road Standards.
- f. All roads located within this development or roads that provide access to this development shall be constructed to current county road standards unless any other maintenance agreements, forest service road easements or state easements require higher road standards. The higher of the road standards shall apply.
- g. Evidence of existing access and/or evidence of access to be created should be confirmed prior to sale of property.
- h. Access is not guaranteed to any existing or created parcel on this application.

In addition to the above-mentioned conditions, all applicable Kittitas County Road Standards apply to this proposal. Please let me know if you have any questions or need further information.