

Jeff Watson

From: Brenda Larsen
Sent: Thursday, January 30, 2014 1:23 PM
To: Jeff Watson
Subject: RE: BL-13-00029 Smith

Follow Up Flag: Follow up
Flag Status: Flagged

Jeff Watson
Community Development Services
411 N. Ruby Street, Suite 2
Ellensburg, WA 98926

Re: Smith (BL-13-00029)

Dear Mr. Watson:

After conducting a review of the above named project, I have the following comments:

- Ensure that boundary line adjustments do not infringe upon existing structures, to include propane tanks, etc.
- Ensure adequate access for fire apparatus. Any driveways or access points created based off the new lot configurations shall comply with Kittitas County Code 20.02.030.
- All future development must comply with the International Fire Code.

Any questions or concerns regarding fire service features may be directed to the Kittitas County Fire Marshal's Office at 509-962-7000.

Sincerely,

Brenda Larsen
Kittitas County Fire Marshal
509-962-7000

From: Jeff Watson
Sent: Thursday, January 30, 2014 1:08 PM
To: Brenda Larsen
Subject: FW: BL-13-00029 Smith

The applicant is checking in; can I get a comment on this one?

Jeffrey A. Watson
Planner II

[Kittitas County Public Works/Community Development Services](#)

411 North Ruby

Ellensburg WA 98926

jeff.watson@co.kittitas.wa.us

509-933-8274

From: Jeff Watson

Sent: Monday, December 02, 2013 1:46 PM

To: Christina Wollman; Brenda Larsen; Jan Ollivier; Holly Duncan; Erin Moore; Joe Gilbert

Subject: BL-13-00029 Smith

[BL-13-00029 Smith](#)

Christina, Holly, Erin, and Brenda,

Could you please review this application for comment. Control Click on the hyperlink above (or go to the attachment tab in EDEN).

Thanks,

Jeffrey A. Watson

Planner II

[Kittitas County Public Works/Community Development Services](#)

411 North Ruby

Ellensburg WA 98926

jeff.watson@co.kittitas.wa.us

509-933-8274

Notice: All email sent to this address will be received by the Kittitas County email system and may be subject to public disclosure under Chapter 42.56 RCW and to archiving and review.

message id: 38eb45916c6dcbdac24bb8719d004a14