

KITTITAS COUNTYDEPARTMENT OF PUBLIC WORKS

MEMORANDUM

TO: All Staff

FROM: Justin Turnbull, County Surveyor

DATE: August 23, 2017

SUBJECT: County Survey Review of Boundary Line Adjustment 17-00014 (Yakama)

Suggested Changes (not required)

- 1. The West boundary of the 40' R/W for Klocke Road has been identified previously in Survey 33-118, and Short Plat A-64. Survey 33-118 has identified the SE property corner of Lot C as falling 3.5' inside the R/W. An extension of this line as identified would result in a loss from Lot C of a triangular portion measuring approximately 3.5' x 263'. The application as currently proposed will result in a discontinuous boundary along the West line of Klocke Road. If the applicant chooses to continue with this proposal as is, at minimum, the corner identified by Survey 33-118, should be noted (WAC:332-130-050(1)(f)(i)), and the method used to determine the limits of Klocke Rd be noted (held centerline of existing road/ held survey XXX).
- 2. Sheet 2 does not include a Legend.
- 3. Map should show areas of resultant parcels. In the case of Parcel A, approximate area would be suitable.
- 4. The boundaries (or approximate boundaries) of Parcel A should be visually shown, they do not need to be mathematically identified.
- 5. All roadways should show Road name, Width, Ownership, and surfacing material. (EX: Klocke Rd. 40' County R/W Paved)
- 6. At minimum the new division lines should be located and staked in the field.
- 7. The "revised portion of access easement" should include the language "created via separate document and include the recording number or a blanc space to be filed in at time of recording.