

**From:** [Holly Erdman](#)  
**To:** "Ginger Weiser"; [Rachael Stevie \(CD\)](#)  
**Cc:** [KATHYOGG@COMCAST.NET](mailto:KATHYOGG@COMCAST.NET); [Dustin Pierce, PLS](#); [Marc Kirkpatrick](#)  
**Subject:** RE: BL-20-00008 Ogg Transmittal of Comments  
**Date:** Tuesday, May 12, 2020 3:03:35 PM  
**Attachments:** [image001.png](#)

---

Thank you, Ginger. This looks good. Rachael can you please be sure this document is loaded in the file for this BLA on the T drive?

---

**From:** Ginger Weiser <[gweiser@encompasses.net](mailto:gweiser@encompasses.net)>  
**Sent:** Tuesday, May 12, 2020 11:33 AM  
**To:** Rachael Stevie (CD) <[rachael.stevie.cd@co.kittitas.wa.us](mailto:rachael.stevie.cd@co.kittitas.wa.us)>; Holly Erdman <[Holly.erdman@co.kittitas.wa.us](mailto:Holly.erdman@co.kittitas.wa.us)>  
**Cc:** [KATHYOGG@COMCAST.NET](mailto:KATHYOGG@COMCAST.NET); Dustin Pierce, PLS <[dpierce@encompasses.net](mailto:dpierce@encompasses.net)>; Marc Kirkpatrick <[mkirkpatrick@encompasses.net](mailto:mkirkpatrick@encompasses.net)>  
**Subject:** FW: BL-20-00008 Ogg Transmittal of Comments

Dear Rachael and Holly:

Attached is the recorded document needed for the Group B/water issue that is required for the proposed boundary line adjustment.

Hopefully this will provide the information needed to get approval on the above project.

Thanks for all your help and have a great day,

Ginger :]

## Ginger Weiser

Engineering Technician

**D:** (509) 656-4576

[GWeiser@EncompassES.net](mailto:GWeiser@EncompassES.net)

[www.EncompassES.net](http://www.EncompassES.net)

**Eastern Washington:** [407 Swiftwater Blvd., Cle Elum, WA 98922](#) | **P:** (509) 674-7433

**Western Washington:** [165 NE Juniper St., Suite 201, Issaquah, WA 98027](#) | **P:** (425) 392-0250

**A message regarding COVID-19:** Over the last several years Encompass has made significant business continuity investments to ensure our ability to operate during a local, regional or national disaster. At no point did we envision a global pandemic. While our top priority is the safety of our employees, we want to assure our clients that, despite some delays that are out of our control and unavoidable, we are currently operating with minimal disruptions. Our physical offices are closed but employees continue to work from home, phones will be answered and your project will continue to move forward as much as possible given the circumstances.

Encompass Engineering & Surveying accepts no liability for the content of this email, or for the consequences of any actions taken on the basis of the information provided, unless that information is subsequently confirmed in writing. Any views or opinions presented in this email are solely those of the author and do not necessarily represent those of Encompass Engineering & Surveying. **WARNING: Computer viruses can be transmitted via email. The recipient should check this email and any attachments for the presence of viruses. Encompass Engineering & Surveying accepts no liability**

for any damage caused by any virus transmitted by this email.

---

**From:** Rachael Stevie (CD) <[rachael.stevie.cd@co.kittitas.wa.us](mailto:rachael.stevie.cd@co.kittitas.wa.us)>  
**Sent:** Monday, May 11, 2020 11:16 AM  
**To:** [kathyogg@comcast.net](mailto:kathyogg@comcast.net)  
**Cc:** Dustin Pierce, PLS <[dpierce@encompasses.net](mailto:dpierce@encompasses.net)>; Lindsey Ozbolt <[lindsey.ozbolt@co.kittitas.wa.us](mailto:lindsey.ozbolt@co.kittitas.wa.us)>  
**Subject:** RE: BL-20-00008 Ogg Transmittal of Comments


Good morning Mr. & Mrs. Ogg,

I just wanted to send you a courtesy follow-up regarding your boundary line adjustment application.

When I sent your transmittal of comments back on April 3, 2020, I asked that you address Public Health's concerns directly with them but I failed to mention that I will need documentation that Public Health's requirements have been satisfied to continue processing the application.

If you have any questions, please do not hesitate to reach out.

Best regards,



Planner I  
Kittitas County  
Community Development Services  
411 N. Ruby Street; Suite 2  
Ellensburg, WA 98926  
509-962-7637  
[rachael.stevie.cd@co.kittitas.wa.us](mailto:rachael.stevie.cd@co.kittitas.wa.us)

Please Note: In an effort to mitigate the spread of COVID-19 and the Governor's Stay Home, Stay Healthy Order, Kittitas County Community Development Services is closed to the public until further notice. At this time I am working remotely and will do my best to respond to you as promptly as possible.


---

**From:** Rachael Stevie (CD)  
**Sent:** Friday, April 3, 2020 1:48 PM  
**To:** 'kathyogg@comcast.net' <[kathyogg@comcast.net](mailto:kathyogg@comcast.net)>  
**Cc:** 'dpierce@ENCOMPASSES.NET' <[dpierce@ENCOMPASSES.NET](mailto:dpierce@ENCOMPASSES.NET)>; Lindsey Ozbolt <[lindsey.ozbolt@co.kittitas.wa.us](mailto:lindsey.ozbolt@co.kittitas.wa.us)>  
**Subject:** BL-20-00008 Ogg Transmittal of Comments

Good afternoon Mr. & Mrs. Ogg,

Please see attached correspondence regarding your Boundary Line Adjustment Application.

If you have any questions, please do not hesitate to contact me.



Planner I

Kittitas County

Community Development Services

411 N. Ruby Street; Suite 2

Ellensburg, WA 98926

509-962-7637

[rachael.stevie.cd@co.kittitas.wa.us](mailto:rachael.stevie.cd@co.kittitas.wa.us)

Please Note: In an effort to mitigate the spread of COVID-19, Kittitas County Community Development Services is closed to the public until further notice. At this time we will continue to have staff available to answer calls and respond to requests via email. Thank you for your patience and understanding as we make every effort to keep our community and our employees safe.

---

The information transmitted by this email is intended only for the person or entity to which it is addressed. This email may contain confidential and/or privileged material. If you are not the intended recipient of this message, be aware that any use, review, retransmission, distribution, or reproduction is strictly prohibited. If you received this in error, please contact the sender immediately and delete the material from all devices.  
message id: 38eb45916c6dcbdac24bb8719d004a14