

From: [Hanson, Sydney \(DAHP\)](#)
To: [Kelly Bacon \(CD\)](#)
Cc: [Wollwage, Lance \(DAHP\)](#); ["Guy Moura \(HSY\)"; "Aren Orsen \(HSY\)"; "steve@snoqualmtribe.us"; Casey Barney; Corrine Camuso; Gregg Kiona; Jessica Lally; Kate Valdez; Noah Oliver](#)
Subject: Kittitas County_Suncadia Ph. 3 Div. 17 Tumble Creek (LP-21-00002)_Survey Highly Advised; Permit Potentially Required (DAHP Project Tracking # 2021-09-06109)
Date: Wednesday, September 8, 2021 12:31:03 PM
Attachments: [2021-09-06109_090821_Survey Highly Advised Permit Potentially Required.pdf](#)

CAUTION: This email originated from outside the Kittitas County network. Do not click links, open attachments, fulfill requests, or follow guidance unless you recognize the sender and have verified the content is safe.

Hi Kelly,

Attached is our letter regarding the project referenced in the subject line. Please contact me with any questions.

All the best,

Sydney Hanson, MA (she/her) | **Transportation Archaeologist**
360.280.7563 (cell) | sydney.hanson@dahp.wa.gov

Department of Archaeology & Historic Preservation | www.dahp.wa.gov
1110 Capitol Way S, Suite 30 | Olympia WA 98501
PO Box 48343 | Olympia WA 98504-8343

My schedule: M-F 7:00 AM – 3:30 PM

Please consider the environment before printing this email



Allyson Brooks Ph.D., Director
State Historic Preservation Officer

September 8, 2021

Kelly Bacon
Planner I
Kittitas County
411 Ruby St. Suite 2
Ellensburg, WA 98926

In future correspondence please refer to:
Project Tracking Code: 2021-09-06109
Property: Kittitas County_Suncadia Ph. 3 Div. 17 Tumble Creek (LP-21-00002)
Re: Survey Highly Advised; Permit Potentially Required

Dear Kelly Bacon:

Thank you for contacting the Washington State Historic Preservation Officer (SHPO) and Department of Archaeology and Historic Preservation (DAHP) and providing documentation regarding the above referenced project. These comments are based on the information available at the time of this review and on behalf of the SHPO in conformance Washington State law. Should additional information become available, our assessment may be revised. Please review our comments below:

- DAHP agrees with all comments provided in the 26 August 2021 letter from Aren Orsen, Archaeologist II with the CCT History/Archaeology Program.
- The boundary testing of site 45KT1363 by CWU, while appreciated, is not adequate for the scale of the project. An archaeological survey with subsurface testing across the entire project area is highly advised. A report meeting DAHP's [Standards for Cultural Resource Reporting](#) should be produced to accompany the survey.
- If any work within the boundary of 45KT1363 is proposed, a site alteration permit from DAHP will be required. Please contact Lance Wollwage, Assistant State Archaeologist, with any questions about the permitting process.
- We recommend that any historic buildings or structures (45 years in age or older) located within the project area are evaluated for eligibility for listing in the National Register of Historic Places on Historic Property Inventory (HPI) forms. We highly encourage the SEPA lead agency to ensure that these evaluations are written by a cultural resource professional meeting the [SOI Professional Qualification Standards in Architectural History](#).

Please note that the recommendations provided in this letter reflect only the opinions of DAHP. Any interested Tribes may have different recommendations. We appreciate receiving any correspondence or comments from Tribes or other parties concerning cultural resource issues that you receive.

Thank you for the opportunity to comment on this project. Please ensure that the DAHP Project Tracking Number is shared with any hired cultural resource consultants and is attached to any



communications or submitted reports. Please also ensure that any reports, site forms, and/or historic property inventory (HPI) forms are uploaded to WISAARD by the consultant(s).

Should you have any questions, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads "Sydney Hanson". The signature is fluid and cursive, with a long horizontal line extending to the right.

Sydney Hanson
Transportation Archaeologist
(360) 280-7563
Sydney.Hanson@dahp.wa.gov

