I HEERY CEPTIFICATE TO THE AS URER

I HEERY CEPTIFICATE TO THE PROCESS AND THE

Kittitas founty Treasurer
CERTIFICATE OF ASSESSOR

I HEREBY CERTIFY that the Amended Palomino Fields Plat - Division I, has been examined by me and I find the property to be in an acceptable condition for platting. Parcel No. 471033.

ted this 25 Day of June .... A.D., 2018

KIULIAS COUNTY BOARD OF COMMISSIONERS
EXAMPLED AND APPROVED this 2010, day of the county Assessor
KITTITAS COUNTY
BOARD OF COMMISSIONERS
EXAMPLED AND APPROVED this 2010, day of the county ADD, 2016.

BOARD COMMISSIONERS

TTEST MAY SYLK

Receiving No. 2018062519942 PALOMINO FIELDS PLAT-DIVISION I A PORTION OF THE NE 1/4 OF THE NW 1/4 OF SECTION 27, TOWNSHIP 18 NORTH, RANGE 18 EAST, W.M. N 26'43'22' E 5806.72' 16Y 15 COUNTY, WASHINGTON = N 00'00'53" W 5281.39'-{S 00'00'00" E 5281.34'} 1313.95 89°30′21″ E 1162.88 1313.96 89°30′21″ E 1162.88 157.30° 89°30′21″ E 1162.88 157.30° 89°30′21″ W 139.02 N 89°30′21″ W 17.2 157.30° 89°30′21 N 87'55'13" W 2614.19' { N 87'54'16" W 2614.20} PARENT PARCEL 8.454 Acres, more or less
- N 02115'32" W 310.40' 00°29'39" W 56.99' 9°30'21" W 82.35' N 02'15'32" W 24.99' >N 02'11'00" W 25.195 N 89'55'28" W 873.31' 1-31' 15'24" E 1327. [S 00'15'36" 2 N 00'15'36" W 34.22'->S 00'15'00" W 34.40'< (6) [1319.31'] <S 00'1 5'00" E 2655.25') TRACT 'A' 0 Eastery boundary line of ownership - S 89'45'28" E 2635.65' (N 89'26'51" W 2631.90') [S 89'45'17" E 2635.62] 823.60' NW 1/16 Corner 377.03 U.S.D.A. RE Southerly boundary line of ownership N 00°04'40" E 1330.76'-(1319.20') 1331.17'] 1321.7''
[S 89'59'14" W 2643.41'] 1321.71'
- \$ 89'59'31' W 2643.42' (N 89'14'53'' W 2636.14') ..... ----N 00"15"38" W 2637.80' ( 00"15'00" E 2649.20') [N 00"15"12" W 2637.75"]-1 - inc 27 27 found S 33 34 34 14 (15) S 89"31"51" E 2644.52' [N 89"31'45" W 2644.63"] found September, 2016 S U R V E Y O R ' S C E R T I F I C A T E  $\begin{smallmatrix} & A & U & D & I & T & O & R & ' & S \\ C & E & R & T & I & F & I & C & A & T & E \end{smallmatrix}$ Trimble R10 GPS Receivers C E R T I F I C A T E
Filed for record at the request of the Kittitas
County Board of Commissioners this 25th
day of OMC 2018, at

(2 minutes past 3 o'clock
P M. and recorded in Volume (2 o'clock
of Plats, at Page (6) 2.37 records I hereby centify that the Palomsno Fieles Plat — Division I plat is based or an actual survey and subdivision or Section 2.7 Township 18 North, Range 18 East, K.M.: that the distances and courses and angles are shown thereor correctly; that the mnuments have been set; and lot and block corners staked on the ground. Traverse Closure Meets Standards Per WAC 332-130-090 WESTERN PACIFIC ENGINEERING AND SURVEY, INC.

Frederick C. Skinner, P.E./P.L.S. Washington Land Surveyor Nr. 12491 WSSTERN PAULIFLE THE MERING AND PLONEER AND PLONEER AND PLONEER AND PLONEER AND PLONEER PLACE WASHINGTON 98837

of Kittitas County, Washington.

RECEIVING NO. 21806250042

Jerald V. Pethit Kity feet County Auditor

By Doebut Auditor

Pioneer Way Professional Center 1328 Funter Place (509)765-1023 Moses Lake, Wash LCU

A Portion of the NE 1/4 of the
NW 1/4 of Section 27,
Township 18 North, Range 18 East, W.M.
PALOMINO FIELDS PLAT - DIVISION I
Kitthan County

Receiving No. 26/6/16/25/02/42 80 LP - 07-31

A PORTION OF THE NE 1/4 OF THE NW 1/4 OF SECTION 27, TOWNSHIP 18 NORTH, RANGE 18 EAST, W.M. KITTITAS COUNTY, WASHINGTON

FENCE DETAIL LOT 2 0.765 ACRES LOT 7 0.761 ACRES N 2.9' S 0.9' S 0.9' S 0.0' S 1.3' N 2.8' S 0.4' S 0.0' S POI = Point of intersect

### LEGEND

- ♦ 5/8 inch iron pin with surveyor's cap marked "LS 49273" monument set December, 2017
- 5/8 inch iron pin with surveyor's cap marked "LS 49273" monument set July 11, 2017 and visited December, 2017
- 3 Inch brass cap monument found September, 2016
- 5/8 inch aluminum surveyor's cap monument stamped 'Kittitas County' found September, 2016
- 3 inch brass cap monument stamped 'LS 14746' found September, 2016
- △ 5/8 Inch iron pin with surveyor's cap stcmped '12491' monument found September 2016
- ▲ 5/8 Inch Iron pin with surveyer's cap stemped '18092' monument found September 2016
- E/8 Inch Iron pin with no surveyor's cap monument found September 2016
- 1 inch iron pin with no surveyor's cap monument found September 2016
- Railroad spike monument found September 2016
- O Calculated point only

   no monument found or set
- BUS Approx. bus stop location

# LEGEND (continued)

- Previously recorded information from Record of Survey drawing as found under Kittitas County's AFN 199702200014

- > < Previously recorded information from Statutary Warranty Deed found under Kittitas County's AFN 416786
- Note See Sheet 4 of 5



INSTRUMENT USED Frimble R10 GPS Receivers



WESTERN PACIFIC ENGINEERING
AND SURVEY, INC.

Pioneer Way Professional Center
1328 Hunter Place (508)765-1023 Moses Lake, Wash.

### PALOMINO FIELDS PLAT-DIVISION I

Receiving No. 28601625.0042 00

A PORTION OF THE NE 1/4 OF THE NW 1/4 OF SECTION 27, TOWNSHIP 18 NORTH, RANGE 18 EAST, W.M.

KITTITAS COUNTY, WASHINGTON

 $N\quad 0\quad T\quad E\quad S\quad :$ 

- Eighty-foot (80.00') wide Private Road Easement provided to the property owners of the lots within the Palomino Fields Plat Division I, and any and all lot owners of additional Palomino Fields Plats to be located to the west and southwest of this plat.
- 2. Twenty-foot (20.00') wide additional County Road Right-of-Way dedicated to Kittitas County via this plat.
- 3. Existing thirty-foot (30.00°) Kittitas County Road Right-of-Way.
- The short plat name is shown on top of the short plat developed by Mr. Leroy J. Preston in Newshorn, 1977, to be to this same short plat was "SHOTP part A-22". Said plat is filed under the Kittias County Auditor's File Number as 418140.
- Tract 1 as described in the property description as listed as being a portion of Tract 1 of the Original Property Description as shown on Sheet 5 of 5.
- Tract 4 as described in the property description as listed as being a portion of Tract 4 of the Original Property Description as shown on Sheet 5 of 5.
- Tract 5 as described in the property description as listed as being a portion of Tract 5 of the Original Property Description as shown on Sheet 5 of 5.
- 9. Found a 5/8-inch iron pin N 17 "22" 22" E a distance of 0.76" from the calculated position of the property corner.
- Found a 5/8-inch iron pin without surveyor's cap south a distance of 0.3' from the calculated position of the property line.
- 11. Found a 5/8-inch iron pin with surveyor's cap monument stamped '12491' a distance of 0.2' south of the calculated position of the property line.
- position or the property line.

  12. Thenty-foot (20,00) wide Private Road Easement provided to the property owners of the lots within the Palomino Fields Plat Division I. and any and all lot owners of additional Palomino Fields Plats to be located to the west and southwest of the plats of the provided Plats to be located to the west and southwest of the plats of the provided common joint use for adjacent property owners to be used as a common access driveway.
- Land Corner Record for Section Corner is filed with the Kittitas County Auditor's Office under the Auditor's File Number 536434.
- 14. Land Corner Record for Section Corner is filed with the Kittitas County Auditor's Office under the Auditor's File Number 199912150012.
- Land Corner Record for Section Corner is filed with the Kittitas County Auditor's Office under the Auditor's File Number 1999/12/50013.
- 16. Forty-foot (40.00') wide Berm Maintenance Easement.
- 17. East boundary line of the wetlands designated area.
- 18. The Palomino Fields Division 1 plat was originally recorded under Receiving No. 201708150006. This plat division is being recorded again to correct scrivener errors that were discovered after the original recording.
- 19. A 55.00-foot radius Private Read Easement provided to the property comers of the lots within the Palameine Fillos Plat Divison I. and any and all lot owners of additional Palamio Fields Plats to be located to the west and southwest of this plat.

SURVEYOR'S NARRITIVE

- Historically two different location of the north quarter corner of Section 27 Township 18 North. Range 18 East. M.M. Range 18 East. M.M. Range 18 East. M.M. Kittitas Co. Auditor's File Number 48140, a monument was set. Subsequently the monument was removed possibly do to road reconstruction. In 1931 via the survey recorded under was set with a note that Kittitas Co. Public Morks will set a monument in 1 monument case with future road maintenance in the vicinity. The location of these two monuments differ by 28.24 feet.
- 3. However the 1977, monument location was held for the purposes of locating the following three parcels:
  - Kittitas Co. Short Plat No. A-22 recorded under AFN 418140 Tract 1 of Statutory Warranty Deed recorded under AFN 201410160051
  - Tract 2 of Statutory Warranty Deed recorded under AFN 201410160051
  - In addition, other monuments and fence lines were used to help confirm the boundaries of said  ${\tt Short\ Plat}.$
- The west quarter corner of section 27 recorded on said Auditor's File Number 48840 was calculated. However, on an edjacent survey to west, a 1-1/4 inch iron pipe was found and said 1-1/4 inch iron pipe was found and careful and iron pipe was found and accepted as said west quarter corner.
- The county road right of way for Reecer Creek Road has been defined differently by various plats along Reecer Creek Road.

After contacting Kittiss County and doing independent representations of the county and doing independent representations of the county of the county of the county of the content of the county of the content of the county of t

GENERAL NOTES

As Per RCW 17.10.140, landowners are responsible for the controlling and preventing the spread of noxious weeds. Accordingly, the Kittiss County Noxious Weed Beard recommends and the control of the control of the control of the control selection of noxious weeds.

Construction of access improvements will require obtaining an access permit from the Department of Public Works. All access improvements shall be completed in accordance with current Kittites County accordance prior to issuence of a pullding occupancy permit for any proposed lots.

3. An easement of ten feet in width is reserved along all parcel lot lines. The ten foot easement shall abut the exterior plat boundaries and shall be divided five feet each side of the interior lot lines. Said assement shall be for public utilities, gas, irrigation, and cable television.

Subdivision Guarantee No. 72156-44348147, as provided by Chicago Title Insurance Company. All easements from said Subdivision Guarantee have been reviewed, those with a plottable location have been shown on face of plat.

NOTICE RIGHT TO FARM

The subject property is within or near land used for agriculture on which a variety of commercial activities may occur that are varying duration (RCM 35.70A.089). Commercial intural resource activities performed in accordance with county, state and federal laws are not subject to legal action as public ruisances (RCM 7.48.309).

INSTRUMENT USED

Traverse Closure Meets Standards Per WAC 332-130-090

INDEXING DATA S27 T18N R18E

WESTERN PACIFIC ENGINEERING AND SURVEY, INC.

Pioneer Way Professional Center 1328 Hunter Place (509)765-1023 Moses Lake, Wash.

B Hunter Place (600)765-1023 Moses Lake, W.

LCU

A Portion of the NE 1/4 of the
NW 1/4 of Section 27,
Township 18 North, Range 18 East, W.M.
PALOMINO FIELDS PLAT - DIVISION I

Kittitas County Washington 

n Alek NOTES

On February 8, 2017 Chicago Ittle and Elemburg Water Company were contacted to find any information regarding the location and ownership of the "Town Litch". At that time both entities were unable to provide any information to said ditch. The Ellendowr Tar said ditch but we do not have any documentation to prove this or each of the time that the surveyed location show on this survey.



## PALOMINO FIELDS PLAT-DIVISION I

A PORTION OF THE NE 1/4 OF THE NW 1/4 OF SECTION 27,

TOWNSHIP 18 NORTH, RANGE 18 EAST, W.M. KITTITAS COUNTY, WASHINGTON

AND

The Northeast Quarter of the Northwest Quarter of Section 27. in Township 18 North, Range 18 East, W.M..in the County of Kittitas, State of Washington: EXCEPTING THEREFROM.

A tract of land bounded by a line described as follows: Commencing at the Northeast corner of the Northwest Guarter of said Section 27; and running thence South 15' Mest 1, 321.5 feet, thence North 89'35' Mest. 500 feet; thence North 27'47' Mest. 838 feet; thence North 0'2' Mest. 679 feet; thence North 27'47' Mest. 838 feet; thence North 0'2' Mest. 679 feet; thence North 39'00' East, 78.8 feet; thence East 052.76 feet; thence South 334.09 feet to the point of commencement.

The right of way of the canal of the Ellensburg Water Company (Town Ditch).

TRACT 4:

TRACT 4:

TRACT 9:

TRACT

EXCEPTING THEREFROM the right-of-way for the County Road known as Reecer Creek Road.

AND EXCEPTING THEREROM the right-of-way of the Ellensburg Water Company Canal.

Company Canal.

TRACT B:

That portion of the Northeast Quarter of the Northwest Quarter of Section 27. Township 18 North. Range 18 East. W.M.. County of Kittitas. State of Meshington, described as Tollows:

A tract of land bounded by a line beginning at the Northwest corner of the Northwest Country of Maid of Section 27. The Northwest Country of Maid of said quarter of Quarter of the Northwest Department of Section 4 distance of 377.5 feet to the true point of beginning, there South 00 15 00 West along statement of Adv. Of the Theorem North 92 45 5 West a distance of 903.64 feet; thence North 02 11 00 West a distance of 904.70 feet to the true point of beginning.

Everptive Theorem North 02 11 00 West a distance of 907.70 feet to the true point of beginning.

EXCEPTING THEREFROM the right-of-way for the County Road known as Reecer Creek Road,

AND EXCEPTING THEREROM the right-of-way of the Ellensburg Water Company Canal.

PROPERTY DESCRIPTION
AS RESULT OF SURVEY
quarter of Section 27, Township 18 North, Range 18 East, W.M.,
County of Kittiss, State of Washington, as delinested and
described on the PALOMINO FIELDS PLAT O DIVISION I drawing
prepared by Western Pacific Engineering and Survey, Inc., dated
August, 2017, and as described as follows:

August, 2017, and as described as follows:

Commercing at the a 3 - inch brass can manument found in a monument case marking the northeast cornel of the Northeast concluded the Northeast concluded the Northeast concluded the Northeast concluded the Northeast concludent with the north boundary line of the Northeast quarter of said Section 27. a distance of 30.00 feet to the west right-of-way boundary line of the county load known as Resear Creek Road and to the Polly of Recommission to 15 50 cm. The Northeast counts of 15 50 cm. The Northeast co

PROPERTY DESCRIPTION

AS RESULT OF SURVEY

on tinue d

parellel with and 30.00 west of the west boundary line of the Northwest quantum of said Section; thence North 89°55.28 west a 67°30.40 feet; thence North 89°55.28 west a 67°30.40 feet; thence South 00°29°39 West a distance of 95.99 feet; thence South 00°29°39 West a distance of 95.99 feet; thence South 00°29°39 West a distance of 95.99 feet; thence South 00°29°39 west a distance of 95.99 feet; thence South 89°30°21° seat a distance of 145.70 feet; thence boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 89°30°21° seat; coincident with the north boundary line of the Northwest quarter of said Section 17; thence South 80°30° seat and line of the Northwest line of

Containing 8.454 ACRES, more or less

### DEDICATION

The owners of the land described herein in fee simple are CLE ELUM PINES EAST. LLC. a Weshington Limited Liebility Company. CLE ELUM PINES EAST. LLC. a Weshington Limited Liebility Company. and SSMI LLC. a Weshington Limited Liebility Company. As well as the control of the company of the co



ACKNOWLEDGEMENTS

STATE CF WASHINGTON )
COUNTY OF KING ... ) SS

residing at Marke, WA

Receiving No. 2018.0625.0042 0

STATE OF WASHINGTON ) SS

On this day .1.

On this day .1.

On this day .1.

A.D. .2018, before me, the undersigned a Notary Public in and for the State of to me thou moderaigned a Notary Public in and for the State of to me known to be the secretary of CLE ELUM PINE WEST, LLC, and acknowledged the said instrument to be the free and voluntary act and dead of Stid Corporation, for the uses and purposes therein mentioned, and on oath stated that he fine was subtorized to corporate seal of Said Corporation.

WITHDESS Wy hand and official seal the day and state of washington when the property of the state of the stat

STATE OF Washington ) SS COUNTY OF Live ... ) SS On this day ... of ...

NOTARY PUBLIC STATE OF WASHINGTON GOOD TO THE BOOK STATE OF WASHINGTON TO THE WASHINGTON TH residing at Monroc, WA

INSTRUMENT USED



WESTERN PACIFIC ENGINEERING

AND SURVEY, INC.
Pioneer Way Professional Center
1323 Hunter Place (509)765-1023 Moses Lake, Vash.

13329 Hunter Place (500)765-1923 Moses Lake, Vash

LCU

A Portion of the NE 1/4 of the
NW 1/4 of Section 27,
Township 18 North, Range 16 East, W.M.
PALOMINO FIELDS PLAT – DIVISION 1
Grant County

Surveyed by LMH Date 04-16 Scale 1" = N/A
Drawn by Tml/FCS Date 05-18 Sheet 5 of 5
Checked by FCS Date 06-18 Project No. 15169