From:	Mau, Russell E (DOH)
To:	Dusty Pilkington
Cc:	Holly Duncan; Smits, Brenda M (DOH)
Subject:	RE: LP-17-00007 Swauk Valley Ranch
Date:	Friday, November 17, 2017 9:49:17 AM

Mr. Pilkington:

The application states that water "to be provided from the existing class b [sic] well, system id: AC733E". DOH concurs that any subdividing of the property would remain classified as a single "project" (in terms of drinking water), and all parcels do need to be served by a single water system. In this particular case, the cited water system ("Swauk Valley Ranch" with the ID number as noted: AC733) does have sufficient approved capacity to serve these new parcels:

- Existing Active ("active" = constructed structures connected to the water system) Connections = 2
- Approved Connections = 9

So, seven (7) additional structures can be constructed/connected to the approved water system, while still remaining within the capacity of the approved water system.

DOH does want to know if the creation of the four (4) lots are part of the 9 approved connections or are they in addition to the 9 approved connections. If they are "in addition", then the currently reviewed and approved water system would not have sufficient capacity to serve all potential connections.

Thanks,

Russell E. Mau, PhD, PE
Regional Engineer
Department of Health, Office of Drinking Water
16201 East Indiana Avenue, Suite 1500, Spokane Valley, WA 99216
Desk: 509-329-2116
Fax: 509-329-2104
Russell.Mau@DOH.WA.GOV

Public Health - Always Working for a Safer and Healthier Washington
Visit our web site at www.doh.wa.gov/ehp/dw

From: Dusty Pilkington [mailto:dusty.pilkington@co.kittitas.wa.us]
Sent: Thursday, November 16, 2017 9:45 AM
To: Josh Hink <josh.hink@co.kittitas.wa.us>; Kim Dawson <kim.dawson@co.kittitas.wa.us>; Julie Kjorsvik <julie.kjorsvik@co.kittitas.wa.us>; Lisa Iammarino <lisa.iammarino@co.kittitas.wa.us>; Lisa Lawrence <lisa.lawrence@co.kittitas.wa.us>; Patti Johnson <patti.johnson@co.kittitas.wa.us>; Kelly Bacon <kelly.bacon@co.kittitas.wa.us>; Candie Leader <candie.leader@co.kittitas.wa.us>; 'jessica@yakama.com' <jessica@yakama.com>; 'jmarvin@yakama.com' <jmarvin@yakama.com>; 'johnson@yakama.com' <johnson@yakama.com>; 'enviroreview@yakama.com'

<envireview@yakama.com>; ECY RE SEPA REGISTER <separegister@ecy.wa.gov>; ECY RE SEPA REGISTER <separegister@ecy.wa.gov>; Clear, Gwen (ECY) <GCLE461@ECY.WA.GOV>; 'Reed, Catherine D. (ECY)' <CRAJ461@ECY.WA.GOV>; Renfrow, Brent D (DFW) <Brent.Renfrow@dfw.wa.gov>; Downes, Scott G (DFW) <Scott.Downes@dfw.wa.gov>; Nelson, Jennifer L (DFW) <Jennifer.Nelson@dfw.wa.gov>; SEPA (DAHP) <sepa@dahp.wa.gov>; Mike Flory <mike.flory@co.kittitas.wa.us>; Amber Green <amber.green@co.kittitas.wa.us>; Steph Mifflin <stephanie.mifflin@co.kittitas.wa.us>; Mau, Russell E (DOH) <Russell.Mau@DOH.WA.GOV>; 'linda.hazlett@dnr.wa.gov' <linda.hazlett@dnr.wa.gov>; PRESTON, CINDY (DNR) <CINDY.PRESTON@dnr.wa.gov>; DNR RE AQ LEASING RIVERS <DNRREAQLEASINGRIVERS@dnr.wa.gov>; 'brooksideconsulting@gmail.com' <brooksideconsulting@gmail.com>; 'Deborah.j.knaub@usace.army.mil' <Deborah.j.knaub@usace.army.mil>; Stoner, Jana <tribune@nkctribune.com>; 'terry@nkctribune.com' <terry@nkctribune.com>; 'Joanna Markell' <jmarkell@kvnews.com>; 'lonnie_allphin@ksd403.org' <lonnie_allphin@ksd403.org>; Lucas Huck <lucas.huck@co.kittitas.wa.us>; Karen Hodges <karen.hodges@co.kittitas.wa.us>; White, Lori (ECY) <lowh461@ECY.WA.GOV>; Smits, Brenda M (DOH) <brenda.smits@doh.wa.gov>; 'PrilucJ@wsdot.wa.gov' <PrilucJ@wsdot.wa.gov>; 'Kcdf1@elltel.net' <Kcdf1@elltel.net>; 'HolmstR@wsdot.wa.gov' <HolmstR@wsdot.wa.gov>; 'PrilucJ@wsdot.wa.gov' <PrilucJ@wsdot.wa.gov>
Subject: LP-17-00007 Swauk Valley Ranch

Greetings. I am requesting comments on this Long Plat Application. Anyone with an interest can comment, and the comment period ends 12/01/2017. Click the links below to view information on the permit.

LP-17-00007 Swauk Valley Ranch (County Departments)
LP -17-00007 Swuak Valley Ranch (Outside County Network)

Thank you,

Dusty Pilkington
Planner I
Kittitas County Community Development Services
411 N Ruby St # 4, Ellensburg, WA 98926
(509) -962-7079
dusty.pilkington@co.kittitas.wa.us

Notice: Email sent to Kittitas County may be subject to public disclosure as required by law.
message id: 38eb45916c6dcbdac24bb8719d004a14