

KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES

411 N. Ruby St., Suite 2, Ellensburg, WA 98926

CDS@CO.KITTITAS.WA.US

Office (509) 962-7506

Fax (509) 962-7682

Building Partnerships – Building Communities

October 13th, 2017

Ellen Steinberg
7009 129th Pl
Seattle, WA
98178

RE: Steinberg Parcel Combination CB-17-00012

Dear Ms. Steinberg,


Community Development Services is in receipt of the above referenced application. The application has been deemed complete and **preliminary approval** is hereby granted. Pursuant to Kittitas County Subdivision Code Chapter 16, please note the following items must be completed prior to final approval of the parcel combinations and must be submitted to our offices for review:

1. A legal description or survey displaying the new acreage and lot dimensions of each parcel must be submitted to our office prior to final approval.
2. Full year's taxes need to be paid for all tax parcel numbers per requirement of the Kittitas County Treasurer's Office. **Please contact this office when this is accomplished as the Treasurer's office will not be aware of your pending application.** No paper work or receipt is required just a phone call or an email will suffice.
3. All Kittitas County Public Works conditions shall be met prior to final approval. Please

If you have any further questions, please feel free to contact me at (509)-962-7079.

Sincerely,

Dusty Pilkington
Staff Planner



KITTITAS COUNTY DEPARTMENT OF PUBLIC WORKS

MEMORANDUM

TO: Dusty Pilkington, Community Development Services
FROM: Kelly Bacon, Engineer Technician I *KB*
DATE: October 12, 2017
SUBJECT: Steinberg CB-17-00012

The Public Works Department has reviewed the Request for Parcel Combination. The following are conditions of preliminary approval:

1. Timing of Improvements: This application is subject to the latest revision of the Kittitas County Road Standards, dated 12/15/15. The following conditions apply and must be completed prior to final approval of this project. A performance guarantee may be used, in lieu of the required improvements, per the conditions outlined KCC 12.01150.
2. Private Road Certification: Private roads serving any of the lots within this development shall be inspected and certified by a licensed professional engineer for conformance with current Kittitas County Road Standards, 12/15/15 edition. Kittitas County Public Works shall require this road certification to be completed prior to final approval of the project. If a performance guarantee is used in lieu of the required improvements, the private road shall be constructed and certified to comply with the minimum requirements of the International Fire Code prior to issuance of a building permit.
3. Private Road Improvements: Access from Casassa Road shall be constructed to meet or exceed the conditions of a High-Density Private Road that serves 15-40 tax parcels. See Table 4-4, current Kittitas County Road Standards, 12/15/15 edition.
 - a. Access easements shall be a minimum of 60' wide. The roadway shall have a minimum width of 22', with 1' shoulders, for a total width of 24'.
 - b. Minimum centerline radius shall be 60'.
 - c. Surface requirement BST/ACP.
 - d. Maximum grade is 10%.
 - e. Stopping site distance, reference AASHTO.
 - f. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
 - g. Any further subdivision or lots to be served by proposed access may result in further access requirements.
 - h. All roads located within this development or roads that provide access to this development shall be constructed to current county road standards unless any other maintenance agreements, forest service road easements or state easements require higher road standards. The higher of the road standards shall apply.

Page 1 of 2

411 North Ruby Street, Suite 1
Ellensburg, WA 98926

TEL (509) 962-7523
FAX (509) 962-7663

G:\PLANNING\Development\BLA and SEG\Combo\Steinberg CB-17-00012\Steinberg Combo - Preliminary Comments.doc

- i. All easements shall provide for AASHTO radius at the intersection with a county road.
 - j. A paved apron shall be constructed at the intersection of the proposed private intersection and the county road right-of-way.
4. Turnaround: A When a road extends more than 150' from the centerline of a County road or other publicly maintained road or serves more than three lots, a turnaround shall be provided. The turnaround shall be a cul-de-sac for roads serving five or more lots/units. The turnaround may be a hammerhead for roads serving four or less lots/units or for a land use development activity occurring prior to the end of the road. Cul-de-sac and hammerhead designs must conform to the specifications of the International Fire Code. A cul-de-sac shall have an easement diameter of at least 110 feet and a driving surface of at least 96 feet in diameter.
 5. Driveways: A driveway shall serve no more than two tax parcels. See Kittitas County Road Standards, 12/15/15 edition.
 - a. New access easements shall be a minimum of 30' wide. The roadway width shall have a minimum width of 12' if the length of the driveway is less than 150', or 16' if the length of the driveway is more than 150'.
 - b. Maximum grade shall be 15%.
 - c. Crushed surface depth per WSDOT standards.
 - d. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
 - e. Any further subdivision or lots to be served by proposed access may result in further access requirements.
 6. Private Road Maintenance Agreement: The applicant shall meet all applicable conditions of any pre-established or required Private Road Maintenance Agreements.
 7. Lot Closure: It is the responsibility of the Professional Licensed Surveyor (PLS) to ensure the lot closures are correct and accurate.
 8. Access Permit: An approved access permit shall be required from the Department of Public Works prior to creating any new driveway access or performing work within the county road right of way.
 9. Addressing: Contact the Kittitas County Rural Addressing Coordinator at (509) 962-7523 to obtain addresses prior to obtaining a building permit. A parcel cannot receive a building permit or utilities until such parcel is identified with a 911 address.
 10. Fire Protection: Contact the Kittitas County Fire Marshal regarding any additional access requirements for Emergency Response.

In addition to the above-mentioned conditions, all applicable Kittitas County Road Standards apply to this proposal. Please let me know if you have any questions or need further information.