





The Dep. The Department of Ecology does NOT warrant the Data and/or the Information on this Report.

File Original and First Copy with Department of Ecology  
Second Copy—Owner's Copy  
Third Copy—Driller's Copy

# WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. 39234

UNIQUE WELL I.D. # \_\_\_\_\_

Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name BARIL Address \_\_\_\_\_

(2) LOCATION OF WELL: County KITITAS SE & SE & Sec 20 T. 20 N., R. 14 W.M. R

(2a) STREET ADDRESS OF WELL (or nearest address) STORIE LN

(3) PROPOSED USE:  Domestic Irrigation  Industrial  Municipal   
 DeWater  Test Well  Other

### (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
<u>SOIL</u>	<u>0</u>	<u>5</u>
<u>COBBLES, GRAVEL</u>	<u>5</u>	<u>35</u>
<u>GRAVEL, CEMENTED</u>	<u>35</u>	<u>50</u>
<u>GRAVEL, SAND</u>	<u>50</u>	<u>85</u>
<u>CLAY SAND</u>	<u>85</u>	<u>90</u>
<u>GRAVEL</u>	<u>90</u>	<u>120</u>

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_

Abandoned  New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well \_\_\_\_\_ inches.  
Drilled \_\_\_\_\_ feet. Depth of completed well \_\_\_\_\_ ft.

### (6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 0 ft. to 120 ft.  
Welded  Liner installed  Threaded

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
Size of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 20 ft.  
Material used in seal BENTONITE  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 49 ft. below top of well Date 9/30/93  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time Water Level Time Water Level Time Water Level


Date of test \_\_\_\_\_

Bailer test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Air test 15 gal./min. with stem set at 115 ft. for 2 hrs.

Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_

Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No



Work started 9/29, 19. Completed 9/29, 19 93

### WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME BACH DRILLING CO  
(PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address RT5 BOX 1010

(Signed) \_\_\_\_\_ License No. 1778  
(WELL DRILLER)

Contractor's Registration No. WAEC 601334 Date 9/30, 19 93

(USE ADDITIONAL SHEETS IF NECESSARY)











