ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM


ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	ORMATION		FOR INGLIGANCE CONTRACTOR
BUILDING OWNER'S NAME					FOR INSURANCE COMPANY USE POLICY NUMBER
WILLIAM R	Ma GREGO	A.			
STHEET ADDRESS (Including A)	DL, Unit, Sulle and/or Bidg		ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and		TIDAD_	organization of the second		
LOT 18 TEN		es Pri	u Sec 34. 7.2	ON. R.16	E, WM KITTITUS C
ELLENSAURC				STATE	ZIP CODE 98927
		OOD INSUR	ANCE RATE MAP (FIRM	INFORMATION	
Provide the following from the	ne proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	5. BASE FLOOD ELEVATION
530095	262	B	MAY 5, 1981	A-1	(In AO Zones, use depth) 1852.
7. Indicate the elevation dat	um system used on ti	e FIRM for B	ase Flood Elevations (BFI	E): □NGVD '29	Other (describe on back)
8. For Zones A or V, where					or this building site, indicate
the community's BFE: L					
	, SECTIO	NC BUILD	NG ELEVATION INFORM	MATION	
of 1853.6 fee (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below 1 (check one) (d). FIRM Zone AO. The flone) the highest grade	t NGVD (or other FIR I/E, and V (with BFE). I/E, and V (with BFE). I the floor used the highest grade ad oor used as the refer adjacent to the build dance with the commum system used in dee 2). (NOTE: If the elemon on Page 2.) used appears on FIR Ition is based on:	M datum—see The bottom of the bottom of the reference level from the beaution of the beaution datum of the elevation. M: X Yes actual constructions.	Section B, Item 7). of the lowest horizontal struction is lest NGVD (or other FIF nee level from the selecter wilding. In the selected diagram is a depth number is available ain management ordinance above reference level elem used in measuring the ensity the datum system used in the datum system used in Carlon in Carlon in constructions of the constructions of the construction in t	ructural member of the datum—see See d diagram is feet all e, is the building ce? Yes vations: X NGV seed on the FIRM a Page 4) awings	ection B, Item 7). Lefet above or bove or below (check is lowest floor (reference No Unknown /D '29 Other (describe rent than that used on and show the conversion
case this certificate will on will be required once cons	ly be valid for the buil truction is complete.)	ding during th	e course of construction,	A post-construct	ion Elevation Certificate
5. The elevation of the lower Section B, Item 7).	st grade immediately	adjacent to the	e building is: LV 181510	.[7] feet NGVD (or other FIRM datum-see
	SE	CTION D CC	MMUNITY INFORMATIO	N	t 1980 or the street of the st
is not the "lowest floor" as floor" as defined by the or Date of the start of constru	defined in the comm dinance is: LLLL	unity's floodpla	ain management ordinand IGVD (or other FIRM datu	e, the elevation of m-see Section B	of the building's "lowest
FEMA Form 81-31, MAY 90		REPLACE	S ALL PREVIOUS EDITIONS	SEE f	REVERSE SIDE FOR CONTINUATION

REPLACES ALL PREVIOUS EDITIONS

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building off lat, a property owner owner's representative may also sign the certification. Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to brea away/in enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s) they list included in the certification under Comments below. The diagram number, Section C, Item 1, must still be only I certify that the information in Sections B and C on this certificate represents my best efforts to interpreunderstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, section CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) DAVID P. L.S. 18092 TITLE PROFESS ADDRESS STATE ZIP 0 LLENSBURG SIGNATURE PHONE Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. IS CREATED TO REUISETHE FIRM ROPORT BASE FLOOD ELEVATION F TION 15 1852 NOT 1853. THE FLAMMED FLOOR ELEVATION REQUIRED



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.