

PUBLIC HEALTH DEPARTMENT

www.co.kittitas.wa.us/health/

Administration
Community Health Services
Health Promotion Services
507 N. Nanum Street, Ste 102
Ellensburg, WA 98926
Phone: (509) 962-7515
Fax: (509) 962-7581

Environmental Health
411 N. Ruby Street, Ste. 3
Ellensburg, WA 98926
Phone: (509) 962-7698
Fax: (509) 962-7052

November 14, 2006

Cruse & Associates
217 E. Fourth Street
Ellensburg, WA 98926

Dear Mr. Cruse,

We have received the proposed Hatlestad Short Plat, located in Sections 16, Township 18N, Range 18E, off of Faust Road. We have also received the \$240.00 plat submission fee (receipt #048983).

For plat approval both sewage and water availability must be satisfactorily addressed.

For sewage disposal you have two options:

1. PUBLIC UTILITY SEWER

Submit a signed letter of agreement between the responsible public utility official and the developer/owner or other documentation that provides proof of connection to public sewer.

2. ON SITE SEWAGE

Soil logs will need to be scheduled and dug at a mutually convenient time. The developer/owner shall provide soil logs as per Chapter 246-272 WAC or as amended. The information obtained will be recorded and placed in your plat file for future reference. The information obtained from these soil logs is for plat approval purposes only and do not constitute a site evaluation in conjunction with the issuance of a permit for any specific lot.

Prior to receiving final approval for subdivisions (short and long plats) in Kittitas County, applicants shall be required to show the adequacy of potable water supplies proof of potable water supply can be demonstrated four ways:

1. PUBLIC UTILITY WATER SUPPLY APPLICANTS – shall submit a signed letter of agreement with the responsible public utility official and the developer/owner, granting delivery of potable water for the entire development.
2. GROUP “A” PUBLIC WELL – if you have an existing well and a Department of Ecology issued “water right” for potable usage of the well, the Washington State Department of Health is the


3. regulatory authority for approving Group A systems. Mr. Tom Justus is the Regional Engineer for Kittitas County. His office is located in Spokane, Washington. His number is: (509) 456-2453. We will require written verification that DOH has approved the system prior to final plat approval. If you have not secured a water right for potable use you must contact the Washington State Department of Ecology (Central Region Office) located in Yakima, Washington to begin the process of obtaining a water right. Their contact number is: (509) 575-2800.
4. GROUP "B" PUBLIC WELLS – the Kittitas County Environmental Health Department must first perform a source site inspection to approve the location of the proposed well or if the well exists to ensure that it meets the criteria for approval. The well must be drilled and/or located within the subdivision boundaries, all infrastructure completed and within the utility corridors, the workbook and all related documentation including testing and satisfactory results must be submitted, reviewed, and approved. Concurrence from the State Department of Health and issuance of a well ID number will complete the requirement.
5. INDIVIDUAL WELLS – the submittal of well logs or a hydrogeological report with documentation/evidence to support the claim regarding adequate availability of groundwater for the proposed number of potable water wells. This report shall be submitted by a Professional Engineer who practices in the field of hydrology or by a licensed Hydrogeologist.

All applicants for subdivision (short and long plats) utilizing wells shall have a note placed on the face of the final mylars that states:

"Kittitas County relies on its record that a supply of potable water exists. The approval of this division of land includes no guarantee or assurance that there is a legal right to withdraw groundwater within the land division."

Once we have received and reviewed complete information, we will notify Community Development Services through our EH Checklist that you have satisfactorily addressed health department requirements.

Sincerely,



Cathy Bambrick
Kittitas County Environmental Health Director

cc: Community Development Services
cc: Andrew Hatlestad