BOARD OF COUNTY COMMISSIONERS COUNTY OF KITTITAS STATE OF WASHINGTON

RESOLUTION

NO. 2013-045

TO AUTHORIZE CHAIR SIGNATURE ON THE PROSPECTUS FOR THE CANYON ROAD GRIND AND OVERLAY PROJECT

WHEREAS: Kittitas County Public Works uses Federal Highway Administration (FHWA)
Surface Transportation Program (STP) funds to improve or repair collector and arterial roads throughout the county; and

WHEREAS: FHWA recently required the Department of Public Works to obligate \$1.4M of these funds for construction before June 1, 2013; and

WHEREAS: On March 12, 2013, FHWA increased the construction obligation of Public Works to \$2.1M of these funds before June 1, 2013; and

WHEREAS: Resulting from the most recent requirement, Public Works opted to grind and overlay Canyon Road from Ellensburg City limits to Thrall Road; and

WHEREAS: This grind and overlay project will be included in the Six Year Transportation Plan and the Annual Construction Program; and

WHEREAS: FHWA requires Chair signature on the prospectus required for funding obligation.

NOW, THEREFORE BE IT RESOLVED that the Board of County Commissioners, in the best interest of the public, does hereby authorize Chair signature on the Canyon Road Grind and Overlay project prospectus.

DATED this _____day of _____, 2013, at Ellensburg, Washington.

BOARD OF COUNTY COMMISSIONERS KITTITAS COUNTY, WASHINGTON

Obie O'Brien, Chair

Paul Jewell, Vice-Chair

Gary Berndt, Commissioner

Attest:

Clerk of the Board



Local Agency Federal Aid Project Prospectus

	ī	Prefix			Route		()	1			Date	03/19/2	2013	
Federal Aid	Federal Aid							Central			00/20/	2012		
Project Numl		er STPUS			A191	l			Registratio			08/29/2	2013	
Local Agency Project Number							(WSDOT) (Use Only)		Federal Employer Tax ID Number			91-60001349		
Agency					4									
Kittitas Cou	inty Pub	lic Works				Federal Program Title ☑ 20.205 ☐ Other								
Project Title		II TI OIND									W120 520			
Canyon Roa		and Overla	у			Start Latitude N46.970				Start Longitude W120.538			-	
			-			End Latitude N46.926			E	End Longitude W120.510				
Project Term	nini Fron	n To					earest City Hensburg		e			Pro. 989	ject Zip Code 926	
From:	To:	To: Length of Project			Award Ty			ard Ty			_		_	
2.17	5.47 3.30 Miles						☑ Local ☐ Loc						☐ Railroa	d
Federal Agency City Number Count					•					OT Region				
M FHWA	☐ Oth		7	<u> </u>		19			Kittitas		14 (57		Central Regi	ion
			ve Distric	ve Districts U			rban Area Number			TMA / MPO / RTPO				
			13							Qt	JADC			
Phase	Total			l	Local Agend		У		Federal Funds				Phase Start	
rnase		Estimated Cost (Nearest Hundred Dollar)		(Nea	Funding (Nearest Hundred		Dollar)	((Nearest Hundred Dollar)	Date Month Year		ır
P.E.		\$36,556					36,556			,		March 2013		
R/W														
Const.		\$1,368,826			\$20		268,826		\$1,100,0		000	N	May 2013	
		\$1,405,382		\$3				\$1,100,00						
Total		\$1,	405,382			<u>\$3</u>	305,382			31,100,	000			
	ion of			y (Exis	ting De			esent	t Condition)		000			
Descript i Roadway Wi				y (Exist	ting De		n and Pre		t Condition)		000			
Descripti Roadway Wi 40 feet	idth	Existing	Facility			sign	Numbe	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet	idth	Existing	Facility			sign	Numbe	r of La	t Condition)					
Descripti Roadway Wi 40 feet	idth	Existing	Facility			sign	Numbe	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet	idth	Existing	Facility			sign	Numbe	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet	idth	Existing	Facility			sign	Numbe	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet	idth	Existing	Facility			sign	Numbe	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet The roadwa	idth	Existing	Facility	s with 8-1		sign	Numbe	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet The roadwa	idth ay consis	Existing	Facility 2-foot lanes	s with 8-1	foot sho	esign	Numbe 2 rs each sid	r of La	t Condition) anes					
Descripti Roadway Wi 40 feet The roadwa Descripti Description of	ion of	Existing sts of two 12 FPropose ssed Work (A	2-foot lanes	with 8-	foot sho	esign	Numbe 2 rs each sid	r of La	t Condition) anes ridge width is	40 feet	wide.		he asphalt	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project	ion of of Propo	Existing sts of two 12 FPropose sed Work (A	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho	esign oulder nece	n and Pre Numbe 2 rs each sid	r of La	t Condition) anes	40 feet	wide.		he asphalt	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project	ion of of Propo	Existing sts of two 12 FPropose sed Work (A	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho	esign oulder nece	n and Pre Numbe 2 rs each sid	r of La	t Condition) anes ridge width is	40 feet	wide.		he asphalt	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project	ion of of Propo	Existing sts of two 12 FPropose sed Work (A	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho	esign oulder nece	n and Pre Numbe 2 rs each sid	r of La	t Condition) anes ridge width is	40 feet	wide.		he asphalt	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project	ion of of Propo	Existing sts of two 12 FPropose sed Work (A	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho	esign oulder nece	n and Pre Numbe 2 rs each sid	r of La	t Condition) anes ridge width is	40 feet	wide.		he asphalt	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project pavement w	ion of of Propo	sts of two 12 Propose osed Work (Actual grinding mix asphalt.	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho	esign oulder nece	n and Pre Numbe 2 rs each sid	r of La	t Condition) anes ridge width is	40 feet	wide.		he asphalt	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project	ion of of Propo	sts of two 12 Propose osed Work (Actual grinding mix asphalt.	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho neet(s) if alt paver ited to the	ulder nece	n and Pre Numbe 2 rs each sid	r of La	t Condition) anes ridge width is	40 feet	wide.	ment of t		
Descripti Roadway Wi 40 feet The roadwa Descripti Description The project pavement w Local Agenc Douglas D' Mailing Addr	ion of Proport will incevith hot and a cy Contact Cont	sts of two 12 FPropose Seed Work (A Clude grinding asphalt.	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho neet(s) if alt paver ited to the	necement, ne two	essary) , placement of 12-foot	r of La	t Condition) anes ridge width is	40 feet then re rn lanes.	eplacen	nent of the property of the pr	2-7690	
Descripti Roadway Wi 40 feet The roadwa Descripti Description of The project pavement w Local Agenc Douglas D'	ion of Proport will incevith hot and a cy Contact Cont	sts of two 12 FPropose Seed Work (A Clude grinding asphalt.	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho neet(s) if alt paver ited to the	necement, ne two	essary) , placement of 12-foot	r of La	t Condition) anes ridge width is	40 feet	eplacen	ment of to	2-7690	
Descripti Roadway Wi 40 feet The roadwa Descripti Description The project pavement w Local Agenc Douglas D' Mailing Addr	ion of Proport will incevith hot and a cy Contact Cont	sts of two 12 FPropose Seed Work (A Clude grinding asphalt.	2-foot lanes ed Work Attach adding 3 inches	with 8-1	foot sho neet(s) if alt paver ited to the	necement, ne two	essary) , placement of 12-foot	r of La	t Condition) anes ridge width is	40 feet then re rn lanes.	eplacen	nent of the property of the pr	2-7690	
Descripti Roadway Wi 40 feet The roadwa Descripti Description The project pavement w Local Agenc Douglas D' Mailing Addr 411 North F	ion of Propot will incevith hot a Propot with hot a Propot with hot a Propot will inceve the proposed by Conta Propot with hot a Proposed by Conta Proposed	F Propose Seed Work (Abude grinding asphalt.	2-foot lanes 2-foot lanes Attach adding 3 inches Work wil	with 8-1	foot sho neet(s) if alt paver ited to th	necement, ne two	essary) , placement of 12-foot	r of La	t Condition) anes ridge width is pavement mat	then re rn lanes.	eplacen	nent of the property of the pr	2-7690	
Descripti Roadway Wi 40 feet The roadwa Descripti Description The project pavement w Local Agenc Douglas D' Mailing Addr 411 North F	ion of Propot will incevith hot a Propot with hot a Propot with hot a Propot will inceve the proposed by Conta Propot with hot a Proposed by Conta Proposed	sts of two 12 FPropose Seed Work (A Clude grinding asphalt.	2-foot lanes 2-foot lanes Attach adding 3 inches Work wil	with 8-1	reet(s) if alt paver ited to the Coun	necement, ne two	essary) , placement of 12-foot	r of La	t Condition) anes ridge width is	then re rn lanes.	eplacen	Phone 509-962 Zip Code 98926	2-7690	

Agency Kittitas County Public Works	Project Title Canyon R	e oad Grind and Overlay		Date 03/	19/2013			
Type of Proposed Work Project Type (Check all that Apply)				Roadway Width	Number of L	anes		
□ New Construction □	☐ 3-R							
	Pedestrian / Facilit	1 6419 840 84		22	2			
AND COMPANIES AND METERS OF CHICAGO AND MODIFIES	Parking	☐ Other						
	Faiking							
☐ Bridge								
Geometric Design Data								
Description Description	The	ough Route		Cross	road			
200011211011		☐ Principal Arterial			ncipal Arterial			
Federal	☐ Urban	☐ Minor Arterial	Πu	rban 🗌 Mir	or Arterial			
Functional	□ Rural	☑ Collector ☑ Major Collector	⊠R		lector jor Collector			
Classification	□ NHS [Minor Collector	□N	HS Mir	or Collector			
		Local Access		377333.1	cal Access			
Terrain		toll Mountain		☑ Flat ☐ Roll	☐ Mountain			
Posted Speed Design Speed	50 MPH		_					
Existing ADT	Same							
Design Year ADT								
Design Year								
Design Hourly Volume (DHV)								
Performance of Work								
Preliminary Engineering Will Be Pe	rformed By			Others	Agency			
County				100 %		%		
Construction Will Be Performed By				Contract	Agency			
Contract				100 %		%		
Environmental Classifica	ition							
☐ Class I - Environmental Impact Statement (EIS) ☐ Class II - Categorically Excluded (CE)								
☐ Project Involves NEPA/SEPA Section 404 ☐ Projects Requiring Documentation								
Interagency Agreement (Documented CE)								
Class III - Environmental Assessment (EA)								
Project Involves NEPA/SEPA Section 404								
Interagency Agreement								
Environmental Considerations								

Agency Kittitas County Public Works	Project Title Canyon Road Grind and Overlay	Date 03/19/2013					
Right of Way							
No Right of Way Required * All construction required by the contract can be accomplished within the existing right of way.	☐ Right of Way Required ☐ No Relocation	Relocation Required					
Description of Utility Relocation or Adjustme	nts and Existing Major Structures Involved in	n the Project					
FAA Involvement							
Is any airport located within 3.2 kilometer	ers (2 miles) of the proposed project?	☐ Yes ☒ No					
Remarks							
ı							
This project has been reviewed by the le is not inconsistent with the agency's com							
T T	Agency Littitas (antix					
Date 3 19 2013	By Ohe Di	108					
THE PARTY OF THE P		Mayor/Chairperson					