KITTITAS COUNTY DEPARTMENT OF PUBLIC WORKS

AGENDA STAFF REPORT

AGENDA DATE:

March 5, 2013

ACTION REQUESTED:

Requesting the Board of County

Commissioners to ratify Chair signature of the prospectus for the Kittitas Highway Grind and

Overlay Project.

BACKGROUND:

Kittitas County received Federal funds to reconstruct Kittitas Highway from mile post (MP) 1.03 to MP 5.63. This reconstruction will consist of bridge replacement, road overlay, guardrail, adding bicycle lanes, adding pullouts for enforcement and road stabilization. Construction was planned to begin 2014.

Federal Highway Administration recently

required Kittitas County to obligate

approximately \$1.4M of project's Federal funds

prior to June 2013.

Funding obligation requires certain

documentation including a project prospectus

with Chair signature which was signed

February 12, 2013.

Public Works is requesting the Board ratify

Chair signature of the prospectus.

INTERACTION:

Public Works

RECOMMENDATION:

Ratify Chair signature of the prospectus

HANDLING:

Please return the resolution to Public Works.

ATTACHMENTS:

Signed Prospectus

Resolution

LEAD STAFF:

Douglas D'Hondt County Engineer

BOARD OF COUNTY COMMISSIONERS COUNTY OF KITTITAS STATE OF WASHINGTON

RESOLUTION

NO. _____

TO RATIFY CHAIR SIGNATURE OF THE PROSPECTUS FOR TH
KITTITAS HIGHWAY GRIND AND OVERLAY PROJECT

	KITTITAS HIGHWAY GRIND AND OVERLAY PROJECT					
WHEREAS:	Kittitas County Public Works was authorized approximately \$M by Federal Highway Administration (FHWA) to provide safety improvements and resurfacing to Kittitas Highway for 2014 construction; and					
WHEREAS:	FHWA recently required the Department of Public Works to obligate approximately \$1.4M of these funds before June 1, 2013; and					
WHEREAS:	Resulting from this recent requirement, Public Works opted to phase the Kittitas Highway Safety Improvement project by grinding and overlaying the road this year with the remaining project scheduled for completion in 2014; and					
WHEREAS:	This grind and overlay project is included in the Six Year Transportation Plan and the Annual Construction Program; and					
WHEREAS:	The Board of County Commissioners Chairman signed the prospectus required by FHWA for funding obligation; and					
NOW, THERE	FORE BE IT RESOLVED that the Board of County Commissioners, in the best interest of the public, does hereby ratify Chair signature of the Kittitas Highway Grind and Overlay project prospectus.					
DATED this _	day of, 2013, at Ellensburg, Washington.					
	BOARD OF COUNTY COMMISSIONERS KITTITAS COUNTY, WASHINGTON					
	Obie O'Brien, Chair					
	Paul Jewell, Vice-Chair					
Attest:	Gary Berndt, Commissioner					

Clerk of the Board



Local Agency Federal Aid Project Prospectus

	Г	Prefix		T	Route		()	ו ה			Date	02/21/2013	
Federal Aid	CERT					- 		Central Contractor			00/20/2012		
Project Num				C190					Registration Exp.Date		08/29/2013		
Local Agenc Project Num								(WSDOT) Use Only		Federal Employer Tax ID Number		91-60001349	
Agency							Federal	Progra	am Title				
Kittitas Cou	inty Publ	lic Works					☑ 20.2	8.50	Other				
Project Title						27// 00/						506	
Kittitas Hig	hway Gr	ind and Ove	rlay									ongitude W120.:	- 10 m
Droin at Tarm	-ini F	т.				1	End Lati		N49.986		End Lo	ongitude W120.4	
Project Term	IIIII FIOIT	1 10					arest City lensburg		9			Project Zip (98926	Code
From: P To: P Length of Project				- 11.			rd Typ	oe oe			70720	***	
1.03, 5.08	4.81,		4 Miles					Loca	I 🗌 Loca	al Force	es 🗆	State 🗌 Ra	ilroad
Federal Age				City Nu	ımber		inty Numl		County Nam	ne		WSDOT Region	
S FHWA	U Othe		1 : - 1 - 6:	 Di 1 1		19	T		Kittitas			South Central	Region
Congression 1	iai Distric	CT	Legislativ	ve District	ts		Urban /	Area N	lumber	TMA / MPO / RTPO			
1	I		13							10	UADC		
Phase	F	Total stimated Co	et	L	Local Ager Funding		У		Federal F	unds		Phase S Date	tart
21	(Nea	rest Hundred I	Oollar)	(Near	est Hund	red D	ollar)	1)	Nearest Hundred Dollar)		r)	Month	Year
P.E.		\$	85,016			\$1	11,477			\$73,	,539	March 20	13
RW													
Const.	\$1,560,561		\$21		10,676		\$1,349,88		885	May 201	3		
	\$1,645,577				150		\$1,423,42		404				
Total		\$1,6	45,577		-	\$22	22,153			\$1,425,	424		
	ion of			/ (Existi	ng Des			sent			424		
Descripti Roadway Wi				/ (Existi	ng Des		and Pre		Condition		424		
Descripti Roadway Wi 28 feet	dth	Existing	Facility			sign	and Pre Number	r of La	Condition nes)			
Descripti Roadway Wi 28 feet	dth	Existing	Facility			sign	and Pre Number	r of La	Condition nes)		and 28 feet wide	2.
Descripti Roadway Wi 28 feet	dth	Existing	Facility			sign	and Pre Number	r of La	Condition nes)		and 28 feet wide	e.
Descripti Roadway Wi 28 feet	dth	Existing	Facility			sign	and Pre Number	r of La	Condition nes)		and 28 feet wide	c.
Descripti Roadway Wi 28 feet	dth	Existing	Facility			sign	and Pre Number	r of La	Condition nes)		and 28 feet wide	2.
Descripti Roadway Wi 28 feet	dth	Existing	Facility			sign	and Pre Number	r of La	Condition nes)		and 28 feet wide	ē.
Descripti Roadway Wi 28 feet The roadwa	dth y consis	Existing	Facility foot lanes	with 3-fc		sign	and Pre Number	r of La	Condition nes)		and 28 feet wide	e.
Descripti Roadway Wi 28 feet The roadwa	on of	Existing ts of two 11-	Facility foot lanes	with 3-fc	oot shou	s ign	and Pre Number 2 seach sid	r of La	Condition nes)		and 28 feet wide	2.
Descripti Roadway Wi 28 feet The roadwa Descripti Description of	on of	Existing ts of two 11-	Facility foot lanes d Work tach addit	with 3-fo	oot shou	sign	and Pre Number 2 seach sid	r of La	Condition nes dge widths	are betw	veen 24		
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project	on of of Propos	Existing ts of two 11-	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n	alders	and Pre Number 2 s each sid	e. Bri	Condition nes dge widths	are betw	veen 24	and 28 feet wide	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project	on of of Propos	Existing ts of two 11- Proposed sed Work (Attude grinding	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n	alders	and Pre Number 2 s each sid	e. Bri	Condition nes dge widths	are betw	veen 24		
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project	on of of Propos	Existing ts of two 11- Proposed sed Work (Attude grinding	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n	alders	and Pre Number 2 s each sid	e. Bri	Condition nes dge widths	are betw	veen 24		
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project	on of of Propos	Existing ts of two 11- Proposed sed Work (Attude grinding	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n	alders	and Pre Number 2 s each sid	e. Bri	Condition nes dge widths	are betw	veen 24		
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project pavement w	on of of Propose will inclining the hot m	Existing ts of two 11- Proposed sed Work (Att ude grinding nix asphalt.	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n t pavem d to the	alders	and Pre Number 2 s each sid	e. Bri	Condition nes dge widths	are betw	veen 24	nent of the asphal	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project	on of of Propos will incl ith hot m	Existing ts of two 11- Proposed sed Work (Att ude grinding nix asphalt.	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n t pavem ed to the	eces ent, p	and Pre Number 2 seach sid seary) placemen 11-foot l	e. Bri	Condition nes dge widths	are betw	placem	nent of the asphal	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project pavement w Local Agency	on of of Propos will incl ith hot m	Existing ts of two 11- Proposed sed Work (Att ude grinding nix asphalt.	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n t pavemed to the Title County	eces ent, p	and Pre Number 2 seach sid seary) placemen 11-foot l	e. Bri	Condition nes dge widths	are betw	placem	nent of the asphal	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project pavement w Local Agency Douglas D'H	on of of Propose will include the hotomate with hotomate the contact of the conta	Proposed Bed Work (Attude grinding nix asphalt.	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n t pavemed to the	ecces ent, per two	and Pre Number 2 seach sid seary) placemen 11-foot l	e. Bri	Condition nes dge widths	are betw	placem	nent of the asphal Phone 509-962-7690	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project pavement w Local Agency Douglas D'H Mailing Addre	on of of Propose will include the hotomate with hotomate the contact of the conta	Proposed Bed Work (Attude grinding nix asphalt.	foot lanes d Work tach addit 3 inches	with 3-fo	et(s) if n t pavemed to the	ecces ent, per two	and Pre Number 2 seach sid sary) placemen 11-foot l	e. Bri	Condition nes dge widths	are between the then re	placem	Phone 509-962-7690	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project pavement w Local Agency Douglas D'H Mailing Addre 411 North R	fon of of Propose will include the hot many Contact Hondt less tuby, Suite the hot many Contact the hot many Conta	Proposed Bed Work (Attude grinding aix asphalt.	foot lanes d Work tach addit 3 inches Work will	with 3-fo	et(s) if n t pavemed to the	ecces ent, per two	and Pre Number 2 seach sid sary) placemen 11-foot l	e. Bri	Condition nes dge widths	are between the theorem is a state w.A.	placem	Phone 509-962-7690	
Descripti Roadway Wi 28 feet The roadwa Descripti Description of The project pavement w Local Agency Douglas D'H Mailing Addre 411 North R	fon of of Propose will include the hot many Contact Hondt less tuby, Suite the hot many Contact the hot many Conta	Proposed Bed Work (Attude grinding nix asphalt.	foot lanes d Work tach addit 3 inches Work will	ional shee of asphali be limite	et(s) if n t pavemed to the	ecces ent, per two	and Pre Number 2 seach sid	e. Bri	Condition nes dge widths	are between the theorem is a state w.A.	placem	Phone 509-962-7690	

Agency		Project Title	Date				
Kittitas County Public Works	<u> </u>	Kittitas Highway Grind and Overlay	02	/21/2013			
Type of Proposed Work							
Project Type (Check all that Apply)			Roadway Width	Number of Lanes			
☐ New Construction ☐	Path / Tra	ail 🔲 3-R	*				
☑ Reconstruction ☐		an / Facilities 🔀 2-R	22	2			
The state of the s		200000					
- <u> </u>	Parking	☐ Other					
☐ Bridge							
Geometric Design Data							
Description		Through Route	Cross	road			
		☐ Principal Arterial	☐ Pri	ncipal Arterial			
Federal	☑ Urba		🗌 Urban 🔲 Mir	nor Arterial			
Functional	⊠ Rura	al Collector Major Collector	XI Durai	llector			
Classification	□ NHS	S Minor Collector		ijor Collector nor Collector			
	4	Local Access	2_3 (4)	cal Access			
Terrain	⊠ i	Flat Roll Mountain	☑ Flat ☐ Roll	Mountain			
Posted Speed	35 and 50	0 MPH					
Design Speed	Same						
Existing ADT							
Design Year ADT							
Design Year Design Hourly Volume (DHV)							
Design Hourly Volume (DHV)							
Performance of Work							
Preliminary Engineering Will Be Pe	rformed By		Others	Agency			
Consultant			100 %				
Construction Will Be Performed By			Contract	Agency			
Contract			100 %				
Environmental Classifica	tion						
☐ Final ☐ Preliminary							
Annual Commission of the Commi		N					
Class I - Environmental Impact St							
Project Involves NEPA/SE	PA Section		uiring Documentation				
Interagency Agreement (Documented CE)							
Class III - Environmental Assessment (EA)							
Project Involves NEPA/SEPA Section 404							
Interagency Agreement							
Environmental Considerations							
Environmental Considerations							
				}			

Agency Kittitas County Public Works	Project Title Kittitas Highway Grind and Overlay	Date 02/21/2013
Right of Way		
No Right of Way Required * All construction required by the contract can be accomplished within the existing right of way.	☐ Right of Way Required ☐ No Relocation	Relocation Required
Description of Utility Relocation or Adjustmen	nts and Existing Major Structures Involved in	n the Project
FAA Involvement		
Is any airport located within 3.2 kilomete	ers (2 miles) of the proposed project?	☐ Yes ☒ No
Remarks		
This project has been reviewed by the leg is not inconsistent with the agency's comp	gislative body of the administration agen orehensive plan for community developr	cy or agencies, or it's designee, and ment.
	> / *	
	Agency Utitas	Country
Date 2 21 2013	By Chiel	DIOK.
	-,	Mayor/Chairperson