Kaycee Hathaway

From: Kaycee Hathaway

Sent: Monday, April 14, 2014 1:25 PM **To:** brianmurphy@comcast.net

Subject: Preliminary Approval: BL-14-00005 Murphy Revised

Attachments: BL-14-00005 Murphy Preliminary Approval Signed Revised.pdf; BL-14-00005 Murphy

Comments FM.pdf; BL-14-00005 Murphy Comments PW.pdf

Dear Mr. Murphy,

Attached is a copy of your revised preliminary approval & agency comments. Please review the attached documents for revisions that need to be completed before final approval of this application. If you have any further question please feel free to contact me. Also, a hard copy of all attached documents will be sent to you via the US Postal Service.

Thank you,

Kaycee K Hathaway Community Development / Planner I 411 N Ruby ST, Suite 2 Ellensburg, WA 98926

Phone: (509) 962-7079 Fax: (509) 962-7682

Email: kaycee.hathaway@co.kittitas.wa.us

Notice: All email sent to this address will be received by the Kittitas County email system and may be subject to public disclosure under Chapter 42.56 RCW and to archiving and review.



KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES

411 N. Ruby St., Suite 2, Ellensburg, WA 98926 CDS@CO.KITTITAS.WA.US Office (509) 962-7506 Fax (509) 962-7682

Building Partnerships - Building Communities

April 2, 2014

Murphy at Lock Kachess LLC 3121 Broadway East Seattle, WA 98102

RE: Murphy Boundary Line Adjustment, BL-14-00005

 Map Number
 21-13-27000-0001
 Parcel Number 306835

 Map Number
 21-13-27000-0002
 Parcel Number 146835

 Map Number
 21-13-27000-0005
 Parcel Number 951720

Dear Applicant,

Community Development Services is in receipt of the above referenced application. The application has been deemed complete and **preliminary approval** is hereby granted. Pursuant to Kittitas County Subdivision Code Chapter 16, please note the following items must be completed prior to final approval of the administrative segregation and must be submitted to our offices for review:

- 1. A metes and bounds legal description or recorded survey displaying legal descriptions and the new acreage and lot dimensions of each parcel must be submitted to our office prior to final approval.
- 2. Full year's taxes need to be paid for all tax parcel numbers per requirement of the Kittitas County Treasurer's Office. Please contact this office when this is accomplished as the Treasurer's office will not be aware of your pending application. No paper work or receipt is required just a phone call or an email will suffice.
- 3. Please refer to the attached Kittitas County Public Works and Kittitas County Fire Marshall comment memos for information regarding additional requirements.

If you have any further questions, please feel free to contact me at (509) 952-7079.

Sincerely,

Karjeer K Hathaway

Staff Planner

BL-14-00005 Murphy Master File @ T:\CDS\Projects\BLAs\BL 2014\BL-14-00005 Murphy

From: Brenda Larsen

Sent: Thursday, March 27, 2014 12:11 PM

To: Jeff Watson; 'brian murphy'

Subject: RE: Boundary Line Adjustment Application

Follow Up Flag: Follow up Flag Status: Flagged

March 27, 2014

Jeff Watson Community Development Services 411 N. Ruby Street, Suite 2 Ellensburg, WA 98926

Re: Murphy (BL-14-00005)

Dear Mr. Watson:

After conducting a review of the above named project, I have the following comments:

- Ensure that boundary line adjustments do not infringe upon existing structures, to include propane tanks, etc.
- Ensure adequate access for fire apparatus. Any driveways or access points created based off the new lot configurations shall comply with Kittitas County Code 20.02.030.
- All future development must comply with the International Fire Code.

Any questions or concerns regarding fire service features may be directed to the Kittitas County Fire Marshal's Office at 509-962-7000.

Sincerely,

Brenda Larsen Kittitas County Fire Marshal 509-962-7000

From: Jeff Watson

Sent: Thursday, March 27, 2014 10:01 AM

To: 'brian murphy' **Cc:** Brenda Larsen

Subject: RE: Boundary Line Adjustment Application



KITTITAS COUNTY DEPARTMENT OF PUBLIC WORKS

MEMORANDUM

TO:

Jeff Watson, CDS

FROM:

Christina Wollman, Planner III

DATE:

March 24, 2014

SUBJECT:

BL-14-00005 Murphy

The Public Works Department has reviewed the Request for Boundary Line Adjustment and finds that it meets current Kittitas County Road Standards.

Our department recommends final approval with the following conditions:

- a. An approved access permit shall be required from the Kittitas County Department of Public Works prior to creating any new driveway access or performing any work within the county road right of way.
- b. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
- c. Any further subdivision or lots to be served by proposed access may result in further access requirements. See Kittitas County Road Standards.
- d. Evidence of existing access and/or evidence of access to be created should be confirmed prior to sale of property.
- e. Access is not guaranteed to any existing or created parcel on this application.

Please let me know if you have any questions or need further information.



Memo

To: Jeff Watson, CDS

From: Erin Moore, Environmental Health Technician

Date: March 6, 2014

RE: Murphy BL-14-00005

After review of the proposed BLA, based on the information provided, there are no structures on the ownerships and all the land remains utilized in open area. It is stated in the narrative that currently there are no wells or septic systems on any of parcels that may be impacted by the movement of property lines within this ownership. It is also stated that water rights have been secured for all 3 parcels.

Please recommend for approval.

Please let me know if you have any questions or need further information.



From: brian murphy <bri>Sent: brian murphy <bri>Wednesday, March 05, 2014 4:03 PM

To: Jeff Watson

Subject: RE: Boundary Line Adjustment Application

Follow Up Flag: Follow up Flag Status: Flagged

Hi Jeff,

Looks to me like you have it exactly correct. I was told by staff that this was largely an administrative procedure. Is that correct? Once reviewed. I would bring in larger versions to be approved. Is that correct? Thank you,

On Time, Under Budget, Fulfill the Vision

Brian Murphy Murphy at Loch Kachess LLC 3121 Broadway East Seattle, WA 98102 206-799-2293

From: Jeff Watson [mailto:jeff.watson@co.kittitas.wa.us]

Sent: Wednesday, March 05, 2014 3:02 PM

To: 'brianmurphy@comcast.net'

Subject: FW: Boundary Line Adjustment Application

Mr. Murphy,

I am doing the initial processing of your boundary line adjustment application. In setting up the file for others to review I have generated a generalized depiction of the current parcels and proposed changes. The preliminary survey contains quite a bit of information which makes it difficult to distinguish the basic parameters of the proposal. Please review the attached and indicate to me whether I have captured your proposal in general terms. I will add what I have and send it out for comment for now; if I missed something or made an incorrect interpretation we can make the appropriate changes before a final determination.

Thanks,

Jeffrey A. Watson
Planner II

<u>Kittitas County Public Works/Community Development Services</u>
411 North Ruby
Ellensburg WA 98926

From: Jeff Watson

Sent: Wednesday, March 05, 2014 3:27 PM **To:** 'jhallisey@fs.fed.us'; 'klarned@fs.fed.us'

Subject: BL-14-00005 Murphy

Attachments: BL-14-00005 Murphy Master File 3.5.2014.pdf

BL-14-00005 Murphy Hyperlink to On-Line File

Please review the attached boundary line adjustment file for FS comments and requirements.

Thanks,

Jeffrey A. Watson
Planner II

<u>Kittitas County Public Works/Community Development Services</u>
411 North Ruby
Ellensburg WA 98926
<u>jeff.watson@co.kittitas.wa.us</u>
509-933-8274

From: Jeff Watson

Sent: Wednesday, March 05, 2014 3:21 PM

To: Christina Wollman; Brenda Larsen; Jan Ollivier; Holly Duncan; Erin Moore; Joe Gilbert

Subject: BL-14-00005 Murphy

BL-14-00005 Murphy

Christina, Holly or Erin or Joe, and Brenda,

Could you please review this application for comment. Control Click on the hyperlink above (or go to the attachment tab in EDEN).

Thanks,

Jeffrey A. Watson Planner II


Kittitas County Public Works/Community Development Services


411 North Ruby


Ellensburg WA 98926


jeff.watson@co.kittitas.wa.us

509-933-8274









Critical Areas Checklist

Wednesday, March 05, 2014 Application File Number BL-14-00005 44 Planner Jeff Watson ✓ No □ Yes Is SEPA required ☐ Yes ✓ No Is Parcel History required? What is the Zoning? Commercial Forest H_/ \square Yes ✓ No Is Project inside a Fire District? If so, which one? \square Yes ✓ No Is the project inside an Irrigation District? If so, which one? \square Yes ✓ No Does project have Irrigation Approval? Which School District? Cle Elum-Roslyn School District □ Yes ✓ No Is the project inside a UGA? If so which one? ✓ Yes \square No Is there FIRM floodplain on the project's parcel? If so which zone? What is the FIRM Panel Number? 5300950125B, 5300950140B \square No ✓ Yes Is the Project parcel in the Floodway? If so what is the Water Body? Lake Kachess What is the designation? Conservancy ✓ Yes \sqcup No Does the project parcel contain a Classified Stream? If so what is the Classification? Type 2 - Fish, Type 4 -NF Perennial, Type 4 NF ✓ Yes \square No Does the project parcel contain a wetland? If so what type is it? L2USCH ✓ Yes \square No Does the project parcel intersect a PHS designation? If so, what is the Site Name? LAKE KATCHESS WINTER RANGE, MT GOATS \square No Is there hazardous slope in the project parcel?
Yes If so, what type? Greater than 50% Slope

Does the project parcel abut a DOT road?
If so, which one?
Does the project parcel abut a Forest Service road? ✓ Yes ☐ No
If so, which one? KACHESS DAM RD
Does the project parcel intersect an Airport overlay zone ? \square Yes \square No
If so, which Zone is it in?
Does the project parcel intersect a BPA right of way or line? ☐ Yes ✓ No
If so, which one?
Is the project parcel in or near a Mineral Resource Land? ☐ Yes ✓ No
If so, which one?
Is the project parcel in or near a DNR Landslide area? ☐ Yes ✓ No
If so, which one?
Is the project parcel in or near a Coal Mine area?
What is the Seismic Designation?
Does the Project Application have a Title Report Attached?
Does the Project Application have a Recorded Survey Attached? \Box
Have the Current Years Taxes been paid? \Box



U.S. Fish & Wildlife Service

National Wetlands Inventory

Branch of Resource and Mapping Support


Enter Classification code:	(Example: L1UB1Hx)	
For geographically specific information* (optional	I), please enter a State code:	(Example: TX for Texas)
DECODE		

Description for code L2USCh:

- L System LACUSTRINE: The Lacustrine System includes wetlands and deepwater habitats with all of the following characteristics: 1. situated in a topographic depression or a dammed river channel; 2. lacking trees, shrubs, persistent emergents, emergent mosses or lichens with greater than 30% areal coverage; 3. total area exceeds 8 hectares (20 acres).
- 2 Subsystem LITTORAL: All wetland habitats in the Lacustrine System. Extends from shoreward boundary to 2 meters (6.6 feet) below annual low water or to the maximum extent of nonpersistent emergents, if these grow at depths greater than 2 meters.
- US Class UNCONSOLIDATED SHORE: Includes all wetland habitats having two characteristics: (1) unconsolidated substrates with less than 75 percent areal cover of stones, boulders or bedrock and; (2) less than 30 percent areal cover of vegetation. Landforms such as beaches, bars, and flats are included in the Unconsolidated Shore class.
 Subclass:

Modifier(s):

- **C** WATER REGIME **Seasonally Flooded**: Surface water is present for extended periods especially early in the growing season, but is absent by the end of the growing season in most years. The water table after flooding ceases is variable, extending from saturated to the surface to a water table well below the ground surface.
- h SPECIAL MODIFIER **Diked/Impounded**: These wetlands have been created or modified by a man-made barrier or dam which obstructs the inflow or outflow of water. The descriptors 'diked' and 'impounded' have been combined into a single modifier since the observed effect on wetlands is similar. They have been combined here due to image interpretation limitations. For clarification of the extent of impoundment see discussion of Lacustrine System limits.



From: Jeff Watson

Sent: Wednesday, March 05, 2014 3:02 PM

To: 'brianmurphy@comcast.net'

Subject: FW: Boundary Line Adjustment Application

Attachments: BL-14-00005 Murphy Existing and Proposed Parcels Staff Generated.pdf

Mr. Murphy,

I am doing the initial processing of your boundary line adjustment application. In setting up the file for others to review I have generated a generalized depiction of the current parcels and proposed changes. The preliminary survey contains quite a bit of information which makes it difficult to distinguish the basic parameters of the proposal. Please review the attached and indicate to me whether I have captured your proposal in general terms. I will add what I have and send it out for comment for now; if I missed something or made an incorrect interpretation we can make the appropriate changes before a final determination.

Thanks,

Jeffrey A. Watson
Planner II

<u>Kittitas County Public Works/Community Development Services</u>
411 North Ruby
Ellensburg WA 98926
jeff.watson@co.kittitas.wa.us
509-933-8274

From: Jeff Watson

Sent: Wednesday, March 05, 2014 2:14 PM

To: Brian E. Murphy (brianmurphy@comcast.com)

Subject: Boundary Line Adjustment Application

Attachments: BL-14-00005 Murphy Existing and Proposed Parcels Staff Generated.pdf

Mr. Murphy,

I am doing the initial processing of your boundary line adjustment application. In setting up the file for others to review I have generated a generalized depiction of the current parcels and proposed changes. The preliminary survey contains quite a bit of information which makes it difficult to distinguish the basic parameters of the proposal. Please review the attached and indicate to me whether I have captured your proposal in general terms. I will add what I have and send it out for comment for now; if I missed something or made an incorrect interpretation we can make the appropriate changes before a final determination.

Thanks,

Jeffrey A. Watson
Planner II

<u>Kittitas County Public Works/Community Development Services</u>
411 North Ruby
Ellensburg WA 98926
jeff.watson@co.kittitas.wa.us
509-933-8274

KITTITAS COUNTY, WASHINGTON BOUNDARY LINE **ADJUSTMENT**

NO. BLA-07-151

LOT LINE ADJUSTMENT A PORTION OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. KITTITAS COUNTY, WASHINGTON

03/19/2008 01:03:34 PM V: 34 P: 235 200803190067 VOL. /PAGE \$118.00 Boundary Line Adjustment Killitas County Auditor CONCEPT ENGINEERING

34-235

MINI THE REPORT OF REPORT

SCALE: 1 INCH = 300 FT. ШШ 150 0 300

PORTION OF:

SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M.



FOUND 2" IRON PIPE WITH 3" BRASS CAP WITNESS CORNER TO MEADER CORNER (9/6/07)

MERIDIAN

PER RECORD OF SURVEY FILED UNDER BOOK 8 OF SURVEYS, PAGE 32 UNDER KITTITAS COUNTY AUDITOR'S NUMBER 450311

BASIS OF BEARINGS

NOO'35'37"W BETWEEN FOUND MONUMENTS AT THE SOUTHEAST AND NORTHEAST SECTION CORNERS FOR SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, WM.

NOTES

- 1. INSTRUMENTATION FOR THIS SURVEY WAS A 5 SECOND THEODOLITE AND AN ELECTRONIC DISTANCE MEASURING UNIT. PROCEDURES USED IN THIS SURVEY WERE FIELD TRAVERSE, MEETING OR EXCEEDING STANDARDS SET BY WAC 332-130-090.
- 2. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF A SURVEY MADE IN AUGUST, 2007, AND SHOWS THE GENERAL CONDITION EXISTING AT THAT TIME.
- 3. NEW LOT CORNERS TO BE SET.

ORIGINAL LEGAL DESCRIPTIONS

PARCEL 1 (TAX ACCOUNT NO. 21-13-27000-0002) 25.34 ACRES

GOVERNMENT LOT 1 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M., RECORDS OF KITHITAS COUNTY, WASHINGTON:

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR

PARCEL 2 (TAX ACCOUNT NO. 21-13-27000-0003) 39.45 ACRES

GOVERNMENT LOT 2 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M., RECORDS OF KITTITAS COUNTY, WASHINGTON;

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS.

PARCEL 3 (TAX ACCOUNT NO. 21-13-27000-0004) 53.34 ACRES

GOVERNMENT LOT 3 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M.,

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS.


PARCEL 4 (TAX ACCOUNT NO. 21-13-27000-0005) 20.30 ACRES

GOVERNMENT LOT 4 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M., RECORDS OF KITTITAS COUNTY, WASHINGTON;

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS.

PARCEL 5 (TAX ACCOUNT NO. 21-13-27000-0001) 123.82 ACRES

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS



RECORDER'S CERTIFICATE

200803190067 FILED FOR RECORD THIS 12 DAY OF MARCH 2028
AT 1:30 M IN BOOK 24 OF 235 AT PAGE
DAVID B. MATTHEWS

DEPUTY AUDITOR

LAND SURVEYOR'S CERTIFICATE

THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY ME OR UNDER MY DIRECTION IN CONFORMANCE OF THE SURVEY RECORDING ACT AT THE REQUEST OF PLUM CREEK TIMBER COMPANY IN MARCH 2008







© 1999 Concept Engineering, Inc. All rights reserved

BOUNDARY LINE ADJUSTMENT FOR PLUM CREEK TIMBERLANDS, L.P.

DWN. BY	DATE	JOB NO.	
DBM	3/17/08	26317	
CHKD, BY	SCALE 1" = 300'	SHEET 1 OF 3	7

KITTITAS COUNTY, WASHINGTON

BOUNDARY LINE **ADJUSTMENT** NO. BLA-07-151

LOT LINE ADJUSTMENT A PORTION OF

SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. KITTITAS COUNTY, WASHINGTON

> LUI 4 44.55

> (PARCEL 2)

03/19/2008 01:03:34 PM V: 34 P: 236 200803190067 \$118.00 Boundary Line Adjustment Kittitas County Auditor

CONCEPT ENGINEERING

34-236

300

T21N R13F

S27 S26

SCALE: 1 INCH = 300 FT. шш

150 0

FOUND 2" IRON PIPE WITH 3" BRASS CAP

(10/17/07)

PORTION OF:

CENTERLINE OF CREEK FROM PLUM CREEK G.I.S. NOT FIELD LOCATED

LOT 4 32.59

(PARCEL 4)

N54'22'27"\ 383.4

N89'51'42"W

LOT 3

53.42

(PARCEL 3)

1555 82"

100' MDE SETBACK

GRAVEL ROAD

BUILDING

NR9"51"42"W

NO4'05'34"E

108.96

155.40

137.62

GOVERNMENT MEANDER

3

SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M.



LEGEND



FOUND SECTION CORNER

FOUND QUARTER CORNER

(M) (R1) MEASURED DIMENSION REFERENCE RECORDED SURVEY, BOOK 8, PG, 32

REVISED BOUNDARY LINE (R.B.L.)

LAKE KACHESS

MATCH LINE SH. 1 MATCH LINE SH. 2

N33'51'28"W

N89'51'42"W 300 GOV. N89'51'42"W LOT 3 66' WIDE ROAD EASEMENT

EASTERLY LIMITS OF LAND DEEDED TO U.S.A. PER RECORDED SURVEY VOL. 8, PG. 32, AUDITOR'S FILE #450311 COMPASS RULE ADJUSTED TO FOUND MONUMENTS

N37'05'30"W

L31 N48'27'37'E 210.24 L32 N61'02'43"E 89.15' L33 N87'11'59'E 29.68' L34 N45'16'07"E 46.33' L35 N69'32'03"E 42.97'

T21N R136

S27 S26

S34 S35

NOTE

"THE BEARINGS AND DISTANCES SHOWN HEREON ALONG THE WESTERLY LIMITS OF THE BURLINGTON NORTHERN RAILFOAD LAND ARE BALANCED BEARINGS AND DISTANCES TO COMPLY WITH INTENT OF THE ORIGINAL DEED DESCRIPTION AS SHOWN HEREON. THE ORIGINAL DEED DESCRIPTION AS SHOWN HEREON. THE ORIGINAL DEED THE REQUIRED CLOSURE ACCEPTABLE BY THE STANDARDS SET FORTH IN THE MANIAL, OF SURVEYING INSTRUCTIONS — 1947, UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT."

THIS NOTE APPEARS ON RECORD OF SURVEY BOOK 8, PAGE 32, RECORDS OF AITTITS COUNTY WA. THIS STATEMENT HAS BEEN CONFINED TO BE CORRECT. THE DEED DESCRIPTION RECORDED UNDER KITTITAS COUNTY RECORDING NO. 45690 DOES NOT CLOSE. CONCEPT ENDREBRING, INC., HAS USED THE GEOMETRY SHOWN ON THIS RECORD OF SURVEY AND ADJUSTED THAT TO FIT THE FOUND SOLTHEAST SECTION CORNER AND WITHESS CORNER TO THE MEANDER CORNER ON THE NORTH LINE OF SECTION 27.

SUBJECT TO

- EASEMENT FOR ROADS IN FAVOR OF UNITED STATES OF AMERICA, RECORDING NO. 338309.
- 2. EASEMENT FOR RIGHT OF WAY FOR A ROAD IN FAVOR OF UNITED STATES OF AMERICA,
- EASEMENT FOR ROADS IN FAVOR OF UNITED STATES OF AMERICA, RECORDING NO. 473238.
- RESERVATIONS AND EXCEPTIONS RESERVED BY PCTC, INC., A DELAWARE CORPORATION, RECORDING NO. 521473, AND MODIFIED UNDER THE FOLLOWING RECORDING NOS.: 521474, 521475, 536887, 539737, 544455, 554283, 556252, 556253, 199804080028, 199805090013 AND 199805090017.





© 1999 Concept Engineering, Inc. All rights reserved

BOUNDARY LINE ADJUSTMENT FOR PLUM CREEK TIMBERLANDS, L.P.

FOUND 2" IRON PIPE

WITH 3" BRASS CAP (6/29/07)

LHOM	OLUMBIA .	impuntation, bit.
DWN. BY DBM	DATE 3/17/08	JOB NO. 26317
CHKD. BY	SCALE 1" = 300'	SHEET 2 OF 3

BOUNDARY LINE **ADJUSTMENT** NO. BLA-07-151

LOT LINE ADJUSTMENT A PORTION OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. KITTITAS COUNTY, WASHINGTON

03/19/2008 01:03:34 PM V: 34 P: 237 200803190067

VOL./PAGE

Soundary Line Adjustment Kittitas County Auditor

34-237

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M.

REVISED LEGAL DESCRIPTIONS

THE NORTH HALF OF THE NORTH HALF OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. LYING NORTHERLY OF THE CENTERLINE OF AN EXISTING CREEK, THE CENTERLINE OF WHICH IS DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 27; THENCE NORTH 89'38'38" WEST ALONG THE NORTH LINE THEREOF A DISTANCE OF 946.72 FEET TO THE POINT OF BEGINNING:

THENCE SOUTH 51'57'40" WEST A DISTANCE OF 52.30 FEET; THENCE SOUTH 38'52'24" WEST A DISTANCE OF 109.83 FEET; THENCE SOUTH 69'32'03" WEST A DISTANCE OF 109.83 FEET;
THENCE SOUTH 45'16'07" WEST A DISTANCE OF 46.33 FEET;
THENCE SOUTH 87'11'59" WEST A DISTANCE OF 29.88 FEET; THENCE SOUTH 61'02'43" WEST A DISTANCE OF 29.66 FEET;
THENCE SOUTH 48'27'37" WEST A DISTANCE OF 210.24 FEET;
THENCE SOUTH 70'09'10" WEST A DISTANCE OF 35.24 FEET; HENCE SOUTH 70'99'10' WEST A DISTANCE OF 35.24 FEET;
HENCE NORTH 87'53'03' WEST A DISTANCE OF 189.14 FEET;
HENCE SOUTH 75'18'32' WEST A DISTANCE OF 90.71 FEET;
HENCE SOUTH 56'35'1" WEST A DISTANCE OF 161.14 FEET;
HENCE SOUTH 43'09'53' WEST A DISTANCE OF 58.49 FEET;
HENCE SOUTH 58'23'49' WEST A DISTANCE OF 42.73 FEET;
HENCE SOUTH 58'23'44' WEST A DISTANCE OF 116.37 FEET;

THENCE SOUTH 33'20'08" WEST A DISTANCE OF 101.92 FEET, THENCE SOUTH 61'15'46" WEST A DISTANCE OF 124.77 FEET.

HENCE SOUTH 6115-46" WEST A DISTANCE OF 124.77 FEET;

THENCE SOUTH 601152" WEST A DISTANCE OF 7.77 FEET;

THENCE SOUTH 601152" WEST A DISTANCE OF 135.16 FEET;

THENCE NORTH 7920'56" WEST A DISTANCE OF 15.47 FEET;

THENCE SOUTH 4309'55" WEST A DISTANCE OF 59.25 FEET;

THENCE SOUTH 4014'42" WEST A DISTANCE OF 47.16 FEET;

THENCE SOUTH 2527'51" WEST A DISTANCE OF 47.16 FEET;

THENCE SOUTH 7534'08" WEST A DISTANCE OF 47.99 FEET;

THENCE SOUTH 5734'08" WEST A DISTANCE OF 59.32 FEET;

THENCE SOUTH 590'336" WEST A DISTANCE OF 59.32 FEET;

THENCE SOUTH 584'51" WEST A DISTANCE OF 59.32 FEET;

THENCE SOUTH 584'51" WEST A DISTANCE OF 59.32 FEET;

THENCE SOUTH 578'46" WEST A DISTANCE OF 59.32 FEET;

THENCE SOUTH 578'46" WEST A DISTANCE OF 72.70 FEET;

THENCE NORTH 870'319" WEST A DISTANCE OF 72.72 FEET;

THENCE SOUTH 578'46" WEST A DISTANCE OF 74.45 FEET;

THENCE SOUTH 578'46" WEST A DISTANCE OF 74.45 FEET;

THENCE SOUTH 610'32" WEST A DISTANCE OF 74.46 FEET;

THENCE NORTH 870'61" WEST A DISTANCE OF 74.46 FEET;

THENCE NORTH 870'62" WEST A DISTANCE OF 71.79 FEET;

THENCE NORTH 870'63" WEST A DISTANCE OF 99.34 FEET;

THENCE NORTH 870'63" WEST A DISTANCE OF 99.34 FEET;

THENCE NORTH 870'63" WEST A DISTANCE OF 71.30 FEET;

THENCE NORTH 870'63" WEST A DISTANCE OF 71.30 FEET;

THENCE NORTH 870'63" WEST A DISTANCE OF 77.37 FEET,

THENCE NORTH 780'63" WEST A DISTANCE OF 77.37 FEET,

THENCE NORTH 780'63" WEST A DISTANCE OF 77.37 FEET, THENCE SOUTH 84"26"25" WEST A DISTANCE OF 27.77 FEET;

HENCE, SOUTH 710839" WEST A DISTANCE OF 31.83 FEET, MORE OR LESS, TO THE EAST MARGIN OF THAT PORTION OF SAID SECTION 27 CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690, AND THE TERMINUS OF THIS CREEK CENTERLINE DESCRIPTION:

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690;

SITUATE IN THE COUNTY OF KITTITAS, STATE OF WASHINGTON.

LOT 2

GOVERNMENT LOT 2 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M.:

TOGETHER WITH THE NORTH 300.00 FEET OF GOVERNMENT LOT 3 OF SAID SECTION 27 LYNG WESTERLY OF THE SOUTHERLY PROJECTION OF THE EAST LINE OF SAID GOVERNMENT LOT 2:

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690:

SITUATE IN THE COUNTY OF KITTITAS, STATE OF WASHINGTON.

LOT 3

GOVERNMENT LOT 3 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M.;

EXCEPT THE SOUTH 370.00 FEET THEREOF-

AND EXCEPT THE NORTH 300.00 FEET OF SAID GOVERNMENT LOT 3 LYING WESTERLY OF THE SOUTHERLY PROJECTION OF THE EAST LINE OF GOVERNMENT LOT 2 OF SAID SECTION 27;

TOGETHER WITH THE SOUTH 560.00 FEET OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SAID SECTION 27:

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690;

SITUATE IN THE COUNTY OF KITTITAS. STATE OF WASHINGTON

LOT 4

GOVERNMENT LOT 4 OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 FAST, W.M.-

TOGETHER WITH THE SOUTH 370.00 FEET OF GOVERNMENT LOT 3 OF SAID SECTION 27:

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690;

SITUATE IN THE COUNTY OF KITTITAS, STATE OF WASHINGTON

THE NORTH HALF OF THE NORTH HALF OF SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. LYING SOUTHERLY OF THE CENTERLINE OF AN EXISTING CREEK, THE CENTERLINE OF WHICH IS DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 27: THENCE NORTH 89'38'38" WEST ALONG THE NORTH LINE THEREOF A DISTANCE OF 946.72 FEET TO THE POINT OF BEGINNING;

THENCE SOUTH 51"57"40" WEST A DISTANCE OF 52.30 FEET; THENCE SOUTH 38"52"24" WEST A DISTANCE OF 109.83 FEET:

THENCE SOUTH 69'32'03" WEST A DISTANCE OF 42.97 FEET; THENCE SOUTH 45'16'07" WEST A DISTANCE OF 46.33 FEET; THENCE SOUTH 87'11'59" WEST A DISTANCE OF 29.68 FEET;

THENCE SOUTH 61'02'43" WEST A DISTANCE OF 89.15 FEET;
THENCE SOUTH 48'27'37" WEST A DISTANCE OF 210.24 FEET;
THENCE SOUTH 70'09'10" WEST A DISTANCE OF 35.24 FEET;

THENCE NORTH 87'53'03" WEST A DISTANCE OF 189.14 FEET; THENCE SOUTH 75'18'32" WEST A DISTANCE OF 90.71 FEET; THENCE SOUTH 56'35'17" WEST A DISTANCE OF 161.14 FEET;

THENCE SOUTH 43'09'53" WEST A DISTANCE OF 58.49 FEET; THENCE SOUTH 68'44'59" WEST A DISTANCE OF 42.73 FEET; THENCE SOUTH 58'23'44" WEST A DISTANCE OF 116.37 FEET.

THENCE SOUTH 33'20'08' WEST A DISTANCE OF 101.92 FEET;
THENCE SOUTH 61'15'46" WEST A DISTANCE OF 124.77 FEET;
THENCE SOUTH 84'26'25" WEST A DISTANCE OF 27.77 FEET; THENCE SOUTH 601152" WEST A DISTANCE OF 135.16 FEET, THENCE NORTH 79'20'56" WEST A DISTANCE OF 175.47 FEET, THENCE SOUTH 43'09'55" WEST A DISTANCE OF 59.25 FEET;

HENCE NORTH 792/058" WEST A DISTANCE OF 175.47 FEET;

HENCE SOUTH 420955" WEST A DISTANCE OF 59.25 FEET;

HENCE SOUTH 6092'04" WEST A DISTANCE OF 72.98 FEET;

HENCE SOUTH 6404'42" WEST A DISTANCE OF 47.16 FEET;

HENCE SOUTH 593'08" WEST A DISTANCE OF 47.16 FEET;

HENCE SOUTH 593'08" WEST A DISTANCE OF 67.99 FEET;

HENCE SOUTH 593'08" WEST A DISTANCE OF 69.32 FEET;

HENCE SOUTH 593'36" WEST A DISTANCE OF 59.32 FEET;

HENCE SOUTH 593'45" WEST A DISTANCE OF 72.70 FEET;

HENCE SOUTH 5794'51" WEST A DISTANCE OF 72.70 FEET;

HENCE NORTH 8703'19" WEST A DISTANCE OF 52.29 FEET;

HENCE NORTH 8703'19" WEST A DISTANCE OF 52.29 FEET;

HENCE NORTH 8703'19" WEST A DISTANCE OF 72.72 FEET;

HENCE NORTH 8703'19" WEST A DISTANCE OF 72.72 FEET;

HENCE NORTH 86'06'22" WEST A DISTANCE OF 72.72 FEET;

HENCE NORTH 86'06'22" WEST A DISTANCE OF 72.79 FEET;

HENCE NORTH 86'06'22" WEST A DISTANCE OF 72.99 FEET;

HENCE NORTH 86'06'22" WEST A DISTANCE OF 72.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.99 FEET;

HENCE NORTH 394'058" WEST A DISTANCE OF 73.97 FEET, MORE OR LESS, TO THE EAST MARGIN OF THAT PORTION OF SAID SECTION 27 CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690, AND THE TERMINUS OF THIS CREEK CHERNINUS OF THIS CREEK CENTERLINE DESCRIPTION:

TOGETHER WITH THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SAID SECTION 27, EXCEPT THE SOUTH 560.00 FEET THEREOF;

EXCEPT THOSE PORTIONS THEREOF CONVEYED TO THE UNITED STATES OF AMERICA FOR LAKE KACHESS BY WARRANTY DEED FILED UNDER KITTITAS COUNTY RECORDING NO. 45690;


SITUATE IN THE COUNTY OF KITTITAS, STATE OF WASHINGTON.






BOUNDARY LINE ADJUSTMENT FOR PLUM CREEK TIMBERLANDS, L.P.

		,	
DWN. BY DBM	DATE 3/17/08	JOB NO. 26317	
CHKD. BY	SCALE N.A.	SHEET 3 OF 3	





TITITAS COUN

KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES

411 N. Ruby St., Suite 2, Ellensburg, WA 98926 CDS@CO.KITTITAS.WA.US

Office (509) 962-7506 Fax (509) 962-7682

"Building Partnerships - Building Communities"

BOUNDARY LINE ADJUSTMENT FEB 05 (Adjustment of lot lines resulting in no new lots, as defined by KCC 16:08.055)

NOTE: If this Boundary Line Adjustment is between multiple property owners, seek legal advice for conveyance of property. This form does not legally convey property.

Please type or print clearly in ink. Attach additional sheets as necessary. Pursuant to KCC 15A.03.040, a complete application is determined within 28 days of receipt of the application submittal packet and fee. The following items must be attached to the application packet.

REQUIRED ATTACHMENTS

Note: a separate application must be filed for each boundary line adjustment request.

- Unified Site Plan of existing lot lines and proposed lot lines with distances of all existing structures, access points, well heads and septic drainfields.
- Signatures of all property owners.
- Narrative project description (include as attachment): Please include at minimum the following information in your description: describe project size, location, water supply, sewage disposal and all qualitative features of the proposal; include every element of the proposal in the description.
- For preliminary approval, please submit a sketch containing the following elements.
- Identify the boundary of the segregation:
 - The boundary lines and dimensions
 - Sub-Parcel identification (i.e. Parcels A, B, C or Lots 1, 2, 3, etc.)
- Show all existing buildings, well heads and drain fields and indicate their distances from the original exterior property lines AND from the proposed property lines. If you have a copy of an original survey, please attach. A new survey will not be needed until preliminary approval has been granted.
- 3. Provide legal descriptions for each proposed tax parcel and identify by letter or number use on the map. Example: Parcel
- A The North 75 feet of the West 400 feet of the Southwest quarter of the Southwest quarter of Section 02; Township 20 North; Range 16 East; W.M.; Except the West 30 feet thereof for roads.

For <u>final approval</u> (not required for initial application): Legal descriptions of the proposed lots, or a recorded survey.

APPLICATION FEES:

\$225.00	Kittitas County Community Development Services (KCCDS)
000 000	Winite Court Deserted CD 11: Wester

Kittitas County Department of Public Works \$90.00

Kittitas County Fire Marshal \$65.00

Kittitas County Public Health Department Environmental Health \$215.00

Total fees due for this application (One check made payable to KCCDS) \$595.00

FOR STAFF USE ONLY Application Received By (CDS Staff Signature):

- OPTIONAL ATTACHMENTS

 ✓ An original survey of the current lot lines. (Please do not submit a new survey of the proposed adjusted or new parcels until after preliminary approval has been issued.)

 ✓ Assessor COMPAS Information about the parcels.

GENERAL APPLICATION INFORMATION

1.		ss and day phone of land owner(s) of record: re(s) required on application form	
	Name:	Murphy at Loch Kachess LLC, Brian Murphy (president)	
	Mailing Address:	3121 Broadway East	
	City/State/ZIP:	Seattle, WA 98102	
	Day Time Phone:	206.799.2293	
	Email Address:	brianmurphy@comcast.net	
2.		ss and day phone of authorized agent, if different from landowner of record: is indicated, then the authorized agent's signature is required for application subm	nittal.
	Agent Name:		
	Mailing Address:		
	City/State/ZIP:		
	Day Time Phone:		
	Email Address:		
3.		ss and day phone of other contact person wner or authorized agent.	
	Name:		
	Mailing Address:		
	City/State/ZIP:		
	Day Time Phone:		
	Email Address:		
4.	Street address of prop	perty:	
	Address:	Approximately mile 2.4,FS 4818 (AKA, East Kachess Road)	
	City/State/ZIP:	Easton Wa. 98975	
5.		property (attach additional sheets as necessary): ed on the Concept Engineering drawing	
6.	Property size: 176.37	(acres)	
7.	Land Use Information	n: Zoning: Commercial Forest Comp Plan Land Use Designation: C	Commercia

Forest

8.	Existing and Proposed Lot Information		
	Original Parcel Number(s) & Acreage	New Acreage	
	(1 parcel number per line)	(Survey Vol, Pg)	
	306835, 41.25 acres	41.25 ACRES	
	146835, 44.55 acres	44.55 ACRES	
	951720, 90.57 acres	90.57 acres	
	APPLICANT IS:XOWNERPURCH	ASERLESSEE	OTHER
		DRIZATION	
9.	Application is hereby made for permit(s) to authowith the information contained in this applicat		
	information is true, complete, and accurate. I		
	proposed activities. I hereby grant to the agence	cies to which this application is made, t	
	above-described location to inspect the proposed	and or completed work.	
	CE: Kittitas County does not guarantee a build		or septic areas, for
parcel	receiving approval for a Boundary Line Adjustn	nent.	
All	correspondence and notices will be transmitted to	the Land Owner of Record and copies s	ent to the authorized
	ent or contact person, as applicable.		
Signatu	ure of Authorized Agent:	Signature of Land Owner of Recor	d
(DEOI	IDED is indicated an amplication)	(Required for application submittal)	
(REQU	JIRED if indicated on application)	116 / //	
X	(date)	If hu (10h)	(date) 2-5-19
toxogramatiqui marcapa			ha de saye i ke ti ki si ki si ki sayang ta da ee la Maanaa da ka aad kinga ad pent
THIS	FORM MUST BE SIGNED BY COMMUNITY DEV	ELOPMENT SERVICES AND THE TRE	ASURER'S OFFICE
	PRIOR TO SUBMITTAL T	O THE ASSESSOR'S OFFICE.	
	TREASURER'	S OFFICE REVIEW	
Tax Sta	atus: By:	Da	te:
		PMENT SERVICES REVIEW	
()	This BLA meets the requirements of Kittitas Cour	nty Code (Ch. 16.08.055).	
	Deed Recording Vol Page Date	**Survey Required: Yes	No
Ca	ard #:	Parcel Creation Date:	
	st Split Date:	Current Zoning District:	
	eliminary Approval Date:		
	nal Approval Date:	P _W	

RECORDING NO. VOL. /PAGE KITTITAS COUNTY, WASHINGTON LOT LINE ADJUSTMENT A PORTION OF ROUNDARY LINE SECTION 27. IC WITSHIP 21 NORTH, RANGE 13 EAST, W.M. ADJUSTMENT NO. **B-14-00005** SCALE: 1 INCH = 300 FT. KITTII.'S COUNTY, WASHINGTON 150 300 600 PORTION OF: SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. T21N R13E W.C. T21N R13E S22 S22 FOUND 2" IRON PIPE FOUND 2" IRON PIPE S22 S23 WITH 3" BRASS CAP WITNESS CORNER TO S27 1970 WITH 3" BRASS CAP (8/22/07) "TH 3" BRASS CAP \$27 526 1970 038 (3/24/07) MEADER CORNER 1970 \S27 (9/6/07) 2665 Ot' (R1) N89'35'49"E N89"36"23"W 85.32 22 7 23 N89'38'38"V 2665.39' (M) N89'35'59"E 1078.22' (M LINE BEARING LENGTH
L12 N59703'36'E 19.89'
L13 N5416'36'E 80.00'
L14 N7534'08'E 47.99'
L15 N257'51'E 110.89'
L16 N6404'42'E 47.16'
L17 N20'52'04'E 72.98'
L18 N4309'53'E 59.25'
L20 N601'152'E 155.17'
L21 N642'62'E 101.92'
L22 N53970'6'E 101.77'
L23 N643'51'E 101.92'
L24 N582'344'E 101.92'
L25 N6644'59'E 42.73'
L26 N4309'53'E 88.49'
L27 N56'35'1'E 161.14'
L28 N51'8'32'E 161.14'
L28 N51'8'32'E 161.14'
L28 N51'8'32'FE 160.97' 27 1094.54 1228.44 1436.95 69.00 (PARCEL 1) LOT 1 KITTITAS CO. BLA-07-151 N20"11"50"W REC. 110. 200803190067 (RBL) 100' WIDE LOT A BUILDING SETBACK 41.25 ACRES 128 L29 FIFED LOCATED CENTERLINE OF CREEK (R.B.L.) GOV L25 LOT 1 (7+ × 82105) L19 GOVERNMEN' 186 2678 SEE DETAIL (PARCEL 3) ON SHEET 2 (PARCEL 3) LOT 5 KITTITAS CO. BLA-07-151 REC. NO. 200803190067 MERIDIAN LEGEND PER RECORD OF SURVEY FILED UNDER BOOK 8 OF SURVEYS, PAGE 32 UNDER KITTITAS COUNTY AUDITOR'S NUMBER 450311 213.28 FOUND SECTION CORNER N89"51'42"W 1247.38' (RBL) BASIS OF BEARINGS FOUND QUARTER CORNER 454.89 NO0'35'37"W BETWEEN FOUND MONUMENTS AT THE SOUTHEAST AND NORTHEAST SECTION CORNERS FOR SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. (PARCEL 2) (RBL) N64'09'33"W TH KITTIMS CO. BLA-07-151 (M) MEASURED DIMENSION 162.89 REFERENCE RECORDED SURVEY, BOOK 8, PG, 32 REC. NO. 200803190067 LOT C N64'09'33"W (R1) 90.57 ACRES NOTES (R.B.L.) REVISED BOUNDARY LINE 1. INSTRUMENTATION FOR THIS SURVEY WAS A 5 SECOND THEODOLITE AND AN ELECTRONIC DISTANCE MEASURING UNIT, PROCEDURES USED IN THIS SURVEY WERE FIELD TRAVERSE, MEETING OR EXCEEDING STANDARDS SET BY WAC 332-130-090. 0 FOUND IRON PIPE REBAR & CAP, CEI #28101 SET LOT 2 PER BLA-07-151 THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF A SURVEY MADE IN AUGUST, 2007, AND SHOWS THE GENERAL CONDITION EXISTING AT THAT TIME, N2E 28'30"W REBAR & CAP, CEI #28101 TO BE SET N89'51'42"W 1256.18 1348.49 GRAVEL ROAD 3. NEW LOT CORNERS TO BE SET. N354. 18"W LOT B 44.55 ACRES T21N R13E ORIGINAL LEGAL DESCRIPTIONS Ė FOUND 2" IRON PIPE WITH 3" BRASS CAP 560 5343.33 S27 S26 PARCEL 1 (PARCEL NUMBER 306835) 41.25 ACRES (10/17/07) EASEMENT LOT 1, KITITAS COUNTY BOUNDARY LINE ADJUSTMENT NO. BLA-07-151, RECORDED IN BOOK 34, PAGES 235 THROUGH 237 UNDER RECORDING NUMBER 200803190067 IN KITITAS COUNTY, WASHINGTON. N333: 18"W NR9'51'42"W PARCEL 2 (PARCEL NUMBER 146835) 44.55 ACRES LOT 2, KITIITAS COUNTY BOUNDARY LINE ADJUSTMENT NO. BLA-07-151, RECORDED IN BOOK 34, PAGES 235 THROUGH 237 UNDER RECORDING NUMBER 200803190067 IN KITITIAS COUNTY, WASHINGTON. LAKE (NOT A PART) 300 KACHESS RECEIVED GOV. LOT 3 N37'05'30"W 374.89' N89'51'42"W 626.29 LOT 3 PARCEL 3 (PARCEL NUMBER 951720) 90.57 ACRES 53.42 ACRES LOT 5, KITTITAS COUNTY BOUNDARY LINE ADJUSTMENT NO. BLA-07-151, RECORDED IN BOOK 34, PAGES 235 THROUGH 237 UNDER RECORDING NUMBER 200803190067 IN KITTITAS COUNTY, WASHINGTON. BOUNDARY LINE ADJUSTMENT LAND SURVEYOR'S CERTIFICATE RECORDER'S CERTIFICATE THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY ME OR UNDER MY DIRECTION IN CONFORMANCE OF THE SURVEY FOR CONCEPT ENGINEERING, INC. BRIAN MURPHY RECORDING ACT AT THE REQUEST OF BRIAN MURPHY DAY OF ___ 455 Rainier Boulevard North Issaguah, Washington 98027 FILED FOR RECORD THIS . AT ____M IN BOOK OF AT PAGE DATE (425) 392-8055 FAX (425) 392-0108 DWN. BY AT THE REQUEST OF: 33109 DBM 2/4/14 DAVID B. MATTHEWS David Statems Copyright © 1999 Concept Engineering, Inc. All rights reserved. CHKD. BY SCALE SHEET DEPUTY AUDITOR DAVID B. MATTHEWS, PLS NO. 36804 1" = 300" 1 OF 2 AUDITOR

RECORDING NO. VOL. /PAGE KITTITAS COUNTY, WASHINGTON LOT LINE ADJUSTMENT A PORTION OF BOUNDARY LINE SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. ADJUSTMENT SCALE: 1 INCH = 100 PT. шш KITTITAS COUNTY, WASHINGTON NO. _____ PORTION OF: SECTION 27, TOWNSHIP 21 NORTH, RANGE 13 EAST, W.M. 100' MDE BUILDING 48" CMP CULVERT CENTERLINE OF CREEK LEGEND 66' WDE ROAD FOUND SECTION CORNER LOT C 90.57 ACRES LOT A FOUND QUARTER CORNER GRAVEL ROAD E. KACHESS ROAD #4818 41.25 ACRES MEASURED DIMENSION (A.K.A. #2105) N67'00'00"E 22.00' WIDE EXISTING REFERENCE RECORDED SURVEY, BOOK 8, PG, 32 250.00 (R1) ACCESS ROAD (RBL) (R.B.L.) REVISED BOUNDARY LINE N89'51'42"W 1247.38' (RBL) 0 REBAR & CAP, CEI #28101 SET PER BLA-07-151 N45"29"48"W REBAR & CAP, CEI #28101 TO BE SET N69:06'15"W LAKE KACHESS LOT AREAS LOT B BEFORE ADJUSTMENT PARCEL 1: 41.25 ACRES PARCEL 2: 44.55 ACRES PARCEL 3: 90.57 ACRES LOT A: 41.25 ACRES LOT B: 44.55 ACRES LOT C: 90.57 ACRES 44.55 ACRES NOTE 14 "THE BEARINGS AND DISTANCES SHOWN HEREON ALONG THE WESTERLY LIMITS OF THE BUBLINGTON NORTHERN RAILROAD LAND ARE BALANCED BEARINGS AND DISTANCES TO COMPLY WITH INTENT OF THE ORIGINAL DEED DESCRIPTION AS SHOWN HEREON. THE ORIGINAL DEED DESCRIPTION AS SHOWN HEREON. THE STANDARDS SET FORTH IN THE MANUAL OF SURVEYING INSTRUCTIONS -1947, UNITED STANDARDS SET FORTH IN THE MANUAL OF SURVEYING INSTRUCTIONS -1947, UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT." THIS NOTE APPEARS ON RECORD OF SURVEY, BOOK 8, PAGE 32, RECORDS OF KITHTAS COUNTY, WA. THIS STATEMENT HAS BEEN CONFIRMED TO BE CORRECT. THE DEED DESCRIPTION RECORDED UNDER KITHTAS COUNTY RECORDING NO. 4589D DOES NOT CLOSE. CONCEPT ENGINEERING, INC., HAS USED THE GEOMETRY SHOWN ON THIS RECORD OF SURVEY AND ADJUSTED THAT TO FIT THE FOUND SOUTHEAST SECTION CORNER AND WITNESS CORNER TO THE MEANDER CORNER ON THE NORTH LINE OF SECTION 27. GOVERNMENT

SUBJECT TO

- 1. EASEMENT FOR ROADS IN FAVOR OF UNITED STATES OF AMERICA, RECORDING NO. 338309.
- 2. EASEMENT FOR RIGHT OF WAY FOR A ROAD IN FAVOR OF UNITED STATES OF AMERICA, RECORDING NO. 288146.
- 3. EASEMENT FOR ROADS IN FAVOR OF UNITED STATES OF AMERICA, RECORDING NO. 473238.
- 4. RESERVATIONS AND EXCEPTIONS RESERVED BY PCTC, INC., A DELAWARE CORPORATION, RECORDING NO. 521473 AND MODIFIED UNDER THE FOLLOWING RECORDING NOS.: 521474, 521475, 536887, 539737, 546455, 554263, 556252, 556253, 199604080028, 199605090013 AND 198605090017.





Copyright © 1999 Concept Engineering, Inc. All rights reserved.

BOUNDARY LINE ADJUSTMENT FOR BRIAN MURPHY

	DAVALAL .	THE O AVE AN A	
DWN. BY DBM	DATE 2/4/14	JOB NO. 33109	
CHKD. BY	SCALE 1" = 100'	SHEET 2 OF 2	

February 5, 2014

Boundary Line Adjustment Attachment Narrative

Murphy at Loch Kachess LLC

Parcel Numbers:

306835, 41.25 acres 146835, 44.55 acres


951720, 90.57 acres

Summary

- No change in acreage for any of the parcels
- Current surveyors drawing and proposed drawing are attached
- Existing 22' foot driveway is included
- Water rights for all three parcels have been secured and recorded with Kittitas County effective November 18, 2013, reference # 201311180018
- The parcels do not contain wells, drain fields or existing buildings
- Current legal descriptions are contained within the attached drawings

Please direct any questions to:

Brian Murphy 3121 Broadway East Seattle WA, 98102 206.799.2293 brianmurphy@comcast.net



KITTITAS COUNTY PERMIT CENTER 411 N. RUBY STREET, ELLENSBURG, WA 98926

RECEIPT NO .:

00020223

COMMUNITY DEVELOPMENT SERVICES

(509) 962-7506

PUBLIC HEALTH DEPARTMENT (509) 962-7698

DEPARTMENT OF PUBLIC WORKS

(509) 962-7523

Account name:

028033

Date: 2/5/2014

Applicant:

MURPHY AT LOCH KACHESS LLC

Type:

check # 1114

Permit Number	Fee Description	Amount
BL-14-00005	BOUNDARY LINE ADJUSTMENT MAJOR	225.00
BL-14-00005	BLA MAJOR FM FEE	65.00
BL-14-00005	PUBLIC WORKS BLA	90.00
BL-14-00005	ENVIRONMENTAL HEALTH BLA	215.00
	Total:	595.00