From: <u>Jeremy Johnston</u>
To: <u>"Jieun Shon"</u>

Cc: Austin Katigan; Rachael Stevie (CD)

Subject: RE: evolution Projects Hyak B RUE Updates

Date: Monday, July 11, 2022 7:54:15 AM

Hi Ji,

Thank you for clarifying, that makes more sense. This appears to be consistent with our discussion.

Jeremy Johnston Kittitas County Planning Official <u>jeremy.johnston@co.kittitas.wa.us</u> (509) 962-7065

From: Jieun Shon <ji@evolutionprojects.com>

**Sent:** Friday, July 8, 2022 4:20 PM

**To:** Jeremy Johnston < jeremy.johnston@co.kittitas.wa.us>

**Cc:** Austin Katigan <austin@evolutionprojects.com>; Rachael Stevie (CD)

<rachael.stevie.cd@co.kittitas.wa.us>

Subject: Re: evolution Projects Hyak B RUE Updates

**CAUTION:** This email originated from outside the Kittitas County network. Do not click links, open attachments, fulfill requests, or follow guidance unless you recognize the sender and have verified the content is safe.

Hi Jeremy,

Just to clarify GREY boxes represent the scheme we discussed last meeting and the ORANGE boxes are the new scheme we are proposing. So Lot 5 and 1 should be completely out of the 50' buffer. Please let me know if that makes sense.

In terms of lot 5 — we got rid of lot 6 and it will now be a big single family lot (Lot 5)

Thanks!

Ji



On Jul 8, 2022, at 3:44 PM, Jeremy Johnston < <a href="mailto:jeremy.johnston@co.kittitas.wa.us">jeremy.johnston@co.kittitas.wa.us</a> wrote:

Hi Austin,

This definitely seems closer, but there still appears to be some encroachment for lot 5 and a bit into lot 1. The encroachment into lot 1 seems very minimal and may be ok. I am more concerned with lot 5. I have to question whether lot 5 is feasible for the project. It seems the proposed number of lots will make it very difficult to meet a minimum 50 foot buffer and as we discussed I am not sure I can contemplate approval at a buffer level exceeding a 2/3 reduction, even with a condition of adequate buffer mitigation.

Jeremy Johnston Kittitas County Planning Official <u>jeremy.johnston@co.kittitas.wa.us</u> (509) 962-7065