

Encompass Engineering & Surveying
 108 East 2nd Street, Cle Elum, Washington 98922
 Phone: (509) 674-7433 Fax: (509) 674-7419

RECEIVED

LETTER OF TRANSMITTAL

DEC 06 2006

Kittitas County
 CDS

TO KITITAS CO CDS
Ellensburg WA
Attn: Scott

DATE	12-6-06	JOB NO.	06111
ATTENTION	Scott		
RE:	Kraemer short PLAT SP-95-52		

GENTLEMEN:

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items:
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO.	DESCRIPTION
5		2	COPIES w/ contours
1			8 1/2 x 11 map
1			Closures
1			Application
1			300' Radius map & owners List
1			Sub-Division Guarantee
(fees were paid at an earlier time)			

THESE ARE TRANSMITTED: as checked below:

- For approval Approval as submitted Resubmit _____ copies for distribution
- For your use Approval as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20_____ PRINTS RETURNED AFTER LOAN TO US

REMARKS _____

COPY TO _____

SIGNED: Ginger Jensen

If enclosures are not as noted, kindly notify us at once.



Phone: (509) 674-7433 Fax: (509) 674-7419

TO KITTITAS CO CDS
Attn: DAN VALOFF

DATE	8-27-09	JOB NO.	06111
ATTENTION	DAN VALOFF		
RE:	KRAEMER SHORT PLAT 06-125		

WE ARE SENDING YOU Attached Under separate cover via _____ the following items:

- Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO.	DESCRIPTION
2			Mytars of sheet 1 of 2 w/ revised LOT layout to replace sheet 1 of 2 submitted to CDS in Feb. 2007
1			revised LOT closures

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ PRINTS RETURNED AFTER LOAN TO US

REMARKS _____

Dear Dan,

Please destroy sheets
Lot 2 submitted to CDS in
Feb. 2007.

Thanks,

COPY TO _____

SIGNED: Smyle Wense 

Encompass Engineering & Surveying
 108 East 2nd Street, Cle Elum, Washington 98922
 Phone: (509) 674-7433 Fax: (509) 674-7419

LETTER OF TRANSMITTAL

TO KITTITAS COUNTY HEALTH DEPT.
411 N RUBY ST, SUITE 3
ELENSBURG, WA 98926

DATE	2-22-07	JOB NO.	02011
ATTENTION	CATHERINE BAMBRICK		
RE:	KRAMER SHOOT PLAT		
RECEIVED MAR 21 2008 KITTITAS COUNTY CDS			

GENTLEMEN:

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items:
- Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO.	DESCRIPTION
1		2	WATER AVAILABILITY LETTER
1		17	WATER AVAILABILITY REPORT

THESE ARE TRANSMITTED: as checked below:

- For approval Approval as submitted Resubmit _____ copies for distribution
 For your use Approval as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20_____ PRINTS RETURNED AFTER LOAN TO US

REMARKS _____

SCANNED & EMAILED
TO SCOTT TURNBULL

COPY TO CUSTOMER / FILE

SIGNED: VAL JOHNSON

If enclosures are not as noted, kindly notify us at once.