KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES



411 N. Ruby St., Suite 2, Ellensburg, WA 98926 CDS@CO.KITTITAS.WA.US Office (509) 962-7506 Fax (509) 962-7682

"Building Partnerships - Building Communities"

February 5, 2009

Molly Stone 866 Bar 14 Road Ellensburg WA 98926

RE: Stone Short Plat (SP-08-00043)

Dear Ms. Stone:

The Kittitas County Community Development Services Department has determined that the Stone Short Plat (SP-08-00043) is a complete application and hereby grants *conditional preliminary approval* subject to the following conditions:

- 1. Both sheets of the final mylars shall reflect short plat number SP-08-00043 and an accurate legal description shall be shown on the face of the final plat.
- 2. Full year's taxes must be paid on all tax parcel numbers per requirement of the Kittitas County Treasurer's Office.
- 3. The following plat notes shall be recorded on the final mylar drawings:
 - All development must comply with International Fire Code.
 - This short plat has exhausted the use of the one—time split provision allowed per Kittitas County Code. No further one time splits are allowed for the subject parcels and subsequent parcels created via this short plat.
 - The subject property is within or near land used for agriculture on which a variety of commercial activities may occur that are not compatible with residential development for periods of varying duration. (RCW 36.70A.060(1)) Commercial natural resource activities performed in accordance with county, state and federal laws are not subject to legal action as public nuisances. (RCW 7.48.305).
 - The approval of this division of land includes no guarantee that there is a legal right to withdraw groundwater within the land division. The approval of this division of land provides no guarantee that use of water under the ground water exemption (RCW 90.44.050) for this plat or any portion thereof will not be subject to curtailment by the Department of Ecology or a court of law.
 - Kittitas County will not accept private roads for maintenance as public streets or roads until such streets or roads are brought into conformance with current County Road Standards. This requirement will include the hard surface paving of any street or road surfaced originally with gravel.
- 4. The applicant will need to resubmit the plat drawing to reflect the location of the existing well.
- 5. Property owners shall be required to demonstrate by metering or other means compliance with the single project withdrawal limitation of 5,000 gallons.
- 6. Any ground water withdrawals in excess of 5,000 gallons per day or for the irrigation of more than 1/2 acre of lawn or noncommercial garden will require a permit from the Department of Ecology.

- 7. Chapter 173-150 WAC provides for the protection of existing rights against impairment, i.e. interruption or interference in the availability of water. If water supply in your area becomes limited your use could be curtailed by those with senior water rights.
- 8. This property is within the Kittitas Reclamation Irrigation District boundaries. Proof that all KRD General Guidelines have been met for all newly created lots shall be provided to Community Development Services prior to final approval.
- 9. The addresses shall be clearly visible from both directions at the County Road for all properties.
- 10. The Fire Department access road shall be capable of supporting 75,000 lbs in all weather, be 20' wide, provide 13'6" vertical clearance and provide for adequate turn-around for fire department apparatus.
- 11. <u>Please see the attached comments from Kittitas County Department of Public Works</u> for plat notes and further issues that must be addressed prior to final approval.

Approval of the Stone Short Plat may be appealed to the Kittitas County Board of Commissioners upon request of any aggrieved party within 10 working days, and shall accordingly be eligible for final administrative approval after February 16th, 2009. Administratively approved short plats must be recorded with the County Auditor and shall not be deemed approved until so filed. If you have any questions, please do not hesitate to contact our office.

You may appeal this determination pursuant to KCC 15A.07.010 by submitting specific factual objections and a fee of \$500 to the Kittitas County Board of Commissioners (205 W. 5th, Room 108) by February 16th, 2008 at 5:00p.m.

Sincerely,

Jeff Watson Staff Planner

CC: Applicant

Required parties (KCC 15A)