TO: KITTERS CONNEY COMMUNITY DEVELOPMENT SERVICES FM. KOGGO OVERBOCK SHORT PLAT APPLICATIONS SP-09-00001-5P-07-15 SP-07-13-5p-07-12 THESE OBVECTIONS, QUESTIONS DNO SOLUTIONS ARE CONTINUING IN NATURE ANOWILL BE DIRECTED TO KITTITAS COUNTY AND DEVELOPMENT SERVICES OF AMERICA ON SIL APPLICATIONS CONCERNING RETURNS, FORMAL PLATS, SNORTPLATS, F660 LOTS C COMMERCAL ACTIVITES AG OR NONCOMPLANCE 1. 15 THE SECTION SURVEY COMFORNBUE TO ACTUAL LAND OWNERSHIP AND ITS BOUNDRIES ? 2. UNDER 58.17.316 KITTITAS CONNY 15 THERE AN APPROUNT OR PROVISION WITHIN THE PRICATION DISTRICT FOR WATER AND EASIGNES AND DITICHOSS 3. WHAT IS THEREUIEW RESPONSIBILITY OF KITTITAS COUNTY GOVERNMENT AND/115 AGENTS! A. DUS TO THE IMPAUT OF CAND INVOLUGE SHOULD NOTICE OF PUBLIC HEARING 58.17.090 TEN DAYS NOTICE TO BE BILLEN ? 4. WHERE ISTHE RECOBNITION OF EXISTING XIGHTS
ANTO MICE. 3 AND USES? S. KITTAS COUNTY CONSPANENT AND WASHINGTON STATE AGENCIES HAS THE RESPONSIBILITY OF APPLING AUROCEOURES.


3-15-09 6. KrititAS COUNTY 15 IN THE STATE OF ADDPTION BETWEEN THE COMPREHENSIVE PLAN AND DEVELOPMENT RULES AND FROCEDURES -WHAT ISTHE STATUS OF THE APPLICATION IN THE INTERIMO 1. WILL 146 PERCENTAGE OF APPROVED APPLICATIONS LAGCINDO EQUAL TREATMENT OF ADVACENT LAND QUINGAST RET. DANY RECORD 3-21-07 8. WHEN ARE OPEN SPACE BACK TAXBS AND PENALTIES DUE AND PRYABLE TO THE COUNTY BY CAND SERVICES OF AMERICA ORITS AGENTS 9 FENCES R.C.WTITLE 16, 6XISTIMG FENCE LINES owen SEVEN YEARS FALLS UNDER DOUGASE POSSESION BY ADIACENT PROPERTY OUNGES # AND MESTS HAS CRITERIA. N. KITTITES COUNTY CODE TITLE 18-17-16 KEFLEETS: B. TO DETERMING BOUNDRIES PAST AND PRESENT PRESENT SECTION SURVEYS' SHOULD BE PROVIDED FOR INSPECTION BEFORE HOPPEUAL, ALSO SHOW ING 6XISTING FENCES, WEEDS AND 10. ExISTING HOME WATER WEUS / IMPACTS CONTAMINATION AND HOWIFERS-KSSPONSIBILITY DAMAGES, KEPLACOMENT, COUNTY ON LAND SEAULUS OF SIMBRICA OF 1TS AGENTS. 11. BUREAU OF KECIN MATION / DEPT OF ECOLOGY/ KITTITAS CONVEY HAVE A MORATORIUM, AGETED apon By AU JANTIES HEARING WHICH SUPPORTS KITTERS CONNEY

162

P63 3-15-09 TO BREACHTHIS HOLLEST. COMIN. 12 KOAD IMPROTS - KURALKOAD - COATED WITH KOBLE THRY SEVEN YEARS, NO SHOULDERS, INCREASED TRAFFIC (10 DRILY TRUS PEN HOUSEHOLD / WEEK DECKUPMENTS, BRIDES NOT UP TO STANDARDS GTC. WILL THE COUNTY MIDIGATE MONIES FROM LAND SERVICES / OF AMERICA, OBUSUDERS OR ITS NOGATS CONCERNOVE KULDE KORDS AND THERE 13. WILL THE THOUSENS OF THE WIND MILL FROM USING LOWER BROWN CANNON DO AND FOR THERE INGRESS AND EBLESS MOUNT HEAVY EQUIPMENT, MATERIALS, SUPPLIES, HAVE ANDUPACT ON ROAD USAGE AND WHO PAYS FOR THIS. AS OF THE PRESENT BATE AND MANY CAUS TO THE KODOVISTRICT, I STILL HOUS HOO NO 265 PONSE TO PUT MY DRIVEUR BACK AFTENTHO FLOOD. IF THIS 15 AN INDICATION FOR 1TS CUPPENT RESIDENTS TO PROVIDES ERVICES BY THE COUNTY THEN WHATS JE ARG SECTION SUPUBLIS PAST AND PRESENT NO AVAILABO FOR GOVSPECTION AND WILL 15 FEED LOTS OWNED BY FOOD SEACICES OF AMENICAMISTALS CATTUS COMPANY, LAND SERVICES OF AMENICA OR 173 ROEVES

784 · 14. ARGIN COMPLIANCE WITH DOE. IN YAKIMA FLOODFLAIN AREA - 68 FLIBITS AVAILABLES.? BURN BAN - PRESENT AND FUTURE (DOE.) TO 76 MADO PANT OF 1745 KEOPD-16. HESENT PROPERTY OWNERS-PROPERTYTAX INCREASES AND THERE IN PACTS BY Country LAND VALUES ETC. FORMULA USED BY AGENCY FORTAX DEFERMINATION. 17 W/40 13 BOINB TO MAKE THE DETERMINATION ON THE ISSUE OF WET CANOS ANDITS PROCEDURE FOR ENFORCING, THE DEUGLIDERS AND THERE AGENTS TO CONFORM? 18 FIRE TROTECTION NEEDS TO BE ADDRESSED AND PUT IN PLACE AT IT INCREASES THE DENSITY OF THE POPULATION AT THE TIME OF APPRODATON AS SHORT PLATS THE AREA IN QUESTION HAS NO FIRE PROTECTION OR WATER SUPPLY. 19 WATER TESTS OF EXISTING LAND OWNERS WILL BE WOLLINGT AND MADE WANT OF THE COUNTIES DECISION FOR APPROVAL AS PROVIDED BY THE DEPT OF PUBLIC HEALT. IN KITTITAS CONNET.,
JO. OPEN RANGE-SANDACT SANDULED B6
RUPPESSED AND MADE PART OF THE NDPROUNCE, 2/MAURANDING ANIMALS REW 16-TITLE SHOWED BE ADDRESSED AND MADE PARTOF THE AFTROUAL.

P65 3-15-04 KIGHT TO FARM - SUIPACT SHOUND BG IJ. PODLESSED AND MADE DANT OF THE HAPPENDE 15 THO, COUNTY BOING TO BE PRODUTIVE OR REACTIVE CANCEDING DEVELOP MENT DRESENT OR FUTURE. IS THE COUNTY GOING TO USE of THOPHILDSOPHI" LET BUYER BEWARD 1160 WHEN KITTITAS COUNTY FUDA TROVIDES POWEN TO THESE SHOPT FRATS WILL THEY BE UNDERBLOUND OR DUENHERD LINES WHO WILL BE ASSESSED FOR THIS SENVICE IN ANYWAY BY PATO ENCLEASES-TO THE EXISTING FREDERTY OWNERS? 25 THESE FIVE DAGES HAVE BEEN HAND DELIVERED TO KITTITAS COUNTY COMMUNITY DEUSKOPMENT SENLICES ON 3-17-09 134 - KOBER (NEARSOLL 5160 LOWER GREEN CANYON ELLENS FULL WA. 98926 ce house Course KECKY! FECEIVED MAR 1 7 2009 Killias County CDS



# KITTITAS COUNTY DEPARTMENT OF PUBLIC WORKS

#### MEMORANDUM

TO:

Allison Kimball, Community Development Services

FROM:

Christina Wollman, Planner II

DATE:

March 3, 2009

SUBJECT:

Grove Short Plat SP-09-00001

AECEIVED

MAR 03 2009

Kititas County

CDS

Our department has reviewed the short plat application and has the following comments:

"Conditional Preliminary Approval" is recommended based on the information provided. See below for conditions of preliminary approval.

"Additional Information Requested". Prior to continuing the approval process for the submitted development, additional information is requested for analysis.

### The following shall be conditions of preliminary approval:

- 1. Joint-Use Driveway: A joint-use access shall serve no more than two tax parcels. See Kittitas County Road Standards, 9/6/05 edition.
  - a. Access easements shall be a minimum of 20' wide. The roadway width shall have a minimum width of 12'.
  - b. The surface requirement is for a minimum gravel surface depth of 6".
  - c. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
  - d. Any further subdivision or lots to be served by proposed access may result in further access requirements.

Single-Use Driveway: A single-use access shall serve no more than one lot. See Kittitas County Road Standards, 9/6/05 edition.

- a. The roadway shall be a minimum of 8' wide with gravel surface.
- b. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.
- c. Any further subdivision or lots to be served by proposed access may result in further access requirements.

Page 1 of 2

- 2. Plat Notes: Plat note #3 shall be removed and the following plat notes added.
  - a. Maintenance of the access is the responsibility of the property owners who benefit from its use.
  - b. Any further subdivision or lots to be served by proposed access may result in further access requirements. See Kittias County Road Standards.
  - c. A public utility easement 10 feet in width is reserved along all lot lines. The 10 foot easement shall abut the exterior plat boundary and shall be divided 5 feet on each side of interior lot lines. Said easement shall also be used for irrigation.
- 3. <u>Plat Approvals</u>: All plats must show the acceptance signature of the County Engineer. The acceptance block shall be as follows (per KCC 16.24.170):

EXAMI	NED AND API	PROVED
This	day of	, A.D., 20
 Kittitas	County Engine	eer

- 4. <u>Private Road Maintenance Agreement</u>: The applicant shall meet all applicable conditions of any pre-established or required Private Road Maintenance Agreements.
- 5. <u>Lot Closure:</u> It is the responsibility of the Professional Licensed Surveyor (PLS) to ensure the lot closures are correct and accurate.
- 6. <u>Access Permit</u>: An approved access permit shall be required from the Department of Public Works prior to creating any new driveway access or performing work within the county road right of way.
- 7. <u>Addressing</u>: Contact the Kittitas County Rural Addressing Coordinator at (509) 962-7523 to obtain addresses prior to obtaining a building permit. A parcel cannot receive a building permit or utilities until such parcel is identified with a 911 address.
- 8. <u>Mailbox Placement</u>: Mailboxes must be approved by U.S. Postal Service. Mailbox locations are site specific. Contact your local Post Office for location and design standards before beginning construction.



To Protect and Promote the Health and the Environment of the People of Kittitas County

January 8, 2009

Development Services of America Rich Wilson PO Box 25139 Scottsdale, AZ 85255

RE: Grove Short Plat (SP-09-00001) submission fee received (\$380.00/receipt #3932)

Dear Rich Wilson:

We have received the application for your proposed Short Plat (located in Section 32, Township 19N, Range 18E.W.M., off of Lower Green Canyon Road).

Enclosed is a checklist and detailed instructions for completing the Environmental Health requirements.

Your plat application will not be approved until you meet the enclosed requirements.

Once we have received and reviewed the required information, we will notify Community Development Services that you have satisfactorily addressed health department requirements.

If you have any questions or concerns, please feel free to contact our office.

Sincerely,

Cathy Bambrick, Public Health Administrator Kittitas County Public Health Department

Why Bambouck

cc: Community Development Services, Duncanson Company

Enc: Checklist, Instructions for Completing EH Requirements, Soil Log Requirements

Kittitas County Public Health Deptartment 507 N. Nanum Street, Suite 102 Ellensburg, WA 98926 T: 509.962.7515 F: 509.962.7581



# Checklist

*Prior to receiving approval* of the above listed plat you must meet WAC 246-272-205(1) and WAC 246-272-095(1) by:

1. Provi	ng there is an adequate supply of potable water
C	Choose and follow instructions for one of the five following options:  Group "A" public well  Provide written approval from Washington State Department of Health
C	Group "B" public well Schedule a well site inspection or site inspection with Public Health as the first step toward approval of a group B system (the Group B system must be approved prior to plat approval)
	Provide a well log or hydrogeological report to prove adequate ground water exists for the proposed number of potable water wells (see page 4). If a well log is used provide potable water test results.
. [	Shared two-party well Submit existing well log and a water user's agreement signed by both parties
C	Public utility water supply Submit a signed letter of agreement from a public utility official
AND	
2. Provi	ng satisfactory sewage disposal
C	Choose and follow instructions for one of the two following options:  On-site sewage  You must schedule a soil log and prepare the site (dig holes)
C	Public utility sewer  You must submit a signed letter of agreement from the public utility official

# **Instructions for Completing Environmental Health Requirements**

## I. ADEQUATE POTABLE WATER SUPPLY:

#### PUBLIC UTILITY WATER SUPPLY APPLICANTS

Submit a signed letter of agreement with the responsible public utility official and the developer/owner, granting delivery of potable water for the entire development.

#### PUBLIC WATER SYSTEMS

All Public Water System applicants must contact a Satellite Management Agency (SMA) before initiating the application process. Evergreen Valley Utilities (509) 674-9642 and Lookout Mountain Utilities Management (509) 674-6989 are the current SMAs.

#### PUBLIC GROUP "A" WELL

If you have an existing well and a Department of Ecology issued "water right" for potable usage of the well, Washington State Department of Health (DOH) is the regulatory authority for approving Group A systems. We require written verification that DOH has approved the system prior to final plat approval (see contact information below). If you have not secured a water right for potable use you must contact the Washington State Department of Ecology (Central Region Office) located in Yakima, Washington to begin the process of obtaining a water right. Their contact number is: (509) 575-2800.

#### **PUBLIC GROUP "B" WELLS**

Washington State Department of Health and Kittitas County Public Health Department share the regulatory authority for approving Group B Water Systems in Kittitas County. The process for approval includes a source site inspection to approve the location of the proposed well or if the well exists to ensure that it meets the criteria for approval; drilling of the well and/or ensure that the well is located within the subdivision boundaries; completion of the well infrastructure, the workbook and all related documentation including testing and satisfactory results.

\*\*All Group B applications with **3-9 connections** should be submitted to Kittitas County Public Health Department; all Group B applications **10-14 connections** should be submitted to Washington State Department of Health at the addresses provided below.

Kittitas County Public Health Department Environmental Health Division 411 N. Ruby Street, Suite 3 Ellensburg, WA 98926 (509) 962-7698

Washington State Department of Health 1500 W. 4<sup>th</sup>, Suite 305 Spokane, WA 99204 (509) 456-2453 ATTN: Tom Justus, Regional Engineer

After all of the aforementioned information is submitted, reviewed, and approved by Washington State DOH, final issuance of the well ID number completes the requirement.

#### INDIVIDUAL WELLS

Submit well logs or a hydrogeological report with documentation/evidence to support the claim regarding adequate availability of groundwater for the proposed number of potable water wells. This report shall be submitted by a Professional Engineer who practices in the field of hydrology or by a licensed Hydrogeologist. According to Critical Areas Ordinance 17A.08.25, individual wells must be located 50 feet from all property lines. To obtain well logs, contact Department of Ecology at (509) 575-2490.

After July 8, 2008 all applicants for subdivision (short and long plats) utilizing wells shall have a note placed on the face of the final mylars that states:

"The approval of this division of land includes no guarantee that there is a legal right to withdraw groundwater within the land division. The approval of this division of land provides no guarantee that use of water under the ground water exemption (RCW 90.44.050) for this plat or any portion thereof will not be subject to curtailment by the Department of Ecology or a court of law."

#### AND

"Metering will be required on all residential well connections and metering results shall be recorded in a manner consistent with Kittitas County and Washington State Department of Ecology requirements."

#### II. SATISFACTORY SEWAGE DISPOSAL

#### **PUBLIC UTILITY SEWER**

Submit a signed letter of agreement between the responsible public utility official and the developer/owner or other documentation that provides proof of connection to public sewer.

#### ON SITE SEWAGE

Soil logs will need to be scheduled and dug at a mutually convenient time. The developer/owner shall provide soil logs as per WAC 246-272A or as amended (see attached soil log instruction sheet). The information obtained will be recorded and placed in the plat file for future reference. The information obtained from these soil logs is for plat approval purposes only and does not constitute a site evaluation in conjunction with the issuance of a permit for any specific lot.

## SET BACK REQUIREMENTS

A well must be located 50 feet from a septic tank and 100 feet from a drain field.

# Soil Log Requirements for Land Division

<u>Purpose</u>: The purpose of a soil log is to ensure that future property owners can be assured that they will be able to install a septic system on the property. A soil log is performed to