


Attachment 2

Site Plan

RECEIVED
MAR 10 2021

Kittitas County CDS





NOTES

1. RUN-ON AND RUNOFF PERIMETER DITCH FLOW LINES NOT SHOWN FOR CLARITY.
2. EXISTING FIRE WATER TANK TO BE REPLACED PRIOR TO WASTE PLACEMENT IN THE VICINITY OF THE EXISTING TANK.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PHASE 1 CLOSURE AREA
 PHASE 2 CLOSURE AREA
 EX. FENCE, TYP.
 SOUTH ROAD.
 SEE FIGURE 2-3.
 EX. PROPERTY LINE
 EX. WW B-7
 WEST ROAD
 SEE FIGURE 2-3.
 EX. GRAVEL SURFACED ROADS, TYP.
 EAST ROAD
 SEE FIGURE 2-3.
 EX. WASHINGTON STATE PATROL ANTENNA
 EX. OFFICE TRAILER
 EX. EQUIPMENT BUILDING
 POTENTIAL NEW FIRE WATER TANK LOCATION
 PROPOSED LIMIT OF WASTE

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

PROPOSED CULVERT
 18" CORRUGATED METAL PIPE
 G=0.03 (MIN.)
 MAINTAIN 3.0' COVER
 PROVIDE RIP-RAP PROTECTION WITH GEOTEXTILE AT INLET AND OUTLET PER STORMWATER MANAGEMENT MANUAL FOR EASTERN WASHINGTON BMP C208E.
 SEE FIGURE 2-6.

NO.	DATE	BY	REVISIONS

RECEIVED
 MAR 10 2021
 Kititias County CDS

PRELIMINARY

PROJECT NAME
 RYEGRASS LIMITED PURPOSE LANDFILL
 KITITIAS COUNTY
 PROPOSED FINAL FILL PLAN

KITITIAS COUNTY PUBLIC WORKS
 1500 5TH ST. SE
 WACARUS, WA 98297
 (509) 837-7531

NOT FOR CONSTRUCTION

FIGURE
 2-1