

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:38 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-20

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2599         |                   | 0+00.00     | 683732.37227   | 1539391.54857 |           |
|              | Center Point:     | 2553        | 683667.43016   | 1539329.23868 |           |
|              | Radius:           | 90.00       | '              |               |           |
|              | Delta:            | 20°20'05"   | Left           |               |           |
|              | Arc Length:       | 31.94       | '              |               |           |
|              | Chord Bearing:    | N56°21'08"W |                |               |           |
|              | Chord Length:     | 31.77       | '              |               |           |
|              | Middle Ordinate:  | 1.41        | '              |               |           |
|              | External:         | 1.44        | '              |               |           |
|              | Deg of Curvature: | 63°39'43"   | Arc Definition |               |           |
|              | Tangent:          | 16.14       | '              |               |           |
|              | Curve PI:         |             | 683743.54690   | 1539379.90192 |           |
| 2598         |                   | 0+31.94     | 683749.97558   | 1539365.10133 |           |
|              | N66°31'10"W       | 51.52       | '              |               |           |
| 2597         |                   | 0+83.46     | 683770.50310   | 1539317.84743 |           |
|              | Center Point:     | 2556        | 683908.08240   | 1539377.61310 |           |
|              | Radius:           | 150.00      | '              |               |           |
|              | Delta:            | 18°30'47"   | Right          |               |           |
|              | Arc Length:       | 48.47       | '              |               |           |
|              | Chord Bearing:    | N57°15'47"W |                |               |           |
|              | Chord Length:     | 48.26       | '              |               |           |
|              | Middle Ordinate:  | 1.95        | '              |               |           |
|              | External:         | 1.98        | '              |               |           |
|              | Deg of Curvature: | 38°11'50"   | Arc Definition |               |           |
|              | Tangent:          | 24.45       | '              |               |           |
|              | Curve PI:         |             | 683780.24648   | 1539295.41994 |           |
| 2596         |                   | 1+31.93     | 683796.60128   | 1539277.25294 |           |
|              | N48°00'24"W       | 78.98       | '              |               |           |
| 2595         |                   | 2+10.91     | 683849.44238   | 1539218.55321 |           |
|              | N42°36'16"W       | 24.30       | '              |               |           |
| 2594         |                   | 2+35.21     | 683867.32827   | 1539202.10374 |           |
|              | N37°12'09"W       | 35.56       | '              |               |           |
| 2593         |                   | 2+70.77     | 683895.65193   | 1539180.60296 |           |
|              | Center Point:     | 2561        | 683841.23488   | 1539108.91764 |           |
|              | Radius:           | 90.00       | '              |               |           |
|              | Delta:            | 29°06'21"   | Left           |               |           |
|              | Arc Length:       | 45.72       | '              |               |           |
|              | Chord Bearing:    | N51°45'19"W |                |               |           |
|              | Chord Length:     | 45.23       | '              |               |           |
|              | Middle Ordinate:  | 2.89        | '              |               |           |
|              | External:         | 2.98        | '              |               |           |
|              | Deg of Curvature: | 63°39'43"   | Arc Definition |               |           |
|              | Tangent:          | 23.36       | '              |               |           |
|              | Curve PI:         |             | 683914.26512   | 1539166.47231 |           |
| 2592         |                   | 3+16.49     | 683923.65028   | 1539145.08049 |           |
|              | N66°18'30"W       | 447.93      | '              |               |           |
| 2591         |                   | 7+64.42     | 684103.63509   | 1538734.90157 |           |
|              | Center Point:     | 2564        | 684021.22020   | 1538698.73825 |           |
|              | Radius:           | 90.00       | '              |               |           |
|              | Delta:            | 56°43'12"   | Left           |               |           |
|              | Arc Length:       | 89.10       | '              |               |           |
|              | Chord Bearing:    | S85°19'54"W |                |               |           |

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|                   |              |                                     |
|-------------------|--------------|-------------------------------------|
| Chord Length:     | 85.50        | '                                   |
| Middle Ordinate:  | 10.80        | '                                   |
| External:         | 12.28        | '                                   |
| Deg of Curvature: | 63°39'43"    | Arc Definition                      |
| Tangent:          | 48.58        | '                                   |
| Curve PI:         | 684123.15969 | 1538690.40957                       |
| 2590              | 8+53.52      | 684096.67645 1538649.68521          |
| S56°58'18"W       | 88.63        | '                                   |
| 2589              | 9+42.15      | 684048.36834 1538575.37772          |
| Center Point:     | 2567         | 684174.12851 1538493.61966          |
| Radius:           | 150.00       | '                                   |
| Delta:            | 9°27'43"     | Right                               |
| Arc Length:       | 24.77        | '                                   |
| Chord Bearing:    | S61°42'09"W  |                                     |
| Chord Length:     | 24.74        | '                                   |
| Middle Ordinate:  | 0.51         | '                                   |
| External:         | 0.51         | '                                   |
| Deg of Curvature: | 38°11'50"    | Arc Definition                      |
| Tangent:          | 12.41        | '                                   |
| Curve PI:         | 684041.60789 | 1538564.96703                       |
| 2373              | 9+66.92      | 684036.64034 1538553.59420          |
| S09°16'41"E       | 302.35       | '                                   |
| 1103              | SP05-27      | 12+69.27 683738.24583 1538602.34083 |
| S89°34'25"E       | 789.23       | '                                   |
| 2599              | 20+58.51     | 683732.37252 1539391.54897          |

-----

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | 0.00025           |
| Closing departure             | = | 0.00040           |
| Closing bearing               | = | S58°44'37"W       |
| Closing distance              | = | 0.00047           |
| Total traverse length         | = | 2054.00 (2058.51) |
| Total error of closure        | = | 1/4349881         |
| Error of closure in latitude  | = | 1/8383406         |
| Error of closure in departure | = | 1/5088448         |

|      |   |                 |
|------|---|-----------------|
| Area | = | 190064.18 SQ FT |
| Area | = | 4.363 ACRES     |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:38 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT AC-10

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2225         |             | 0+00.00  | 685953.86107 | 1540281.64003 |           |
|              | S23°21'34"W |          |              |               |           |
| 2226         | 86.89'      | 0+86.89  | 685874.09296 | 1540247.18830 |           |
|              | S11°18'30"W |          |              |               |           |
| 2227         | 76.23'      | 1+63.12  | 685799.34288 | 1540232.24045 |           |
|              | S05°09'39"W |          |              |               |           |
| 2228         | 77.94'      | 2+41.06  | 685721.71884 | 1540225.22961 |           |
|              | S26°39'09"W |          |              |               |           |
| 2229         | 64.14'      | 3+05.20  | 685664.39412 | 1540196.45781 |           |
|              | S77°14'39"E |          |              |               |           |
| 2256         | 51.51'      | 3+56.71  | 685653.02088 | 1540246.69653 |           |
|              | N26°39'09"E |          |              |               |           |
| 2255         | 61.25'      | 4+17.96  | 685707.76268 | 1540274.17195 |           |
|              | N05°09'39"E |          |              |               |           |
| 2254         | 84.75'      | 5+02.71  | 685792.16911 | 1540281.79536 |           |
|              | N11°18'30"E |          |              |               |           |
| 2253         | 68.27'      | 5+70.98  | 685859.11373 | 1540295.18234 |           |
|              | N23°21'34"E |          |              |               |           |
| 2252         | 89.31'      | 6+60.29  | 685941.10348 | 1540330.59359 |           |
|              | N05°51'05"E |          |              |               |           |
| 2250         | 143.46'     | 8+03.75  | 686083.81601 | 1540345.21913 |           |
|              | N19°06'18"E |          |              |               |           |
| 2249         | 86.07'      | 8+89.82  | 686165.14530 | 1540373.38988 |           |
|              | N03°50'09"E |          |              |               |           |
| 2248         | 114.09'     | 10+03.91 | 686278.97972 | 1540381.02226 |           |
|              | N08°03'05"E |          |              |               |           |
| 2247         | 56.11'      | 10+60.02 | 686334.53663 | 1540388.88110 |           |
|              | N18°31'17"W |          |              |               |           |
| 2246         | 65.98'      | 11+26.00 | 686397.09921 | 1540367.92198 |           |
|              | N00°17'31"E |          |              |               |           |
| 2245         | 100.52'     | 12+26.52 | 686497.61790 | 1540368.43416 |           |
|              | N14°57'12"W |          |              |               |           |
| 2244         | 52.51'      | 12+79.03 | 686548.34972 | 1540354.88489 |           |
|              | N00°17'28"E |          |              |               |           |
| 2243         | 58.51'      | 13+37.54 | 686606.85897 | 1540355.18217 |           |
|              | N04°34'34"W |          |              |               |           |
| 2242         | 77.74'      | 14+15.28 | 686684.35115 | 1540348.97982 |           |
|              | N16°34'11"E |          |              |               |           |
| 2241         | 72.79'      | 14+88.07 | 686754.11843 | 1540369.73821 |           |
|              | N00°23'06"E |          |              |               |           |
| 2259         | 43.61'      | 15+31.68 | 686797.72745 | 1540370.03124 |           |
|              | N05°51'04"E |          |              |               |           |
| 2239         | 63.72'      | 15+95.40 | 686861.11547 | 1540376.52710 |           |
|              | N31°05'37"E |          |              |               |           |
| 2238         | 89.03'      | 16+84.43 | 686937.35406 | 1540422.50556 |           |
|              | N29°52'44"E |          |              |               |           |
| 2237         | 148.99'     | 18+33.42 | 687066.54036 | 1540496.72765 |           |
|              | N09°22'32"W |          |              |               |           |
| 2236         | 133.46'     | 19+66.88 | 687198.21757 | 1540474.98635 |           |
|              | N14°57'11"W |          |              |               |           |
| 2235         | 46.07'      | 20+12.95 | 687242.72753 | 1540463.09902 |           |
|              | N19°06'12"E |          |              |               |           |
|              | 126.69'     |          |              |               |           |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

|      |             |        |          |              |               |          |
|------|-------------|--------|----------|--------------|---------------|----------|
| 2234 |             |        | 21+39.64 | 687362.44069 | 1540504.56122 |          |
|      | N07°28'05"W | 55.33  | '        |              |               |          |
| 2233 |             |        | 21+94.97 | 687417.30136 | 1540497.36979 |          |
|      | N00°17'28"E | 91.91  | '        |              |               |          |
| 2232 |             |        | 22+86.89 | 687509.21017 | 1540497.83677 |          |
|      | N34°33'29"E | 31.06  | '        |              |               |          |
| 2231 |             |        | 23+17.95 | 687534.78969 | 1540515.45527 |          |
|      | S86°53'33"W | 63.16  | '        |              |               |          |
| 2205 |             |        | 23+81.11 | 687531.36582 | 1540452.38815 |          |
|      | S34°33'29"W | 7.88   | '        |              |               |          |
| 2206 |             |        | 23+88.99 | 687524.87623 | 1540447.91829 |          |
|      | S00°17'28"W | 110.72 | '        |              |               |          |
| 2207 |             |        | 24+99.71 | 687414.15766 | 1540447.35574 |          |
|      | S07°28'05"E | 46.92  | '        |              |               |          |
| 2208 |             |        | 25+46.62 | 687367.63566 | 1540453.45409 |          |
|      | S19°06'12"W | 130.19 | '        |              |               |          |
| 2209 |             |        | 26+76.82 | 687244.61524 | 1540410.84643 |          |
|      | S14°57'11"E | 58.94  | '        |              |               |          |
| 2210 |             |        | 27+35.76 | 687187.67109 | 1540426.05458 |          |
|      | S09°22'32"E | 113.20 | '        |              |               |          |
| 2211 |             |        | 28+48.96 | 687075.98324 | 1540444.49543 |          |
|      | S29°52'44"W | 130.63 | '        |              |               |          |
| 2212 |             |        | 29+79.59 | 686962.71654 | 1540379.41970 |          |
|      | S31°05'37"W | 99.70  | '        |              |               |          |
| 2213 |             |        | 30+79.29 | 686877.34097 | 1540327.93085 |          |
|      | S05°51'04"W | 77.30  | '        |              |               |          |
| 2214 |             |        | 31+56.59 | 686800.44369 | 1540320.05060 |          |
|      | S00°23'06"W | 38.89  | '        |              |               |          |
| 2185 |             |        | 31+95.48 | 686761.55456 | 1540319.78928 | -1050.65 |
|      | S16°34'11"W | 75.02  | '        |              |               |          |
| 2215 |             |        | 32+70.49 | 686689.64989 | 1540298.39493 |          |
|      | S04°34'34"E | 84.95  | '        |              |               |          |
| 2216 |             |        | 33+55.44 | 686604.97069 | 1540305.17253 |          |
|      | S00°17'28"W | 63.07  | '        |              |               |          |
| 2217 |             |        | 34+18.51 | 686541.90150 | 1540304.85208 |          |
|      | S14°57'12"E | 52.50  | '        |              |               |          |
| 2218 |             |        | 34+71.02 | 686491.17935 | 1540318.39877 |          |
|      | S00°17'31"W | 102.11 | '        |              |               |          |
| 2219 |             |        | 35+73.13 | 686389.07067 | 1540317.87848 |          |
|      | S18°31'17"E | 62.46  | '        |              |               |          |
| 2220 |             |        | 36+35.59 | 686329.84578 | 1540337.71944 |          |
|      | S08°03'05"W | 46.14  | '        |              |               |          |
| 2221 |             |        | 36+81.73 | 686284.16059 | 1540331.25702 |          |
|      | S03°50'09"W | 109.23 | '        |              |               |          |
| 2222 |             |        | 37+90.96 | 686175.17528 | 1540323.94976 |          |
|      | S19°06'18"W | 85.18  | '        |              |               |          |
| 2223 |             |        | 38+76.14 | 686094.68697 | 1540296.07031 |          |
|      | S05°51'05"W | 141.57 | '        |              |               |          |
| 2225 |             |        | 40+17.71 | 685953.85459 | 1540281.63745 |          |

-----

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | -0.00647          |
| Closing departure             | = | -0.00258          |
| Closing bearing               | = | N21°41'57"E       |
| Closing distance              | = | 0.00697           |
| Total traverse length         | = | 4017.70 (4017.71) |
| Total error of closure        | = | 1/576836          |
| Error of closure in latitude  | = | 1/620830          |
| Error of closure in departure | = | 1/1560135         |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|      |                  |
|------|------------------|
| rea  | = 97575.99 SQ FT |
| Area | = 2.240 ACRES    |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:39 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-17

| Point Number | Description           | Sta         | Northing       | Easting       | Elevation |
|--------------|-----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance              |             |                |               |           |
| 140          | 3pt rebar 21          | 0+00.00     | 687669.85581   | 1541107.87966 | 2803.09   |
|              | N89°53'02"W 2643.91 ' |             |                |               |           |
| 1008         | N 1/4 single          | 26+43.91    | 687675.21374   | 1538463.97509 |           |
|              | N89°53'02"W 0.36 '    |             |                |               |           |
| 1655         |                       | 26+44.27    | 687675.21447   | 1538463.61509 |           |
|              | S00°30'29"W 604.05 '  |             |                |               |           |
| 2224         |                       | 32+48.32    | 687071.18822   | 1538458.25890 |           |
|              | Center Point:         | 2455        | 687662.82607   | 1538200.39671 |           |
|              | Radius:               | 645.39      | '              |               |           |
|              | Delta:                | 48°59'20"   | Left           |               |           |
|              | Arc Length:           | 551.82      | '              |               |           |
|              | Chord Bearing:        | N41°57'21"E |                |               |           |
|              | Chord Length:         | 535.16      | '              |               |           |
|              | Middle Ordinate:      | 58.08       | '              |               |           |
|              | External:             | 63.83       | '              |               |           |
|              | Deg of Curvature:     | 8°52'40"    | Arc Definition |               |           |
|              | Tangent:              | 294.05      | '              |               |           |
|              | Curve PI:             |             | 687188.67195   | 1538727.81486 |           |
| 2440         |                       | 38+00.14    | 687469.16552   | 1538816.04416 |           |
|              | Center Point:         | 2439        | 687385.14787   | 1539083.14159 |           |
|              | Radius:               | 280.00      | '              |               |           |
|              | Delta:                | 91°45'53"   | Right          |               |           |
|              | Arc Length:           | 448.45      | '              |               |           |
|              | Chord Bearing:        | N63°20'37"E |                |               |           |
|              | Chord Length:         | 402.03      | '              |               |           |
|              | Middle Ordinate:      | 85.08       | '              |               |           |
|              | External:             | 122.22      | '              |               |           |
|              | Deg of Curvature:     | 20°27'46"   | Arc Definition |               |           |
|              | Tangent:              | 288.76      | '              |               |           |
|              | Curve PI:             |             | 687744.62206   | 1538902.69211 |           |
| 2438         |                       | 42+48.59    | 687649.53181   | 1539175.34365 |           |
|              | Center Point:         | 2458        | 687847.81935   | 1539244.49602 |           |
|              | Radius:               | 210.00      | '              |               |           |
|              | Delta:                | 33°56'19"   | Left           |               |           |
|              | Arc Length:           | 124.39      | '              |               |           |
|              | Chord Bearing:        | S87°44'35"E |                |               |           |
|              | Chord Length:         | 122.58      | '              |               |           |
|              | Middle Ordinate:      | 9.14        | '              |               |           |
|              | External:             | 9.56        | '              |               |           |
|              | Deg of Curvature:     | 27°17'02"   | Arc Definition |               |           |
|              | Tangent:              | 64.08       | '              |               |           |
|              | Curve PI:             |             | 687628.43276   | 1539235.85330 |           |
| 2436         |                       | 43+72.98    | 687644.70449   | 1539297.82856 |           |
|              | Center Point:         | 2435        | 686880.60672   | 1539498.46405 |           |
|              | Radius:               | 790.00      | '              |               |           |
|              | Delta:                | 34°35'59"   | Right          |               |           |
|              | Arc Length:           | 477.06      | '              |               |           |
|              | Chord Bearing:        | S87°24'45"E |                |               |           |
|              | Chord Length:         | 469.85      | '              |               |           |
|              | Middle Ordinate:      | 35.74       | '              |               |           |
|              | External:             | 37.43       | '              |               |           |
|              | Deg of Curvature:     | 7°15'09"    | Arc Definition |               |           |

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

```

-----
                Tangent:                246.06 '
                Curve PI:                687707.19748 1539535.82065
2434            48+50.05 687623.49309 1539767.19953
                Center Point:           2433 688441.60979 1540063.14729
                Radius:                  870.00 '
                Delta:                    22°59'41" Left
                Arc Length:               349.16 '
                Chord Bearing:            S81°36'36"E
                Chord Length:             346.82 '
                Middle Ordinate:          17.46 '
                External:                  17.81 '
                Deg of Curvature:         6°35'09" Arc Definition
                Tangent:                  176.96 '
                Curve PI:                 687563.29939 1539933.61067
2432            51+99.21 687572.88846 1540110.30779
                N86°53'33"E              471.78 '
2422            56+70.99 687598.46343 1540581.39408
                Center Point:           3118 687318.87515 1540596.57275
                Radius:                  280.00 '
                Delta:                    28°54'53" Right
                Arc Length:               141.30 '
                Chord Bearing:            S78°39'01"E
                Chord Length:             139.81 '
                Middle Ordinate:          8.87 '
                External:                  9.16 '
                Deg of Curvature:         20°27'46" Arc Definition
                Tangent:                  72.19 '
                Curve PI:                 687602.38025 1540653.48755
2097            58+12.29 687570.94923 1540718.46999
                S89°53'02"E              388.76 '
2375            62+01.05 687570.16140 1541107.22919      0.00
                N00°22'16"E              99.69 '
140            63+00.74 687669.84931 1541107.87489      2803.09
-----

```

```

-----
Closing latitude      = -0.00650
Closing departure    = -0.00477
Closing bearing      = N36°17'57"E
Closing distance     = 0.00806
Total traverse length = 6224.80 (6300.74)
Total error of closure = 1/772357
Error of closure in latitude = 1/958334
Error of closure in departure = 1/1304656

```

```

Area = 312354.33 SQ FT
Area = 7.171 ACRES

```

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:39 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
 or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT AC-9

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2552         |                   | 0+00.00     | 683731.82776   | 1539464.71169 |           |
|              | Center Point:     | 2553        | 683667.43034   | 1539329.23855 |           |
|              | Radius:           | 150.00      | '              |               |           |
|              | Delta:            | 41°05'43"   | Left           |               |           |
|              | Arc Length:       | 107.59      | '              |               |           |
|              | Chord Bearing:    | N45°58'19"W |                |               |           |
|              | Chord Length:     | 105.30      | '              |               |           |
|              | Middle Ordinate:  | 9.54        | '              |               |           |
|              | External:         | 10.19       | '              |               |           |
|              | Deg of Curvature: | 38°11'50"   | Arc Definition |               |           |
|              | Tangent:          | 56.22       | '              |               |           |
|              | Curve PI:         |             | 683782.60755   | 1539440.57338 |           |
| 2554         |                   | 1+07.59     | 683805.01237   | 1539389.00104 |           |
|              | N66°31'10"W       | 51.52       | '              |               |           |
| 2555         |                   | 1+59.11     | 683825.53988   | 1539341.74713 |           |
|              | Center Point:     | 2556        | 683908.08747   | 1539377.60654 |           |
|              | Radius:           | 90.00       | '              |               |           |
|              | Delta:            | 18°30'47"   | Right          |               |           |
|              | Arc Length:       | 29.08       | '              |               |           |
|              | Chord Bearing:    | N57°15'47"W |                |               |           |
|              | Chord Length:     | 28.95       | '              |               |           |
|              | Middle Ordinate:  | 1.17        | '              |               |           |
|              | External:         | 1.19        | '              |               |           |
|              | Deg of Curvature: | 63°39'43"   | Arc Definition |               |           |
|              | Tangent:          | 14.67       | '              |               |           |
|              | Curve PI:         |             | 683831.38210   | 1539328.29500 |           |
| 2557         |                   | 1+88.19     | 683841.19555   | 1539317.39549 |           |
|              | N48°00'24"W       | 76.15       | '              |               |           |
| 2558         |                   | 2+64.34     | 683892.14326   | 1539260.79908 |           |
|              | N42°36'16"W       | 18.64       | '              |               |           |
| 2559         |                   | 2+82.98     | 683905.86313   | 1539248.18105 |           |
|              | N37°12'09"W       | 32.73       | '              |               |           |
| 2560         |                   | 3+15.71     | 683931.93269   | 1539228.39138 |           |
|              | Center Point:     | 2561        | 683841.23761   | 1539108.91585 |           |
|              | Radius:           | 150.00      | '              |               |           |
|              | Delta:            | 29°06'21"   | Left           |               |           |
|              | Arc Length:       | 76.20       | '              |               |           |
|              | Chord Bearing:    | N51°45'19"W |                |               |           |
|              | Chord Length:     | 75.38       | '              |               |           |
|              | Middle Ordinate:  | 4.81        | '              |               |           |
|              | External:         | 4.97        | '              |               |           |
|              | Deg of Curvature: | 38°11'50"   | Arc Definition |               |           |
|              | Tangent:          | 38.94       | '              |               |           |
|              | Curve PI:         |             | 683962.94961   | 1539204.84469 |           |
| 2562         |                   | 3+91.91     | 683978.59454   | 1539169.18989 |           |
|              | N66°18'30"W       | 447.93      | '              |               |           |
| 2563         |                   | 8+39.84     | 684158.57935   | 1538759.01096 |           |
|              | Center Point:     | 2564        | 684021.22119   | 1538698.73877 |           |
|              | Radius:           | 150.00      | '              |               |           |
|              | Delta:            | 56°43'12"   | Left           |               |           |
|              | Arc Length:       | 148.49      | '              |               |           |
|              | Chord Bearing:    | S85°19'54"W |                |               |           |



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

```

-----
      Chord Length:          142.50 '
      Middle Ordinate:       18.00 '
      External:              20.46 '
      Deg of Curvature:      38°11'50" Arc Definition
      Tangent:               80.97 '
      Curve PI:              684191.11685 1538684.86025
2565      9+88.33 684146.98161 1538616.98370
      S56°58'18"W          88.63 '
2566      10+76.96 684098.67350 1538542.67621
      Center Point:        2567 684174.12960 1538493.62138
      Radius:              90.00 '
      Delta:               71°40'03" Right
      Arc Length:          112.58 '
      Chord Bearing:       N87°11'41"W
      Chord Length:        105.38 '
      Middle Ordinate:     17.04 '
      External:            21.01 '
      Deg of Curvature:    63°39'43" Arc Definition
      Tangent:             64.99 '
      Curve PI:            684063.25461 1538488.18323
2568      11+89.53 684103.83098 1538437.42250
      N51°21'39"W          270.21 '
2569      14+59.74 684272.55380 1538226.36314
      Center Point:        2570 684346.75772 1538285.68244
      Radius:              95.00 '
      Delta:               17°13'36" Right
      Arc Length:          28.56 '
      Chord Bearing:       N42°44'52"W
      Chord Length:        28.46 '
      Middle Ordinate:     1.07 '
      External:            1.08 '
      Deg of Curvature:    60°18'41" Arc Definition
      Tangent:             14.39 '
      Curve PI:            684281.54192 1538215.12169
2571      14+88.30 684293.45337 1538207.04528
      N34°08'04"W          128.33 '
2572      16+16.63 684399.67508 1538135.03460
      Center Point:        2573 684312.69890 1538006.73752
      Radius:              155.00 '
      Delta:               20°37'33" Left
      Arc Length:          55.80 '
      Chord Bearing:       N44°26'50"W
      Chord Length:        55.50 '
      Middle Ordinate:     2.50 '
      External:            2.55 '
      Deg of Curvature:    36°57'54" Arc Definition
      Tangent:             28.20 '
      Curve PI:            684423.01683 1538119.21216
2574      16+72.43 684439.29630 1538096.17062
      N54°45'36"W          18.58 '
2366      16+91.01 684450.01701 1538080.99555      2488.00
      Center Point:        2575 684458.18443 1538086.76558
      Radius:              10.00 '
      Delta:               58°14'35" Right
      Arc Length:          10.17 '
      Chord Bearing:       N25°38'19"W
      Chord Length:        9.73 '
      Middle Ordinate:     1.26 '
      External:            1.45 '
      Deg of Curvature:    572°57'28" Arc Definition
  
```

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |              |               |
|------|-------------------|-------------|----------------|--------------|---------------|
|      | Tangent:          | 5.57        | '              |              |               |
|      | Curve PI:         |             |                | 684453.22449 | 1538076.45331 |
| 2576 |                   | 17+01.17    |                | 684458.78900 | 1538076.78544 |
|      | Center Point:     | 2577        |                | 684462.79873 | 1538010.90736 |
|      | Radius:           | 66.00       | '              |              |               |
|      | Delta:            | 296°29'11"  | Left           |              |               |
|      | Arc Length:       | 341.53      | '              |              |               |
|      | Chord Bearing:    | S35°14'24"W |                |              |               |
|      | Chord Length:     | 69.47       | '              |              |               |
|      | Middle Ordinate:  | 0.00        | '              |              |               |
|      | External:         | 0.00        | '              |              |               |
|      | Deg of Curvature: | 86°48'42"   | Arc Definition |              |               |
|      | Tangent:          | 0.00        | '              |              |               |
|      | Curve PI:         |             |                | 0.00000      | 0.00000       |
| 2581 |                   | 20+42.70    |                | 684402.04992 | 1538036.70107 |
|      | Center Point:     | 2582        |                | 684392.84510 | 1538040.60892 |
|      | Radius:           | 10.00       | '              |              |               |
|      | Delta:            | 58°14'35"   | Right          |              |               |
|      | Arc Length:       | 10.17       | '              |              |               |
|      | Chord Bearing:    | S83°52'54"E |                |              |               |
|      | Chord Length:     | 9.73        | '              |              |               |
|      | Middle Ordinate:  | 1.26        | '              |              |               |
|      | External:         | 1.45        | '              |              |               |
|      | Deg of Curvature: | 572°57'28"  | Arc Definition |              |               |
|      | Tangent:          | 5.57        | '              |              |               |
|      | Curve PI:         |             |                | 684404.21988 | 1538041.83324 |
| 2583 |                   | 20+52.86    |                | 684401.01287 | 1538046.37565 |
|      | S54°45'36"E       | 18.58       | '              |              |               |
| 2584 |                   | 20+71.44    |                | 684390.29216 | 1538061.55072 |
|      | Center Point:     | 2573        |                | 684312.70165 | 1538006.73547 |
|      | Radius:           | 95.00       | '              |              |               |
|      | Delta:            | 20°37'33"   | Right          |              |               |
|      | Arc Length:       | 34.20       | '              |              |               |
|      | Chord Bearing:    | S44°26'50"E |                |              |               |
|      | Chord Length:     | 34.01       | '              |              |               |
|      | Middle Ordinate:  | 1.53        | '              |              |               |
|      | External:         | 1.56        | '              |              |               |
|      | Deg of Curvature: | 60°18'41"   | Arc Definition |              |               |
|      | Tangent:          | 17.29       | '              |              |               |
|      | Curve PI:         |             |                | 684380.31179 | 1538075.67507 |
| 2585 |                   | 21+05.64    |                | 684366.01257 | 1538085.36629 |
|      | S34°08'04"E       | 128.33      | '              |              |               |
| 2586 |                   | 22+33.97    |                | 684259.79086 | 1538157.37696 |
|      | Center Point:     | 2570        |                | 684346.76705 | 1538285.67405 |
|      | Radius:           | 155.00      | '              |              |               |
|      | Delta:            | 17°13'36"   | Left           |              |               |
|      | Arc Length:       | 46.60       | '              |              |               |
|      | Chord Bearing:    | S42°44'52"E |                |              |               |
|      | Chord Length:     | 46.43       | '              |              |               |
|      | Middle Ordinate:  | 1.75        | '              |              |               |
|      | External:         | 1.77        | '              |              |               |
|      | Deg of Curvature: | 36°57'54"   | Arc Definition |              |               |
|      | Tangent:          | 23.48       | '              |              |               |
|      | Curve PI:         |             |                | 684240.35112 | 1538170.55806 |
| 2587 |                   | 22+80.57    |                | 684225.69504 | 1538188.89235 |
|      | S51°21'39"E       | 270.21      | '              |              |               |
| 2588 |                   | 25+50.78    |                | 684056.97222 | 1538399.95171 |
|      | Center Point:     | 2567        |                | 684174.13629 | 1538493.61377 |
|      | Radius:           | 150.00      | '              |              |               |
|      | Delta:            | 71°40'03"   | Left           |              |               |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |              |                |               |  |  |  |
|------|-------------------|--------------|----------------|---------------|--|--|--|
|      | Arc Length:       | 187.63       | '              |               |  |  |  |
|      | Chord Bearing:    | S87°11'41"E  |                |               |  |  |  |
|      | Chord Length:     | 175.63       | '              |               |  |  |  |
|      | Middle Ordinate:  | 28.39        | '              |               |  |  |  |
|      | External:         | 35.02        | '              |               |  |  |  |
|      | Deg of Curvature: | 38°11'50"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 108.32       | '              |               |  |  |  |
|      | Curve PI:         | 683989.33493 | 1538484.56105  |               |  |  |  |
| 2589 |                   | 27+38.40     | 684048.37657   | 1538575.37125 |  |  |  |
|      | N56°58'18"E       | 88.63        | '              |               |  |  |  |
| 2590 |                   | 28+27.03     | 684096.68468   | 1538649.67874 |  |  |  |
|      | Center Point:     | 2564         | 684021.22858   | 1538698.73357 |  |  |  |
|      | Radius:           | 90.00        | '              |               |  |  |  |
|      | Delta:            | 56°43'12"    | Right          |               |  |  |  |
|      | Arc Length:       | 89.10        | '              |               |  |  |  |
|      | Chord Bearing:    | N85°19'54"E  |                |               |  |  |  |
|      | Chord Length:     | 85.50        | '              |               |  |  |  |
|      | Middle Ordinate:  | 10.80        | '              |               |  |  |  |
|      | External:         | 12.28        | '              |               |  |  |  |
|      | Deg of Curvature: | 63°39'43"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 48.58        | '              |               |  |  |  |
|      | Curve PI:         | 684123.15969 | 1538690.40957  |               |  |  |  |
| 2591 |                   | 29+16.12     | 684103.64333   | 1538734.89509 |  |  |  |
|      | S66°18'30"E       | 447.93       | '              |               |  |  |  |
| 2592 |                   | 33+64.06     | 683923.65852   | 1539145.07402 |  |  |  |
|      | Center Point:     | 2561         | 683841.24362   | 1539108.91071 |  |  |  |
|      | Radius:           | 90.00        | '              |               |  |  |  |
|      | Delta:            | 29°06'21"    | Right          |               |  |  |  |
|      | Arc Length:       | 45.72        | '              |               |  |  |  |
|      | Chord Bearing:    | S51°45'19"E  |                |               |  |  |  |
|      | Chord Length:     | 45.23        | '              |               |  |  |  |
|      | Middle Ordinate:  | 2.89         | '              |               |  |  |  |
|      | External:         | 2.98         | '              |               |  |  |  |
|      | Deg of Curvature: | 63°39'43"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 23.36        | '              |               |  |  |  |
|      | Curve PI:         | 683914.26512 | 1539166.47231  |               |  |  |  |
| 2593 |                   | 34+09.78     | 683895.66017   | 1539180.59648 |  |  |  |
|      | S37°12'09"E       | 35.56        | '              |               |  |  |  |
| 2594 |                   | 34+45.34     | 683867.33650   | 1539202.09727 |  |  |  |
|      | S42°36'16"E       | 24.30        | '              |               |  |  |  |
| 2595 |                   | 34+69.64     | 683849.45062   | 1539218.54674 |  |  |  |
|      | S48°00'24"E       | 78.98        | '              |               |  |  |  |
| 2596 |                   | 35+48.62     | 683796.60952   | 1539277.24647 |  |  |  |
|      | Center Point:     | 2556         | 683908.09292   | 1539377.60309 |  |  |  |
|      | Radius:           | 150.00       | '              |               |  |  |  |
|      | Delta:            | 18°30'47"    | Left           |               |  |  |  |
|      | Arc Length:       | 48.47        | '              |               |  |  |  |
|      | Chord Bearing:    | S57°15'47"E  |                |               |  |  |  |
|      | Chord Length:     | 48.26        | '              |               |  |  |  |
|      | Middle Ordinate:  | 1.95         | '              |               |  |  |  |
|      | External:         | 1.98         | '              |               |  |  |  |
|      | Deg of Curvature: | 38°11'50"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 24.45        | '              |               |  |  |  |
|      | Curve PI:         | 683780.24648 | 1539295.41994  |               |  |  |  |
| 2597 |                   | 35+97.08     | 683770.51134   | 1539317.84096 |  |  |  |
|      | S66°31'10"E       | 51.52        | '              |               |  |  |  |
| 2598 |                   | 36+48.61     | 683749.98382   | 1539365.09486 |  |  |  |
|      | Center Point:     | 2553         | 683667.43624   | 1539329.23546 |  |  |  |
|      | Radius:           | 90.00        | '              |               |  |  |  |
|      | Delta:            | 20°20'05"    | Right          |               |  |  |  |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|                   |              |                            |
|-------------------|--------------|----------------------------|
| Arc Length:       | 31.94        | '                          |
| Chord Bearing:    | S56°21'08"E  |                            |
| Chord Length:     | 31.77        | '                          |
| Middle Ordinate:  | 1.41         | '                          |
| External:         | 1.44         | '                          |
| Deg of Curvature: | 63°39'43"    | Arc Definition             |
| Tangent:          | 16.14        | '                          |
| Curve PI:         | 683743.54690 | 1539379.90192              |
| 2599              | 36+80.55     | 683732.38051 1539391.54210 |
| S89°34'25"E       | 73.17        | '                          |
| 2552              | 37+53.71     | 683731.83599 1539464.71007 |

-----

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | 0.00823           |
| Closing departure             | = | -0.00162          |
| Closing bearing               | = | S11°07'24"E       |
| Closing distance              | = | 0.00839           |
| Total traverse length         | = | 3447.16 (3753.71) |
| Total error of closure        | = | 1/410833          |
| Error of closure in latitude  | = | 1/418699          |
| Error of closure in departure | = | 1/2129535         |

|      |   |                 |
|------|---|-----------------|
| Area | = | 113367.50 SQ FT |
| Area | = | 2.603 ACRES     |

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:39 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-24

| Point Number | Description           | Sta      | Northing     | Easting       | Elevation |
|--------------|-----------------------|----------|--------------|---------------|-----------|
| Bearing      | Distance              |          |              |               |           |
| 2744         |                       | 0+00.00  | 686365.59520 | 1538940.53114 |           |
|              | N89°56'26"E 1027.18 ' |          |              |               |           |
| 2094         |                       | 10+27.18 | 686366.66090 | 1539967.71059 | 0.00      |
|              | S05°47'05"E 389.47 '  |          |              |               |           |
| 2095         |                       | 14+16.65 | 685979.17423 | 1540006.96566 | 0.00      |
|              | S01°07'41"W 212.01 '  |          |              |               |           |
| 2096         |                       | 16+28.66 | 685767.20532 | 1540002.79182 | 0.00      |
|              | S13°20'35"W 57.51 '   |          |              |               |           |
| 2098         |                       | 16+86.17 | 685711.24776 | 1539989.51961 | 0.00      |
|              | S27°49'21"W 104.54 '  |          |              |               |           |
| 2751         |                       | 17+90.71 | 685618.79282 | 1539940.72724 | 0.00      |
|              | S00°02'37"W 143.33 '  |          |              |               |           |
| 2752         |                       | 19+34.03 | 685475.46286 | 1539940.61814 | 0.00      |
|              | S46°21'03"E 122.24 '  |          |              |               |           |
| 2101         |                       | 20+56.28 | 685391.08784 | 1540029.06854 | 0.00      |
|              | S10°37'11"E 101.87 '  |          |              |               |           |
| 2102         |                       | 21+58.15 | 685290.96267 | 1540047.84213 | 0.00      |
|              | S06°52'54"E 195.51 '  |          |              |               |           |
| 2103         |                       | 23+53.66 | 685096.86118 | 1540071.26797 | 0.00      |
|              | S81°49'10"E 133.19 '  |          |              |               |           |
| 2104         |                       | 24+86.85 | 685077.90917 | 1540203.10271 | 0.00      |
|              | N81°34'23"E 123.45 '  |          |              |               |           |
| 2105         |                       | 26+10.31 | 685096.00055 | 1540325.21988 | 0.00      |
|              | S32°49'43"E 64.65 '   |          |              |               |           |
| 2743         |                       | 26+74.96 | 685041.67541 | 1540360.26845 |           |
|              | N89°35'34"W 1429.12 ' |          |              |               |           |
| 2745         |                       | 41+04.07 | 685051.83261 | 1538931.18455 |           |
|              | N00°24'26"E 1313.80 ' |          |              |               |           |
| 2744         |                       | 54+17.88 | 686365.59943 | 1538940.52213 |           |

-----

Closing latitude = 0.00422  
 Closing departure = -0.00901  
 Closing bearing = S64°53'30"E  
 Closing distance = 0.00995  
 Total traverse length = 5417.87 (5417.88)  
 Total error of closure = 1/544380  
 Error of closure in latitude = 1/1282918  
 Error of closure in departure = 1/601187

Area = 1416963.50 SQ FT  
 Area = 32.529 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:39 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 117

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2271         |                      | 9+39.60     | 687360.72035   | 1540873.43770 | 0.00      |
|              | S89°46'04"E 232.44 ' |             |                |               |           |
| 2272         |                      | 11+72.04    | 687359.77827   | 1541105.87579 | 0.00      |
|              | N00°22'16"E 210.39 ' |             |                |               |           |
| 2375         |                      | 13+82.43    | 687570.16385   | 1541107.23850 | 0.00      |
|              | N89°53'02"W 388.76 ' |             |                |               |           |
| 2097         |                      | 17+71.19    | 687570.95168   | 1540718.47930 |           |
|              | Center Point:        | 3118        | 687318.87779   | 1540596.58282 |           |
|              | Radius:              | 280.00      | '              |               |           |
|              | Delta:               | 55°35'55"   | Right          |               |           |
|              | Arc Length:          | 271.71      | '              |               |           |
|              | Chord Bearing:       | S36°23'37"E |                |               |           |
|              | Chord Length:        | 261.17      | '              |               |           |
|              | Middle Ordinate:     | 32.32       | '              |               |           |
|              | External:            | 36.53       | '              |               |           |
|              | Deg of Curvature:    | 20°27'46"   | Arc Definition |               |           |
|              | Tangent:             | 147.62      | '              |               |           |
|              | Curve PI:            |             | 687506.68590   | 1540851.37770 |           |
| 2271         |                      | 20+42.89    | 687360.72029   | 1540873.43907 | 0.00      |

-----

Closing latitude = -0.00006  
 Closing departure = 0.00137  
 Closing bearing = N87°20'39"W  
 Closing distance = 0.00137  
 Total traverse length = 1092.76 (1103.29)  
 Total error of closure = 1/797826  
 Error of closure in latitude = 1/17218726  
 Error of closure in departure = 1/798684

Area = 59559.72 SQ FT  
 Area = 1.367 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:39 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: OVERALL

| Point Number | Description          | Sta       | Northing     | Easting       | Elevation |
|--------------|----------------------|-----------|--------------|---------------|-----------|
| Bearing      | Distance             |           |              |               |           |
| 1651         |                      | 72+50.60  | 686065.21035 | 1538449.33958 |           |
|              | N87°33'17"E 159.47'  |           |              |               |           |
| 1323         |                      | 74+10.07  | 686072.01417 | 1538608.66437 |           |
|              | S00°00'04"W 1393.38' |           |              |               |           |
| 1324         |                      | 88+03.45  | 684678.63417 | 1538608.63735 |           |
|              | N89°59'56"W 480.90'  |           |              |               |           |
| 1337         |                      | 92+84.35  | 684678.64350 | 1538127.73735 |           |
|              | N30°22'16"E 288.42'  |           |              |               |           |
| 1296         |                      | 95+72.77  | 684927.48325 | 1538273.56216 |           |
|              | S58°10'48"W 440.24'  |           |              |               |           |
| 1295         |                      | 100+13.01 | 684695.36564 | 1537899.48640 |           |
|              | N88°15'44"W 327.37'  |           |              |               |           |
| 1294         |                      | 103+40.38 | 684705.29323 | 1537572.26696 |           |
|              | N59°15'40"W 282.74'  |           |              |               |           |
| 1293         |                      | 106+23.12 | 684849.80911 | 1537329.25036 |           |
|              | N28°33'41"W 339.01'  |           |              |               |           |
| 1292         |                      | 109+62.13 | 685147.56341 | 1537167.16965 |           |
|              | N03°53'07"W 157.14'  |           |              |               |           |
| 1291         |                      | 111+19.27 | 685304.34226 | 1537156.52202 |           |
|              | N05°41'41"W 70.61'   |           |              |               |           |
| 1290         |                      | 111+89.88 | 685374.60378 | 1537149.51552 |           |
|              | N13°49'49"W 265.96'  |           |              |               |           |
| 1289         |                      | 114+55.84 | 685632.85309 | 1537085.93868 |           |
|              | S78°49'41"W 333.45'  |           |              |               |           |
| 1288         |                      | 117+89.29 | 685568.24582 | 1536758.80751 |           |
|              | S04°42'00"W 74.81'   |           |              |               |           |
| 1287         |                      | 118+64.10 | 685493.68738 | 1536752.67769 |           |
|              | S26°41'28"E 891.00'  |           |              |               |           |
| 1474         |                      | 127+55.11 | 684697.63137 | 1537152.89742 |           |
|              | S50°15'09"E 234.51'  |           |              |               |           |
| 1363         |                      | 129+89.61 | 684547.68440 | 1537333.20506 |           |
|              | S50°49'47"E 212.70'  |           |              |               |           |
| 1364         |                      | 132+02.31 | 684413.33729 | 1537498.10547 |           |
|              | S48°09'21"E 58.57'   |           |              |               |           |
| 1365         |                      | 132+60.88 | 684374.26484 | 1537541.73789 |           |
|              | S30°12'16"E 161.47'  |           |              |               |           |
| 1366         |                      | 134+22.35 | 684234.71669 | 1537622.97135 |           |
|              | S29°15'05"E 185.85'  |           |              |               |           |
| 1367         |                      | 136+08.20 | 684072.56551 | 1537713.78554 |           |
|              | S22°52'48"E 63.29'   |           |              |               |           |
| 1340         |                      | 136+71.49 | 684014.25509 | 1537738.39284 |           |
|              | N30°22'16"E 70.99'   |           |              |               |           |
| 1338         |                      | 137+42.48 | 684075.50304 | 1537774.28530 |           |
|              | S22°28'11"E 358.96'  |           |              |               |           |
| 1339         |                      | 141+01.44 | 683743.79470 | 1537911.47807 |           |
|              | S89°31'43"E 517.35'  |           |              |               |           |
| 1013         | 1/16TH               | 146+18.79 | 683739.53836 | 1538428.81057 |           |
|              | S89°34'25"E 2653.56' |           |              |               |           |
| 1015         | 1/16TH               | 172+72.35 | 683719.79104 | 1541082.29709 |           |
|              | N00°22'16"E 3950.15' |           |              |               |           |
| 140          | 3pt rebar 21         | 212+22.50 | 687669.85818 | 1541107.88247 | 2803.09   |
|              | N89°53'02"W 2644.27' |           |              |               |           |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|      |             |           |              |               |
|------|-------------|-----------|--------------|---------------|
| 1655 |             | 238+66.77 | 687675.21684 | 1538463.61790 |
|      | S00°30'29"W | 1610.07   | '            |               |
| 1651 |             | 254+76.84 | 686065.21014 | 1538449.34120 |

---

|                               |   |                     |
|-------------------------------|---|---------------------|
| Closing latitude              | = | -0.00021            |
| Closing departure             | = | 0.00163             |
| Closing bearing               | = | N82°35'54"W         |
| Closing distance              | = | 0.00164             |
| Total traverse length         | = | 18226.24 (18226.24) |
| Total error of closure        | = | 1/11119536          |
| Error of closure in latitude  | = | 1/86315288          |
| Error of closure in departure | = | 1/11212969          |
| Area                          | = | 11297829.24 SQ FT   |
| Area                          | = | 259.362 ACRES       |



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:39 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 83

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2297         |                      | 0+00.00     | 683845.55101   | 1541083.11335 | 0.00      |
|              | N59°30'24"W 359.74 ' |             |                |               |           |
| 2296         |                      | 3+59.74     | 684028.09679   | 1540773.12964 | 0.00      |
|              | Center Point:        | 2397        | 684194.35741   | 1540488.07279 |           |
|              | Radius:              | 330.00      | '              |               |           |
|              | Delta:               | 19°45'27"   | Right          |               |           |
|              | Arc Length:          | 113.80      | '              |               |           |
|              | Chord Bearing:       | S40°07'54"W |                |               |           |
|              | Chord Length:        | 113.23      | '              |               |           |
|              | Middle Ordinate:     | 4.89        | '              |               |           |
|              | External:            | 4.97        | '              |               |           |
|              | Deg of Curvature:    | 17°21'44"   | Arc Definition |               |           |
|              | Tangent:             | 57.47       | '              |               |           |
|              | Curve PI:            |             | 683978.45744   | 1540744.17278 |           |
| 2396         |                      | 4+73.54     | 683941.52507   | 1540700.14766 |           |
|              | S50°00'38"W 2.59 '   |             |                |               |           |
| 2294         |                      | 4+76.13     | 683939.86061   | 1540698.16330 | 0.00      |
|              | S31°48'18"E 256.78 ' |             |                |               |           |
| 2295         |                      | 7+32.91     | 683721.63698   | 1540833.49405 | 0.00      |
|              | S89°34'25"E 248.82 ' |             |                |               |           |
| 1015         | 1/16TH               | 9+81.72     | 683719.78530   | 1541082.30716 |           |
|              | N00°22'16"E 125.76 ' |             |                |               |           |
| 2297         |                      | 11+07.49    | 683845.54266   | 1541083.12172 | 0.00      |

-----

Closing latitude = -0.00835  
 Closing departure = 0.00836  
 Closing bearing = N45°03'35"W  
 Closing distance = 0.01182  
 Total traverse length = 1106.92 (1107.49)  
 Total error of closure = 1/93678  
 Error of closure in latitude = 1/132619  
 Error of closure in departure = 1/132344

Area = 71391.22 SQ FT  
 Area = 1.639 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449  
 Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 84

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2307         |                      | 0+00.00     | 684086.14134   | 1541084.67142 | 0.00      |
|              | N77°54'08"W 275.86 ' |             |                |               |           |
| 2308         |                      | 2+75.86     | 684143.95626   | 1540814.93790 | 0.00      |
|              | S12°34'34"W 21.98 '  |             |                |               |           |
| 2398         |                      | 2+97.84     | 684122.50361   | 1540810.15205 |           |
|              | Center Point:        | 2397        | 684194.35660   | 1540488.06954 |           |
|              | Radius:              | 330.00      | '              |               |           |
|              | Delta:               | 17°40'37"   | Right          |               |           |
|              | Arc Length:          | 101.81      | '              |               |           |
|              | Chord Bearing:       | S21°24'52"W |                |               |           |
|              | Chord Length:        | 101.41      | '              |               |           |
|              | Middle Ordinate:     | 3.92        | '              |               |           |
|              | External:            | 3.97        | '              |               |           |
|              | Deg of Curvature:    | 17°21'44"   | Arc Definition |               |           |
|              | Tangent:             | 51.31       | '              |               |           |
|              | Curve PI:            |             | 684072.42423   | 1540798.97902 |           |
| 2296         |                      | 3+99.65     | 684028.09457   | 1540773.12610 | 0.00      |
|              | S59°30'24"E 359.74 ' |             |                |               |           |
| 2297         |                      | 7+59.39     | 683845.54879   | 1541083.10981 | 0.00      |
|              | N00°22'16"E 240.60 ' |             |                |               |           |
| 2307         |                      | 9+99.99     | 684086.14374   | 1541084.66820 | 0.00      |

-----

Closing latitude = 0.00240  
 Closing departure = -0.00323  
 Closing bearing = S53°24'04"E  
 Closing distance = 0.00402  
 Total traverse length = 999.59 (999.99)  
 Total error of closure = 1/248533  
 Error of closure in latitude = 1/416855  
 Error of closure in departure = 1/309571

Area = 53829.72 SQ FT  
 Area = 1.236 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 85

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2305         |             | 0+00.00 | 684269.97451 | 1541085.86193 | 0.00      |
|              | N77°54'08"W | 236.99  |              |               |           |
| 2306         |             | 2+36.99 | 684319.64303 | 1540854.13516 | 0.00      |
|              | S12°34'34"W | 180.01  |              |               |           |
| 2308         |             | 4+17.00 | 684143.95189 | 1540814.94044 | 0.00      |
|              | S77°54'08"E | 275.86  |              |               |           |
| 2307         |             | 6+92.86 | 684086.13698 | 1541084.67397 | 0.00      |
|              | N00°22'16"E | 183.84  |              |               |           |
| 2305         |             | 8+76.70 | 684269.97312 | 1541085.86471 | 0.00      |

Closing latitude = -0.00139  
Closing departure = 0.00278  
Closing bearing = N63°26'09"W  
Closing distance = 0.00311  
Total traverse length = 876.70 (876.70)  
Total error of closure = 1/282225  
Error of closure in latitude = 1/631093  
Error of closure in departure = 1/315535

Area = 46157.03 SQ FT  
Area = 1.060 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 86

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2293         |                      | 0+00.00     | 684525.36234   | 1541087.51583 | 0.00      |
|              | N89°03'15"W 112.71 ' |             |                |               |           |
| 2292         |                      | 1+12.71     | 684527.22286   | 1540974.82119 | 0.00      |
|              | S48°19'27"W 128.03 ' |             |                |               |           |
| 2291         |                      | 2+40.73     | 684442.09374   | 1540879.19319 | 0.00      |
|              | Center Point:        | 2400        | 684540.26836   | 1540184.50601 |           |
|              | Radius:              | 701.59      | '              |               |           |
|              | Delta:               | 4°31'56"    | Right          |               |           |
|              | Arc Length:          | 55.50       | '              |               |           |
|              | Chord Bearing:       | S10°18'36"W |                |               |           |
|              | Chord Length:        | 55.48       | '              |               |           |
|              | Middle Ordinate:     | 0.55        | '              |               |           |
|              | External:            | 0.55        | '              |               |           |
|              | Deg of Curvature:    | 8°10'00"    | Arc Definition |               |           |
|              | Tangent:             | 27.76       | '              |               |           |
|              | Curve PI:            |             | 684414.60609   | 1540875.31513 |           |
| 2399         |                      | 2+96.23     | 684387.50953   | 1540869.26371 |           |
|              | S12°34'34"W 69.53 '  |             |                |               |           |
| 2306         |                      | 3+65.76     | 684319.64772   | 1540854.12451 | 0.00      |
|              | S77°54'08"E 236.99 ' |             |                |               |           |
| 2305         |                      | 6+02.76     | 684269.97921   | 1541085.85128 | 0.00      |
|              | N00°22'16"E 255.39 ' |             |                |               |           |
| 2293         |                      | 8+58.15     | 684525.36385   | 1541087.50546 | 0.00      |

-----

Closing latitude = 0.00151  
 Closing departure = -0.01037  
 Closing bearing = S81°41'53"E  
 Closing distance = 0.01048  
 Total traverse length = 858.13 (858.15)  
 Total error of closure = 1/81874  
 Error of closure in latitude = 1/567048  
 Error of closure in departure = 1/82741

Area = 46131.21 SQ FT  
 Area = 1.059 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 87

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 1009         | W 1/4 single         | 0+00.00     | 685036.47790   | 1541090.82583 |           |
|              | N89°35'34"W 96.27 '  |             |                |               |           |
| 2600         |                      | 0+96.27     | 685037.16212   | 1540994.55826 |           |
|              | Center Point:        | 2406        | 685042.33265   | 1541204.70466 |           |
|              | Radius:              | 210.21      | '              |               |           |
|              | Delta:               | 13°14'59"   | Left           |               |           |
|              | Arc Length:          | 48.61       | '              |               |           |
|              | Chord Bearing:       | S08°02'03"E |                |               |           |
|              | Chord Length:        | 48.50       | '              |               |           |
|              | Middle Ordinate:     | 1.40        | '              |               |           |
|              | External:            | 1.41        | '              |               |           |
|              | Deg of Curvature:    | 27°15'23"   | Arc Definition |               |           |
|              | Tangent:             | 24.41       | '              |               |           |
|              | Curve PI:            |             | 685012.75488   | 1540995.15518 |           |
| 2405         |                      | 1+44.88     | 684989.13816   | 1541001.33680 |           |
|              | Center Point:        | 2404        | 684915.16876   | 1540718.56132 |           |
|              | Radius:              | 292.29      | '              |               |           |
|              | Delta:               | 54°22'43"   | Right          |               |           |
|              | Arc Length:          | 277.41      | '              |               |           |
|              | Chord Bearing:       | S12°31'49"W |                |               |           |
|              | Chord Length:        | 267.11      | '              |               |           |
|              | Middle Ordinate:     | 32.30       | '              |               |           |
|              | External:            | 36.31       | '              |               |           |
|              | Deg of Curvature:    | 19°36'09"   | Arc Definition |               |           |
|              | Tangent:             | 150.15      | '              |               |           |
|              | Curve PI:            |             | 684843.87540   | 1541039.33099 |           |
| 2403         |                      | 4+22.29     | 684728.39032   | 1540943.38581 |           |
|              | Center Point:        | 2402        | 684568.63948   | 1541135.67380 |           |
|              | Radius:              | 249.99      | '              |               |           |
|              | Delta:               | 41°25'39"   | Left           |               |           |
|              | Arc Length:          | 180.76      | '              |               |           |
|              | Chord Bearing:       | S19°00'21"W |                |               |           |
|              | Chord Length:        | 176.84      | '              |               |           |
|              | Middle Ordinate:     | 16.16       | '              |               |           |
|              | External:            | 17.28       | '              |               |           |
|              | Deg of Curvature:    | 22°55'09"   | Arc Definition |               |           |
|              | Tangent:             | 94.53       | '              |               |           |
|              | Curve PI:            |             | 684655.67226   | 1540882.97332 |           |
| 2401         |                      | 6+03.05     | 684561.19067   | 1540885.79532 |           |
|              | Center Point:        | 2400        | 684540.27854   | 1540184.51705 |           |
|              | Radius:              | 701.59      | '              |               |           |
|              | Delta:               | 9°45'07"    | Right          |               |           |
|              | Arc Length:          | 119.41      | '              |               |           |
|              | Chord Bearing:       | S03°10'04"W |                |               |           |
|              | Chord Length:        | 119.27      | '              |               |           |
|              | Middle Ordinate:     | 2.54        | '              |               |           |
|              | External:            | 2.55        | '              |               |           |
|              | Deg of Curvature:    | 8°10'00"    | Arc Definition |               |           |
|              | Tangent:             | 59.85       | '              |               |           |
|              | Curve PI:            |             | 684501.35743   | 1540887.57497 |           |
| 2291         |                      | 7+22.46     | 684442.10292   | 1540879.20446 | 0.00      |
|              | N48°19'27"E 128.03 ' |             |                |               |           |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|      |             |        |         |              |               |               |
|------|-------------|--------|---------|--------------|---------------|---------------|
| 2292 |             |        | 8+50.49 | 684527.23203 | 1540974.83246 | 0.00          |
|      | S89°03'15"E | 112.71 | '       |              |               |               |
| 2293 |             |        | 9+63.19 | 684525.37151 | 1541087.52710 | 0.00          |
|      | N00°22'16"E | 511.13 | '       |              |               |               |
| 1009 |             | W 1/4  | single  | 14+74.32     | 685036.49079  | 1541090.83772 |

---

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | 0.01289           |
| Closing departure             | = | 0.01189           |
| Closing bearing               | = | S42°42'06"W       |
| Closing distance              | = | 0.01754           |
| Total traverse length         | = | 1459.86 (1474.32) |
| Total error of closure        | = | 1/83242           |
| Error of closure in latitude  | = | 1/113271          |
| Error of closure in departure | = | 1/122743          |

|      |   |                |
|------|---|----------------|
| Area | = | 70858.76 SQ FT |
| Area | = | 1.627 ACRES    |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 99

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2380         |             | 0+00.00  | 685178.13335 | 1540642.45787 |           |
|              | S64°26'10"W | 93.34    |              |               |           |
| 2379         |             | 0+93.34  | 685137.85552 | 1540558.25542 |           |
|              | N80°51'40"W | 92.36    |              |               |           |
| 2378         |             | 1+85.70  | 685152.52490 | 1540467.06782 |           |
|              | N40°21'03"W | 93.55    |              |               |           |
| 2377         |             | 2+79.25  | 685223.81881 | 1540406.49736 |           |
|              | N25°11'33"E | 68.65    |              |               |           |
| 2376         |             | 3+47.90  | 685285.93901 | 1540435.71898 |           |
|              | N47°50'21"W | 20.00    |              |               |           |
| 2383         |             | 3+67.90  | 685299.36329 | 1540420.89370 | 0.00      |
|              | S42°09'39"W | 102.41   |              |               |           |
| 2382         |             | 4+70.31  | 685223.45049 | 1540352.15468 | 0.00      |
|              | S11°55'44"W | 130.26   |              |               |           |
| 2105         |             | 6+00.57  | 685096.00347 | 1540325.23026 | 0.00      |
|              | S32°49'43"E | 174.60   |              |               |           |
| 2106         |             | 7+75.17  | 684949.28779 | 1540419.88578 | 0.00      |
|              | S81°50'08"E | 186.33   |              |               |           |
| 2314         |             | 9+61.50  | 684922.82619 | 1540604.32725 | 0.00      |
|              | N06°19'13"E | 118.21   |              |               |           |
| 2332         |             | 10+79.71 | 685040.31772 | 1540617.34052 | 0.00      |
|              | N06°19'13"E | 52.87    |              |               |           |
| 2173         |             | 11+32.58 | 685092.86638 | 1540623.16077 |           |
|              | N12°45'21"E | 87.43    |              |               |           |
| 2380         |             | 12+20.01 | 685178.13859 | 1540642.46503 |           |

-----  
 Closing latitude = 0.00524  
 Closing departure = 0.00716  
 Closing bearing = S53°46'43"W  
 Closing distance = 0.00887  
 Total traverse length = 1220.01 (1220.01)  
 Total error of closure = 1/137497  
 Error of closure in latitude = 1/232688  
 Error of closure in departure = 1/170436

Area = 63989.48 SQ FT  
 Area = 1.469 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 89

| Point Number | Description         | Sta                      | Northing     | Easting       | Elevation |
|--------------|---------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance            |                          |              |               |           |
| 2267         |                     | 0+00.00                  | 684109.10892 | 1540454.31291 | 0.00      |
|              | S50°06'22"W 60.70'  |                          |              |               |           |
| 2266         |                     | 0+60.70                  | 684070.17789 | 1540407.74183 | 0.00      |
|              | N77°14'39"W 233.63' |                          |              |               |           |
| 2265         |                     | 2+94.32                  | 684121.76263 | 1540179.87786 | 0.00      |
|              | S08°46'25"E 29.58'  |                          |              |               |           |
| 2157         |                     | 3+23.90                  | 684092.52876 | 1540184.38971 | 0.00      |
|              | S11°01'45"W 57.72'  |                          |              |               |           |
| 2158         |                     | 3+81.63                  | 684035.87485 | 1540173.34738 | 0.00      |
|              | S12°55'21"W 165.77' |                          |              |               |           |
| 2159         |                     | 5+47.40                  | 683874.30323 | 1540136.27575 | 0.00      |
|              | S24°37'17"W 161.67' |                          |              |               |           |
| 2160         |                     | 7+09.07                  | 683727.33217 | 1540068.92077 | 0.00      |
|              | S89°34'25"E 184.56' |                          |              |               |           |
| 2161         |                     | 8+93.62                  | 683725.95870 | 1540253.47566 |           |
|              | N12°45'21"E 179.87' |                          |              |               |           |
| 2162         |                     | 10+73.49                 | 683901.38948 | 1540293.19037 |           |
|              | S84°16'35"E 148.18' |                          |              |               |           |
| 2163         |                     | 12+21.67                 | 683886.61152 | 1540440.63162 |           |
|              | N81°33'11"E 47.33'  |                          |              |               |           |
| 2164         |                     | 12+69.00                 | 683893.56399 | 1540487.44820 |           |
|              | Center Point:       | 2547                     | 683816.70122 | 1540578.29486 |           |
|              | Radius:             | 119.00'                  |              |               |           |
|              | Delta:              | 22°12'12" Right          |              |               |           |
|              | Arc Length:         | 46.12'                   |              |               |           |
|              | Chord Bearing:      | N51°20'08"E              |              |               |           |
|              | Chord Length:       | 45.83'                   |              |               |           |
|              | Middle Ordinate:    | 2.23'                    |              |               |           |
|              | External:           | 2.27'                    |              |               |           |
|              | Deg of Curvature:   | 48°08'52" Arc Definition |              |               |           |
|              | Tangent:            | 23.35'                   |              |               |           |
|              | Curve PI:           |                          | 683911.38541 | 1540502.52727 |           |
| 2546         |                     | 13+15.11                 | 683922.19666 | 1540523.23310 |           |
|              | N62°26'14"E 63.53'  |                          |              |               |           |
| 2545         |                     | 13+78.64                 | 683951.59328 | 1540579.55273 |           |
|              | Center Point:       | 2544                     | 683757.44882 | 1540680.88845 |           |
|              | Radius:             | 219.00'                  |              |               |           |
|              | Delta:              | 1°19'49" Right           |              |               |           |
|              | Arc Length:         | 5.08'                    |              |               |           |
|              | Chord Bearing:      | N63°06'08"E              |              |               |           |
|              | Chord Length:       | 5.08'                    |              |               |           |
|              | Middle Ordinate:    | 0.01'                    |              |               |           |
|              | External:           | 0.01'                    |              |               |           |
|              | Deg of Curvature:   | 26°09'45" Arc Definition |              |               |           |
|              | Tangent:            | 2.54'                    |              |               |           |
|              | Curve PI:           |                          | 683952.76214 | 1540581.79874 |           |
| 2169         |                     | 13+83.72                 | 683953.89147 | 1540584.08315 |           |
|              | N39°53'44"W 202.32' |                          |              |               |           |
| 2267         |                     | 15+86.04                 | 684109.11439 | 1540454.31710 | 0.00      |

Closing latitude = 0.00547



CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

losing departure = 0.00419  
Closing bearing = S37°25'41"W  
Closing distance = 0.00689  
Total traverse length = 1585.77 (1586.04)  
Total error of closure = 1/230169  
Error of closure in latitude = 1/289842  
Error of closure in departure = 1/378714

Area = 100894.96 SQ FT  
Area = 2.316 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 90

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2334         |                      | 0+00.00     | 684150.92667   | 1540755.01695 | 0.00      |
|              | N77°35'06"W 317.42 ' |             |                |               |           |
| 2335         |                      | 3+17.42     | 684219.16912   | 1540445.01949 | 0.00      |
|              | S12°45'21"W 79.83 '  |             |                |               |           |
| 2170         |                      | 3+97.25     | 684141.30934   | 1540427.39329 |           |
|              | S39°53'44"E 244.29 ' |             |                |               |           |
| 2169         |                      | 6+41.54     | 683953.88641   | 1540584.07848 |           |
|              | Center Point:        | 2544        | 683757.44170   | 1540680.87970 |           |
|              | Radius:              | 219.00      | '              |               |           |
|              | Delta:               | 2°32'26"    | Right          |               |           |
|              | Arc Length:          | 9.71        | '              |               |           |
|              | Chord Bearing:       | N65°02'16"E |                |               |           |
|              | Chord Length:        | 9.71        | '              |               |           |
|              | Middle Ordinate:     | 0.05        | '              |               |           |
|              | External:            | 0.05        | '              |               |           |
|              | Deg of Curvature:    | 26°09'45"   | Arc Definition |               |           |
|              | Tangent:             | 4.86        | '              |               |           |
|              | Curve PI:            |             | 683956.03242   | 1540588.43532 |           |
| 2543         |                      | 6+51.25     | 683957.98423   | 1540592.88143 |           |
|              | N66°18'29"E 42.64 '  |             |                |               |           |
| 2542         |                      | 6+93.88     | 683975.11779   | 1540631.92769 |           |
|              | Center Point:        | 2541        | 684140.86295   | 1540559.19845 |           |
|              | Radius:              | 181.00      | '              |               |           |
|              | Delta:               | 29°21'32"   | Left           |               |           |
|              | Arc Length:          | 92.75       | '              |               |           |
|              | Chord Bearing:       | N51°37'42"E |                |               |           |
|              | Chord Length:        | 91.74       | '              |               |           |
|              | Middle Ordinate:     | 5.91        | '              |               |           |
|              | External:            | 6.11        | '              |               |           |
|              | Deg of Curvature:    | 31°39'18"   | Arc Definition |               |           |
|              | Tangent:             | 47.42       | '              |               |           |
|              | Curve PI:            |             | 683994.16823   | 1540675.34391 |           |
| 2540         |                      | 7+86.63     | 684032.06633   | 1540703.85190 |           |
|              | Center Point:        | 2397        | 684194.36396   | 1540488.07545 |           |
|              | Radius:              | 270.00      | '              |               |           |
|              | Delta:               | 24°22'23"   | Left           |               |           |
|              | Arc Length:          | 114.85      | '              |               |           |
|              | Chord Bearing:       | N24°45'45"E |                |               |           |
|              | Chord Length:        | 113.99      | '              |               |           |
|              | Middle Ordinate:     | 6.08        | '              |               |           |
|              | External:            | 6.22        | '              |               |           |
|              | Deg of Curvature:    | 21°13'14"   | Arc Definition |               |           |
|              | Tangent:             | 58.31       | '              |               |           |
|              | Curve PI:            |             | 684078.66036   | 1540738.89532 |           |
| 2539         |                      | 9+01.48     | 684135.57515   | 1540751.59751 |           |
|              | N12°34'34"E 15.73 '  |             |                |               |           |
| 2334         |                      | 9+17.22     | 684150.92775   | 1540755.02250 | 0.00      |

-----  
 Closing latitude = 0.00108  
 Closing departure = 0.00555  
 Closing bearing = S78°58'46"W

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro  
-----

|                               |                   |
|-------------------------------|-------------------|
| losing distance               | = 0.00566         |
| Total traverse length         | = 915.35 (917.22) |
| Total error of closure        | = 1/161832        |
| Error of closure in latitude  | = 1/846579        |
| Error of closure in departure | = 1/164873        |
| Area                          | = 50851.91 SQ FT  |
| Area                          | = 1.167 ACRES     |

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 91

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2309         |             | 0+00.00  | 684403.69486 | 1540486.79728 | 0.00      |
|              | S78°19'42"W | 251.31   |              |               |           |
| 2152         |             | 2+51.31  | 684352.85408 | 1540240.68363 | 0.00      |
|              | S16°39'38"E | 59.88    |              |               |           |
| 2153         |             | 3+11.19  | 684295.48784 | 1540257.85129 | 0.00      |
|              | S04°50'08"W | 54.68    |              |               |           |
| 2154         |             | 3+65.86  | 684241.00246 | 1540253.24197 | 0.00      |
|              | S42°14'45"W | 106.48   |              |               |           |
| 2155         |             | 4+72.34  | 684162.17883 | 1540181.65409 | 0.00      |
|              | S03°44'03"W | 36.57    |              |               |           |
| 2156         |             | 5+08.90  | 684125.68647 | 1540179.27238 | 0.00      |
|              | S08°46'25"E | 3.98     |              |               |           |
| 2265         |             | 5+12.89  | 684121.75304 | 1540179.87945 | 0.00      |
|              | S77°14'39"E | 233.63   |              |               |           |
| 2266         |             | 7+46.51  | 684070.16830 | 1540407.74342 | 0.00      |
|              | N50°06'22"E | 60.70    |              |               |           |
| 2267         |             | 8+07.21  | 684109.09932 | 1540454.31450 | 0.00      |
|              | N39°53'44"W | 41.97    |              |               |           |
| 2170         |             | 8+49.18  | 684141.29933 | 1540427.39536 | 0.00      |
|              | N12°45'21"E | 269.03   |              |               |           |
| 2309         |             | 11+18.21 | 684403.68963 | 1540486.79630 | 0.00      |

-----

Closing latitude = -0.00523  
 Closing departure = -0.00098  
 Closing bearing = N10°37'13"E  
 Closing distance = 0.00532  
 Total traverse length = 1118.23 (1118.21)  
 Total error of closure = 1/210219  
 Error of closure in latitude = 1/213883  
 Error of closure in departure = 1/1140632

Area = 64609.31 SQ FT  
 Area = 1.483 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 92

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2324         |                      | 0+00.00     | 684341.24901   | 1540797.47527 | 0.00      |
|              | N77°35'06"W 186.03 ' |             |                |               |           |
| 2325         |                      | 1+86.03     | 684381.24379   | 1540615.79539 | 0.00      |
|              | Center Point:        | 2326        | 684508.20387   | 1540643.74422 |           |
|              | Radius:              | 130.00      | '              |               |           |
|              | Delta:               | 90°20'27"   | Right          |               |           |
|              | Arc Length:          | 204.98      | '              |               |           |
|              | Chord Bearing:       | N32°24'52"W |                |               |           |
|              | Chord Length:        | 184.39      | '              |               |           |
|              | Middle Ordinate:     | 38.35       | '              |               |           |
|              | External:            | 54.40       | '              |               |           |
|              | Deg of Curvature:    | 44°04'25"   | Arc Definition |               |           |
|              | Tangent:             | 130.78      | '              |               |           |
|              | Curve PI:            |             | 684409.35910   | 1540488.07958 |           |
| 2327         |                      | 3+91.01     | 684536.90450   | 1540516.95504 | 0.00      |
|              | S12°45'21"W 325.78 ' |             |                |               |           |
| 2335         |                      | 7+16.78     | 684219.16480   | 1540445.02388 | 0.00      |
|              | S77°35'06"E 317.42 ' |             |                |               |           |
| 2334         |                      | 10+34.20    | 684150.92235   | 1540755.02134 | 0.00      |
|              | N12°34'34"E 195.00 ' |             |                |               |           |
| 2324         |                      | 12+29.20    | 684341.24384   | 1540797.47992 | 0.00      |

-----  
 Closing latitude = -0.00517  
 Closing departure = 0.00465  
 Closing bearing = N42°00'35"W  
 Closing distance = 0.00695  
 Total traverse length = 1208.62 (1229.20)  
 Total error of closure = 1/173784  
 Error of closure in latitude = 1/233886  
 Error of closure in departure = 1/259668

Area = 65513.79 SQ FT  
 Area = 1.504 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:40 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 93

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2288         |                      | 0+00.00     | 684547.25221   | 1540826.06475 | 0.00      |
|              | S86°23'29"W 311.47 ' |             |                |               |           |
| 2287         |                      | 3+11.47     | 684527.64813   | 1540515.21230 | 0.00      |
|              | Center Point:        | 2326        | 684508.20417   | 1540643.74997 |           |
|              | Radius:              | 130.00      | '              |               |           |
|              | Delta:               | 86°11'13"   | Left           |               |           |
|              | Arc Length:          | 195.55      | '              |               |           |
|              | Chord Bearing:       | S34°29'29"E |                |               |           |
|              | Chord Length:        | 177.63      | '              |               |           |
|              | Middle Ordinate:     | 35.07       | '              |               |           |
|              | External:            | 48.02       | '              |               |           |
|              | Deg of Curvature:    | 44°04'25"   | Arc Definition |               |           |
|              | Tangent:             | 121.62      | '              |               |           |
|              | Curve PI:            |             | 684407.39161   | 1540497.01706 |           |
| 2325         |                      | 5+07.03     | 684381.24348   | 1540615.80104 | 0.00      |
|              | S77°35'06"E 186.03 ' |             |                |               |           |
| 2324         |                      | 6+93.05     | 684341.24870   | 1540797.48092 | 0.00      |
|              | N12°34'34"E 60.78 '  |             |                |               |           |
| 2538         |                      | 7+53.84     | 684400.57044   | 1540810.71494 |           |
|              | Center Point:        | 2400        | 684540.26789   | 1540184.51820 |           |
|              | Radius:              | 641.59      | '              |               |           |
|              | Delta:               | 13°11'58"   | Left           |               |           |
|              | Arc Length:          | 147.81      | '              |               |           |
|              | Chord Bearing:       | N05°58'34"E |                |               |           |
|              | Chord Length:        | 147.48      | '              |               |           |
|              | Middle Ordinate:     | 4.25        | '              |               |           |
|              | External:            | 4.28        | '              |               |           |
|              | Deg of Curvature:    | 8°55'49"    | Arc Definition |               |           |
|              | Tangent:             | 74.23       | '              |               |           |
|              | Curve PI:            |             | 684473.02467   | 1540826.87263 |           |
| 2288         |                      | 9+01.64     | 684547.24895   | 1540826.06964 | 0.00      |

Closing latitude = -0.00327  
 Closing departure = 0.00489  
 Closing bearing = N56°15'52"W  
 Closing distance = 0.00588  
 Total traverse length = 883.39 (901.64)  
 Total error of closure = 1/150184  
 Error of closure in latitude = 1/270425  
 Error of closure in departure = 1/180594

Area = 48239.22 SQ FT  
 Area = 1.107 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 94

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2290         |             | 0+00.00  | 684596.08849 | 1540530.35225 | 0.00      |
|              | N77°14'39"W | 200.76   |              |               |           |
| 2289         |             | 2+00.76  | 684640.41564 | 1540334.54704 | 0.00      |
|              | S30°34'24"W | 94.06    |              |               |           |
| 2147         |             | 2+94.82  | 684559.43197 | 1540286.70429 | 0.00      |
|              | S26°49'03"W | 11.50    |              |               |           |
| 2148         |             | 3+06.32  | 684549.16882 | 1540281.51607 | 0.00      |
|              | S58°09'33"W | 96.13    |              |               |           |
| 2149         |             | 4+02.45  | 684498.45435 | 1540199.85200 | 0.00      |
|              | S11°12'28"W | 69.42    |              |               |           |
| 2150         |             | 4+71.88  | 684430.35827 | 1540186.35901 | 0.00      |
|              | S03°08'22"E | 45.82    |              |               |           |
| 2151         |             | 5+17.69  | 684384.60704 | 1540188.86840 | 0.00      |
|              | S58°30'02"E | 60.77    |              |               |           |
| 2152         |             | 5+78.46  | 684352.85530 | 1540240.68365 | 0.00      |
|              | N78°19'42"E | 251.31   |              |               |           |
| 2309         |             | 8+29.77  | 684403.69608 | 1540486.79731 | 0.00      |
|              | N12°45'21"E | 197.26   |              |               |           |
| 2290         |             | 10+27.03 | 684596.08767 | 1540530.35167 | 0.00      |

Closing latitude = -0.00082  
Closing departure = -0.00058  
Closing bearing = N35°26'25"E  
Closing distance = 0.00101  
Total traverse length = 1027.03 (1027.03)  
Total error of closure = 1/1019309  
Error of closure in latitude = 1/1251117  
Error of closure in departure = 1/1757867

Area = 66678.07 SQ FT  
Area = 1.531 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 95

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2329         |                      | 0+00.00     | 684725.45200   | 1540868.27186 | 0.00      |
|              | S86°23'29"W 313.73 ' |             |                |               |           |
| 2328         |                      | 3+13.73     | 684705.70567   | 1540555.16390 | 0.00      |
|              | S12°45'21"W 173.07 ' |             |                |               |           |
| 2327         |                      | 4+86.80     | 684536.90707   | 1540516.95061 | 0.00      |
|              | Center Point:        | 2326        | 684508.20349   | 1540643.74219 |           |
|              | Radius:              | 130.00      | '              |               |           |
|              | Delta:               | 4°09'14"    | Left           |               |           |
|              | Arc Length:          | 9.42        | '              |               |           |
|              | Chord Bearing:       | S10°40'44"W |                |               |           |
|              | Chord Length:        | 9.42        | '              |               |           |
|              | Middle Ordinate:     | 0.09        | '              |               |           |
|              | External:            | 0.09        | '              |               |           |
|              | Deg of Curvature:    | 44°04'25"   | Arc Definition |               |           |
|              | Tangent:             | 4.71        | '              |               |           |
|              | Curve PI:            |             | 684532.30910   | 1540515.91358 |           |
| 2287         |                      | 4+96.22     | 684527.65021   | 1540515.20504 | 0.00      |
|              | N86°23'29"E 311.47 ' |             |                |               |           |
| 2288         |                      | 8+07.69     | 684547.25429   | 1540826.05749 | 0.00      |
|              | Center Point:        | 2400        | 684540.27132   | 1540184.50549 |           |
|              | Radius:              | 641.59      | '              |               |           |
|              | Delta:               | 1°05'04"    | Left           |               |           |
|              | Arc Length:          | 12.14       | '              |               |           |
|              | Chord Bearing:       | N01°09'57"W |                |               |           |
|              | Chord Length:        | 12.14       | '              |               |           |
|              | Middle Ordinate:     | 0.03        | '              |               |           |
|              | External:            | 0.03        | '              |               |           |
|              | Deg of Curvature:    | 8°55'49"    | Arc Definition |               |           |
|              | Tangent:             | 6.07        | '              |               |           |
|              | Curve PI:            |             | 684553.32393   | 1540825.99866 |           |
| 2537         |                      | 8+19.84     | 684559.39178   | 1540825.81048 |           |
|              | Center Point:        | 2402        | 684568.63158   | 1541135.66275 |           |
|              | Radius:              | 309.99      | '              |               |           |
|              | Delta:               | 32°05'53"   | Right          |               |           |
|              | Arc Length:          | 173.66      | '              |               |           |
|              | Chord Bearing:       | N14°20'27"E |                |               |           |
|              | Chord Length:        | 171.40      | '              |               |           |
|              | Middle Ordinate:     | 12.08       | '              |               |           |
|              | External:            | 12.57       | '              |               |           |
|              | Deg of Curvature:    | 18°28'59"   | Arc Definition |               |           |
|              | Tangent:             | 89.18       | '              |               |           |
|              | Curve PI:            |             | 684648.52906   | 1540823.15966 |           |
| 2329         |                      | 9+93.50     | 684725.45086   | 1540868.26447 | 0.00      |

-----  
 Closing latitude = -0.00114  
 Closing departure = -0.00739  
 Closing bearing = N81°14'58"E  
 Closing distance = 0.00748  
 Total traverse length = 991.23 (993.50)  
 Total error of closure = 1/132497  
 Error of closure in latitude = 1/870937



CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

error of closure in departure = 1/134058

Area = 53130.43 SQ FT

Area = 1.220 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 96

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2314         |             | 0+00.00 | 684922.82059 | 1540604.31940 | 0.00      |
|              | N81°50'08"W | 53.55   |              |               |           |
| 2107         |             | 0+53.55 | 684930.42547 | 1540551.31215 | 0.00      |
|              | S70°08'39"W | 61.06   |              |               |           |
| 2108         |             | 1+14.61 | 684909.68616 | 1540493.88215 | 0.00      |
|              | S58°07'25"W | 44.77   |              |               |           |
| 2109         |             | 1+59.37 | 684886.04364 | 1540455.86394 | 0.00      |
|              | N82°32'22"W | 21.16   |              |               |           |
| 2110         |             | 1+80.54 | 684888.79113 | 1540434.88307 | 0.00      |
|              | S41°38'45"W | 30.22   |              |               |           |
| 2111         |             | 2+10.75 | 684866.20873 | 1540414.80115 | 0.00      |
|              | S48°29'51"W | 67.18   |              |               |           |
| 2144         |             | 2+77.94 | 684821.69172 | 1540364.48825 | 0.00      |
|              | S10°08'21"W | 82.59   |              |               |           |
| 2145         |             | 3+60.52 | 684740.39152 | 1540349.94913 | 0.00      |
|              | S07°51'57"W | 97.38   |              |               |           |
| 2146         |             | 4+57.90 | 684643.92775 | 1540336.62230 | 0.00      |
|              | S30°34'24"W | 4.09    |              |               |           |
| 2289         |             | 4+61.99 | 684640.40634 | 1540334.54196 | 0.00      |
|              | S77°14'39"E | 200.76  |              |               |           |
| 2290         |             | 6+62.75 | 684596.07919 | 1540530.34718 | 0.00      |
|              | N12°45'21"E | 335.00  |              |               |           |
| 2314         |             | 9+97.75 | 684922.81134 | 1540604.31408 | 0.00      |

-----

Closing latitude = -0.00925  
 Closing departure = -0.00531  
 Closing bearing = N29°53'28"E  
 Closing distance = 0.01066  
 Total traverse length = 997.76 (997.75)  
 Total error of closure = 1/93561  
 Error of closure in latitude = 1/107917  
 Error of closure in departure = 1/187741

Area = 59474.06 SQ FT  
 Area = 1.365 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 97

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2331         |                      | 0+00.00     | 684895.96635   | 1540950.05322 | 0.00      |
|              | S86°23'29"W 357.62 ' |             |                |               |           |
| 2330         |                      | 3+57.62     | 684873.45756   | 1540593.14228 | 0.00      |
|              | S12°45'21"W 172.00 ' |             |                |               |           |
| 2328         |                      | 5+29.61     | 684705.70255   | 1540555.16524 | 0.00      |
|              | N86°23'29"E 313.73 ' |             |                |               |           |
| 2329         |                      | 8+43.34     | 684725.44887   | 1540868.27320 | 0.00      |
|              | Center Point:        | 2402        | 684568.63014   | 1541135.67119 |           |
|              | Radius:              | 309.99      | '              |               |           |
|              | Delta:               | 9°19'47"    | Right          |               |           |
|              | Arc Length:          | 50.48       | '              |               |           |
|              | Chord Bearing:       | N35°03'17"E |                |               |           |
|              | Chord Length:        | 50.42       | '              |               |           |
|              | Middle Ordinate:     | 1.03        | '              |               |           |
|              | External:            | 1.03        | '              |               |           |
|              | Deg of Curvature:    | 18°28'59"   | Arc Definition |               |           |
|              | Tangent:             | 25.29       | '              |               |           |
|              | Curve PI:            |             | 684747.27084   | 1540881.06773 |           |
| 2536         |                      | 8+93.82     | 684766.72288   | 1540897.23236 |           |
|              | Center Point:        | 2404        | 684915.16290   | 1540718.55890 |           |
|              | Radius:              | 232.29      | '              |               |           |
|              | Delta:               | 34°58'42"   | Left           |               |           |
|              | Arc Length:          | 141.81      | '              |               |           |
|              | Chord Bearing:       | N22°13'49"E |                |               |           |
|              | Chord Length:        | 139.62      | '              |               |           |
|              | Middle Ordinate:     | 10.74       | '              |               |           |
|              | External:            | 11.26       | '              |               |           |
|              | Deg of Curvature:    | 24°39'57"   | Arc Definition |               |           |
|              | Tangent:             | 73.19       | '              |               |           |
|              | Curve PI:            |             | 684823.02472   | 1540944.00347 |           |
| 2331         |                      | 10+35.63    | 684895.96504   | 1540950.05479 | 0.00      |

-----

Closing latitude = -0.00131  
 Closing departure = 0.00158  
 Closing bearing = N50°14'53"W  
 Closing distance = 0.00205  
 Total traverse length = 1033.39 (1035.63)  
 Total error of closure = 1/504074  
 Error of closure in latitude = 1/788274  
 Error of closure in departure = 1/655648

Area = 57146.47 SQ FT  
 Area = 1.312 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 98

| Point Number | Description         | Sta                      | Northing     | Easting       | Elevation |
|--------------|---------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance            |                          |              |               |           |
| 2333         |                     | 0+00.00                  | 685060.35064 | 1540935.09250 | 0.00      |
|              | S86°23'29"W 318.39' |                          |              |               |           |
| 2332         |                     | 3+18.39                  | 685040.31101 | 1540617.33378 | 0.00      |
|              | S06°19'13"W 118.21' |                          |              |               |           |
| 2314         |                     | 4+36.60                  | 684922.81948 | 1540604.32050 | 0.00      |
|              | S12°45'21"W 50.61'  |                          |              |               |           |
| 2330         |                     | 4+87.21                  | 684873.45854 | 1540593.14598 | 0.00      |
|              | N86°23'29"E 357.62' |                          |              |               |           |
| 2331         |                     | 8+44.83                  | 684895.96733 | 1540950.05692 | 0.00      |
|              | Center Point:       | 2404                     | 684915.16693 | 1540718.56173 |           |
|              | Radius:             | 232.29'                  |              |               |           |
|              | Delta:              | 19°24'01" Left           |              |               |           |
|              | Arc Length:         | 78.65'                   |              |               |           |
|              | Chord Bearing:      | N04°57'32"W              |              |               |           |
|              | Chord Length:       | 78.28'                   |              |               |           |
|              | Middle Ordinate:    | 3.32'                    |              |               |           |
|              | External:           | 3.37'                    |              |               |           |
|              | Deg of Curvature:   | 24°39'57" Arc Definition |              |               |           |
|              | Tangent:            | 39.71'                   |              |               |           |
|              | Curve PI:           |                          | 684935.53695 | 1540953.33518 |           |
| 2535         |                     | 9+23.48                  | 684973.95433 | 1540943.29032 |           |
|              | Center Point:       | 2406                     | 685042.33597 | 1541204.70454 |           |
|              | Radius:             | 270.21'                  |              |               |           |
|              | Delta:              | 18°28'57" Right          |              |               |           |
|              | Arc Length:         | 87.16'                   |              |               |           |
|              | Chord Bearing:      | N05°25'04"W              |              |               |           |
|              | Chord Length:       | 86.79'                   |              |               |           |
|              | Middle Ordinate:    | 3.51'                    |              |               |           |
|              | External:           | 3.55'                    |              |               |           |
|              | Deg of Curvature:   | 21°12'15" Arc Definition |              |               |           |
|              | Tangent:            | 43.96'                   |              |               |           |
|              | Curve PI:           |                          | 685016.48413 | 1540932.16087 |           |
| 2333         |                     | 10+10.65                 | 685060.35661 | 1540935.09585 | 0.00      |

-----  
 Closing latitude = 0.00597  
 Closing departure = 0.00335  
 Closing bearing = S29°18'49"W  
 Closing distance = 0.00685  
 Total traverse length = 1009.90 (1010.65)  
 Total error of closure = 1/147418  
 Error of closure in latitude = 1/169067  
 Error of closure in departure = 1/301107

Area = 55433.04 SQ FT  
 Area = 1.273 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 100

| Point Number | Description         | Sta                      | Northing     | Easting       | Elevation |
|--------------|---------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance            |                          |              |               |           |
| 2313         |                     | 0+00.00                  | 685205.95844 | 1540955.88092 | 0.00      |
|              | S87°24'56"W 310.61' |                          |              |               |           |
| 2312         |                     | 3+10.61                  | 685191.95249 | 1540645.58685 | 0.00      |
|              | S12°45'21"W 101.60' |                          |              |               |           |
| 2173         |                     | 4+12.21                  | 685092.85999 | 1540623.15390 |           |
|              | S06°19'13"W 52.87'  |                          |              |               |           |
| 2332         |                     | 4+65.08                  | 685040.31133 | 1540617.33365 | 0.00      |
|              | N86°23'29"E 318.39' |                          |              |               |           |
| 2333         |                     | 7+83.47                  | 685060.35096 | 1540935.09238 | 0.00      |
|              | Center Point:       | 2406                     | 685042.33329 | 1541204.70099 |           |
|              | Radius:             | 270.21'                  |              |               |           |
|              | Delta:              | 12°27'29" Right          |              |               |           |
|              | Arc Length:         | 58.75'                   |              |               |           |
|              | Chord Bearing:      | N10°03'09"E              |              |               |           |
|              | Chord Length:       | 58.64'                   |              |               |           |
|              | Middle Ordinate:    | 1.60'                    |              |               |           |
|              | External:           | 1.60'                    |              |               |           |
|              | Deg of Curvature:   | 21°12'15" Arc Definition |              |               |           |
|              | Tangent:            | 29.49'                   |              |               |           |
|              | Curve PI:           |                          | 685089.77762 | 1540937.05912 |           |
| 2534         |                     | 8+42.22                  | 685118.09073 | 1540945.32802 |           |
|              | Center Point:       | 2408                     | 685193.78656 | 1540686.15599 |           |
|              | Radius:             | 270.00'                  |              |               |           |
|              | Delta:              | 18°51'57" Left           |              |               |           |
|              | Arc Length:         | 88.90'                   |              |               |           |
|              | Chord Bearing:      | N06°50'54"E              |              |               |           |
|              | Chord Length:       | 88.50'                   |              |               |           |
|              | Middle Ordinate:    | 3.65'                    |              |               |           |
|              | External:           | 3.70'                    |              |               |           |
|              | Deg of Curvature:   | 21°13'14" Arc Definition |              |               |           |
|              | Tangent:            | 44.86'                   |              |               |           |
|              | Curve PI:           |                          | 685161.14630 | 1540957.90366 |           |
| 2313         |                     | 9+31.13                  | 685205.95931 | 1540955.88089 | 0.00      |

-----  
 Closing latitude = 0.00087  
 Closing departure = -0.00002  
 Closing bearing = S01°23'35"E  
 Closing distance = 0.00087  
 Total traverse length = 930.61 (931.13)  
 Total error of closure = 1/1070943  
 Error of closure in latitude = 1/1071259  
 Error of closure in departure = 1/44055061

Area = 46854.14 SQ FT  
 Area = 1.076 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 101

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2175         |                      | 0+00.00     | 685464.79245   | 1540741.39636 |           |
|              | S24°02'44"W 169.60 ' |             |                |               |           |
| 2174         |                      | 1+69.60     | 685309.91004   | 1540672.29066 |           |
|              | S12°45'21"W 120.94 ' |             |                |               |           |
| 2312         |                      | 2+90.54     | 685191.95486   | 1540645.58750 | 0.00      |
|              | N87°24'56"E 310.61 ' |             |                |               |           |
| 2313         |                      | 6+01.15     | 685205.96081   | 1540955.88156 | 0.00      |
|              | Center Point:        | 2408        | 685193.78603   | 1540686.15619 |           |
|              | Radius:              | 270.00      | '              |               |           |
|              | Delta:               | 63°22'12"   | Left           |               |           |
|              | Arc Length:          | 298.62      | '              |               |           |
|              | Chord Bearing:       | N34°16'10"W |                |               |           |
|              | Chord Length:        | 283.63      | '              |               |           |
|              | Middle Ordinate:     | 40.24       | '              |               |           |
|              | External:            | 47.29       | '              |               |           |
|              | Deg of Curvature:    | 21°13'14"   | Arc Definition |               |           |
|              | Tangent:             | 166.66      | '              |               |           |
|              | Curve PI:            |             | 685372.44688   | 1540948.36589 |           |
| 2533         |                      | 8+99.78     | 685440.35227   | 1540796.17365 |           |
|              | N65°57'16"W 59.98 '  |             |                |               |           |
| 2175         |                      | 9+59.76     | 685464.79190   | 1540741.39860 |           |

-----

Closing latitude = -0.00055  
 Closing departure = 0.00224  
 Closing bearing = N76°08'56"W  
 Closing distance = 0.00231  
 Total traverse length = 944.76 (959.76)  
 Total error of closure = 1/408635  
 Error of closure in latitude = 1/1706904  
 Error of closure in departure = 1/420874

Area = 55865.89 SQ FT  
 Area = 1.283 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 102

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2531         |                   | 0+00.00     | 685585.25151   | 1540613.07864 |           |
|              | Center Point:     | 2530        | 685581.11067   | 1540603.97625 |           |
|              | Radius:           | 10.00       | '              |               |           |
|              | Delta:            | 74°34'44"   | Left           |               |           |
|              | Arc Length:       | 13.02       | '              |               |           |
|              | Chord Bearing:    | N61°45'04"W |                |               |           |
|              | Chord Length:     | 12.12       | '              |               |           |
|              | Middle Ordinate:  | 2.04        | '              |               |           |
|              | External:         | 2.57        | '              |               |           |
|              | Deg of Curvature: | 572°57'28"  | Arc Definition |               |           |
|              | Tangent:          | 7.62        | '              |               |           |
|              | Curve PI:         |             | 685592.18303   | 1540609.92537 |           |
| 2529         |                   | 0+13.02     | 685590.98794   | 1540602.40213 |           |
|              | S80°57'34"W       | 113.67      | '              |               |           |
| 2528         |                   | 1+26.68     | 685573.12657   | 1540490.14421 |           |
|              | Center Point:     | 2515        | 685533.62348   | 1540496.42955 |           |
|              | Radius:           | 40.00       | '              |               |           |
|              | Delta:            | 129°02'50"  | Left           |               |           |
|              | Arc Length:       | 90.09       | '              |               |           |
|              | Chord Bearing:    | S16°26'09"W |                |               |           |
|              | Chord Length:     | 72.22       | '              |               |           |
|              | Middle Ordinate:  | 22.79       | '              |               |           |
|              | External:         | 52.99       | '              |               |           |
|              | Deg of Curvature: | 143°14'22"  | Arc Definition |               |           |
|              | Tangent:          | 83.95       | '              |               |           |
|              | Curve PI:         |             | 685559.93437   | 1540407.24357 |           |
| 2527         |                   | 2+16.77     | 685503.85768   | 1540469.71019 |           |
|              | S48°05'16"E       | 34.79       | '              |               |           |
| 2526         |                   | 2+51.57     | 685480.61826   | 1540495.59983 |           |
|              | Center Point:     | 2518        | 685421.08474   | 1540442.16052 |           |
|              | Radius:           | 80.00       | '              |               |           |
|              | Delta:            | 49°57'18"   | Right          |               |           |
|              | Arc Length:       | 69.75       | '              |               |           |
|              | Chord Bearing:    | S23°06'37"E |                |               |           |
|              | Chord Length:     | 67.56       | '              |               |           |
|              | Middle Ordinate:  | 7.48        | '              |               |           |
|              | External:         | 8.25        | '              |               |           |
|              | Deg of Curvature: | 71°37'11"   | Arc Definition |               |           |
|              | Tangent:          | 37.27       | '              |               |           |
|              | Curve PI:         |             | 685455.72080   | 1540523.34121 |           |
| 2270         |                   | 3+21.32     | 685418.47988   | 1540522.11727 | 0.00      |
|              | S39°12'48"E       | 118.06      | '              |               |           |
| 2269         |                   | 4+39.37     | 685327.00730   | 1540596.75594 | 0.00      |
|              | S77°14'39"E       | 77.44       | '              |               |           |
| 2174         |                   | 5+16.81     | 685309.90880   | 1540672.28471 |           |
|              | N24°02'44"E       | 169.60      | '              |               |           |
| 2175         |                   | 6+86.41     | 685464.79121   | 1540741.39041 |           |
|              | N65°57'16"W       | 13.88       | '              |               |           |
| 2532         |                   | 7+00.30     | 685470.44680   | 1540728.71489 |           |
|              | Center Point:     | 2411        | 685680.48781   | 1540822.43135 |           |
|              | Radius:           | 230.00      | '              |               |           |
|              | Delta:            | 41°29'35"   | Right          |               |           |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|                   |              |                            |
|-------------------|--------------|----------------------------|
| Arc Length:       | 166.56       | '                          |
| Chord Bearing:    | N45°12'29"W  |                            |
| Chord Length:     | 162.95       | '                          |
| Middle Ordinate:  | 14.91        | '                          |
| External:         | 15.95        | '                          |
| Deg of Curvature: | 24°54'40"    | Arc Definition             |
| Tangent:          | 87.12        | '                          |
| Curve PI:         | 685505.94873 | 1540649.15482              |
| 2531              | 8+66.86      | 685585.25068 1540613.07420 |

---

|                               |   |                 |
|-------------------------------|---|-----------------|
| Closing latitude              | = | -0.00083        |
| Closing departure             | = | -0.00444        |
| Closing bearing               | = | N79°26'16"E     |
| Closing distance              | = | 0.00452         |
| Total traverse length         | = | 842.29 (866.86) |
| Total error of closure        | = | 1/186520        |
| Error of closure in latitude  | = | 1/1017551       |
| Error of closure in departure | = | 1/189735        |

|      |   |                |
|------|---|----------------|
| Area | = | 45508.06 SQ FT |
| Area | = | 1.045 ACRES    |



CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:41 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 103

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2311         |             | 0+00.00  | 685312.78355 | 1540406.06340 | 0.00      |
|              | S56°27'38"W | 119.10   |              |               |           |
| 2310         |             | 1+19.10  | 685246.97950 | 1540306.79288 | 0.00      |
|              | N62°34'36"W | 312.89   |              |               |           |
| 2101         |             | 4+31.99  | 685391.08453 | 1540029.06299 | 0.00      |
|              | S10°37'11"E | 101.87   |              |               |           |
| 2102         |             | 5+33.86  | 685290.95936 | 1540047.83658 | 0.00      |
|              | S06°52'54"E | 195.51   |              |               |           |
| 2103         |             | 7+29.37  | 685096.85787 | 1540071.26242 | 0.00      |
|              | S81°49'10"E | 133.19   |              |               |           |
| 2104         |             | 8+62.56  | 685077.90586 | 1540203.09716 | 0.00      |
|              | N81°34'23"E | 123.45   |              |               |           |
| 2105         |             | 9+86.01  | 685095.99724 | 1540325.21434 | 0.00      |
|              | N11°55'44"E | 130.26   |              |               |           |
| 2382         |             | 11+16.28 | 685223.44426 | 1540352.13876 | 0.00      |
|              | N42°09'39"E | 102.41   |              |               |           |
| 2383         |             | 12+18.69 | 685299.35707 | 1540420.87778 | 0.00      |
|              | N47°50'21"W | 20.00    |              |               |           |
| 2311         |             | 12+38.69 | 685312.78135 | 1540406.05251 | 0.00      |

Closing latitude = -0.00221  
Closing departure = -0.01089  
Closing bearing = N78°32'28"E  
Closing distance = 0.01111  
Total traverse length = 1238.68 (1238.69)  
Total error of closure = 1/111455  
Error of closure in latitude = 1/561020  
Error of closure in departure = 1/113722

Area = 65573.41 SQ FT  
Area = 1.505 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 104

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2195         |                      | 0+00.00     | 685360.41045   | 1540448.50424 |           |
|              | N66°47'02"W 385.69 ' |             |                |               |           |
| 2194         |                      | 3+85.69     | 685512.44958   | 1540094.04567 |           |
|              | S03°36'55"W 68.59 '  |             |                |               |           |
| 2100         |                      | 4+54.28     | 685443.99608   | 1540089.72061 | 0.00      |
|              | S48°54'05"W 80.49 '  |             |                |               |           |
| 2101         |                      | 5+34.77     | 685391.08541   | 1540029.06501 | 0.00      |
|              | S62°34'36"E 312.89 ' |             |                |               |           |
| 2310         |                      | 8+47.66     | 685246.98039   | 1540306.79491 | 0.00      |
|              | N56°27'38"E 119.10 ' |             |                |               |           |
| 2311         |                      | 9+66.75     | 685312.78444   | 1540406.06543 | 0.00      |
|              | N42°09'39"E 48.51 '  |             |                |               |           |
| 2522         |                      | 10+15.26    | 685348.74314   | 1540438.62602 |           |
|              | Center Point:        | 2521        | 685503.12236   | 1540268.13539 |           |
|              | Radius:              | 230.00      | '              |               |           |
|              | Delta:               | 3°48'33"    | Left           |               |           |
|              | Arc Length:          | 15.29       | '              |               |           |
|              | Chord Bearing:       | N40°15'23"E |                |               |           |
|              | Chord Length:        | 15.29       | '              |               |           |
|              | Middle Ordinate:     | 0.13        | '              |               |           |
|              | External:            | 0.13        | '              |               |           |
|              | Deg of Curvature:    | 24°54'40"   | Arc Definition |               |           |
|              | Tangent:             | 7.65        | '              |               |           |
|              | Curve PI:            |             | 685354.41241   | 1540443.75848 |           |
| 2195         |                      | 10+30.55    | 685360.41186   | 1540448.50656 |           |

-----  
 Closing latitude = 0.00141  
 Closing departure = 0.00232  
 Closing bearing = S58°40'14"W  
 Closing distance = 0.00272  
 Total traverse length = 1030.56 (1030.55)  
 Total error of closure = 1/379477  
 Error of closure in latitude = 1/729824  
 Error of closure in departure = 1/444252

Area = 51430.01 SQ FT  
 Area = 1.181 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 105

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2384         |                      | 0+00.00     | 685604.76666   | 1540459.85057 | 0.00      |
|              | N77°14'39"W 336.39 ' |             |                |               |           |
| 2099         |                      | +336.39     | 685679.04047   | 1540131.76273 | 0.00      |
|              | S12°45'21"W 170.81 ' |             |                |               |           |
| 2194         |                      | 5+07.20     | 685512.44609   | 1540094.04844 |           |
|              | S66°47'02"E 385.69 ' |             |                |               |           |
| 2195         |                      | 8+92.89     | 685360.40696   | 1540448.50701 |           |
|              | Center Point:        | 2521        | 685503.11884   | 1540268.13706 |           |
|              | Radius:              | 230.00      | '              |               |           |
|              | Delta:               | 4°02'49"    | Left           |               |           |
|              | Arc Length:          | 16.25       | '              |               |           |
|              | Chord Bearing:       | N36°19'41"E |                |               |           |
|              | Chord Length:        | 16.24       | '              |               |           |
|              | Middle Ordinate:     | 0.14        | '              |               |           |
|              | External:            | 0.14        | '              |               |           |
|              | Deg of Curvature:    | 24°54'40"   | Arc Definition |               |           |
|              | Tangent:             | 8.13        | '              |               |           |
|              | Curve PI:            |             | 685366.78325   | 1540453.54652 |           |
| 2520         |                      | 9+09.13     | 685373.49052   | 1540458.12771 |           |
|              | N34°18'17"E 30.31 '  |             |                |               |           |
| 2519         |                      | 9+39.45     | 685398.52816   | 1540475.21025 |           |
|              | Center Point:        | 2518        | 685421.07192   | 1540442.16817 |           |
|              | Radius:              | 40.00       | '              |               |           |
|              | Delta:               | 82°23'32"   | Left           |               |           |
|              | Arc Length:          | 57.52       | '              |               |           |
|              | Chord Bearing:       | N06°53'29"W |                |               |           |
|              | Chord Length:        | 52.69       | '              |               |           |
|              | Middle Ordinate:     | 9.90        | '              |               |           |
|              | External:            | 13.16       | '              |               |           |
|              | Deg of Curvature:    | 143°14'22"  | Arc Definition |               |           |
|              | Tangent:             | 35.01       | '              |               |           |
|              | Curve PI:            |             | 685427.45957   | 1540494.94434 |           |
| 2517         |                      | 9+96.97     | 685450.83749   | 1540468.88810 |           |
|              | N48°05'16"W 34.79 '  |             |                |               |           |
| 2516         |                      | 10+31.76    | 685474.07691   | 1540442.99846 |           |
|              | Center Point:        | 2515        | 685533.61043   | 1540496.43776 |           |
|              | Radius:              | 80.00       | '              |               |           |
|              | Delta:               | 110°52'23"  | Right          |               |           |
|              | Arc Length:          | 154.81      | '              |               |           |
|              | Chord Bearing:       | N07°20'56"E |                |               |           |
|              | Chord Length:        | 131.76      | '              |               |           |
|              | Middle Ordinate:     | 34.61       | '              |               |           |
|              | External:            | 61.01       | '              |               |           |
|              | Deg of Curvature:    | 71°37'11"   | Arc Definition |               |           |
|              | Tangent:             | 116.12      | '              |               |           |
|              | Curve PI:            |             | 685551.65983   | 1540356.58082 |           |
| 2384         |                      | 11+86.57    | 685604.75459   | 1540459.85200 | 0.00      |

Closing latitude = -0.01207  
 Closing departure = 0.00143  
 Closing bearing = N06°45'15"W

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

losing distance = 0.01216  
Total traverse length = 1158.68 (1186.57)  
Total error of closure = 1/95311  
Error of closure in latitude = 1/95977  
Error of closure in departure = 1/810415

Area = 70972.97 SQ FT  
Area = 1.629 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 106

| Point Number | Description          | Sta                      | Northing     | Easting       | Elevation |
|--------------|----------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance             |                          |              |               |           |
| 2336         |                      | 0+00.00                  | 685742.44589 | 1541095.39770 | 0.00      |
|              | S36°43'08"W 354.48 ' |                          |              |               |           |
| 2337         |                      | 3+54.48                  | 685458.30232 | 1540883.45785 | 0.00      |
|              | Center Point:        | 2408                     | 685193.78139 | 1540686.15434 |           |
|              | Radius:              | 330.00 '                 |              |               |           |
|              | Delta:               | 69°33'45" Right          |              |               |           |
|              | Arc Length:          | 400.65 '                 |              |               |           |
|              | Chord Bearing:       | S18°29'59"E              |              |               |           |
|              | Chord Length:        | 376.49 '                 |              |               |           |
|              | Middle Ordinate:     | 58.96 '                  |              |               |           |
|              | External:            | 71.78 '                  |              |               |           |
|              | Deg of Curvature:    | 17°21'44" Arc Definition |              |               |           |
|              | Tangent:             | 229.20 '                 |              |               |           |
|              | Curve PI:            |                          | 685321.27050 | 1541067.17764 |           |
| 2407         |                      | 7+55.13                  | 685101.26737 | 1541002.91815 |           |
|              | Center Point:        | 2406                     | 685042.33396 | 1541204.69797 |           |
|              | Radius:              | 210.21 '                 |              |               |           |
|              | Delta:               | 17°41'27" Left           |              |               |           |
|              | Arc Length:          | 64.91 '                  |              |               |           |
|              | Chord Bearing:       | S07°26'10"W              |              |               |           |
|              | Chord Length:        | 64.65 '                  |              |               |           |
|              | Middle Ordinate:     | 2.50 '                   |              |               |           |
|              | External:            | 2.53 '                   |              |               |           |
|              | Deg of Curvature:    | 27°15'23" Arc Definition |              |               |           |
|              | Tangent:             | 32.71 '                  |              |               |           |
|              | Curve PI:            |                          | 685069.86512 | 1540993.75005 |           |
| 2600         |                      | 8+20.03                  | 685037.16109 | 1540994.55111 |           |
|              | S89°35'34"E 96.27 '  |                          |              |               |           |
| 1009         | W 1/4 single         | 9+16.31                  | 685036.47687 | 1541090.81868 |           |
|              | N00°22'16"E 705.98 ' |                          |              |               |           |
| 2336         |                      | 16+22.29                 | 685742.44206 | 1541095.39136 | 0.00      |

-----

Closing latitude = -0.00384  
 Closing departure = -0.00634  
 Closing bearing = N58°49'47"E  
 Closing distance = 0.00741  
 Total traverse length = 1597.87 (1622.29)  
 Total error of closure = 1/215566  
 Error of closure in latitude = 1/416487  
 Error of closure in departure = 1/251938

Area = 74095.70 SQ FT  
 Area = 1.701 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 107

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2197         |                      | 0+00.00     | 685632.80550   | 1541013.61792 |           |
|              | N77°14'39"W 366.94 ' |             |                |               |           |
| 2196         |                      | 3+66.94     | 685713.82465   | 1540655.73405 |           |
|              | Center Point:        | 2411        | 685680.49037   | 1540822.43386 |           |
|              | Radius:              | 170.00      | '              |               |           |
|              | Delta:               | 77°15'45"   | Left           |               |           |
|              | Arc Length:          | 229.24      | '              |               |           |
|              | Chord Bearing:       | S27°19'24"E |                |               |           |
|              | Chord Length:        | 212.26      | '              |               |           |
|              | Middle Ordinate:     | 37.20       | '              |               |           |
|              | External:            | 47.62       | '              |               |           |
|              | Deg of Curvature:    | 33°42'12"   | Arc Definition |               |           |
|              | Tangent:             | 135.86      | '              |               |           |
|              | Curve PI:            |             | 685580.60108   | 1540629.09353 |           |
| 2410         |                      | 5+96.18     | 685525.24642   | 1540753.16381 |           |
|              | S65°57'16"E 73.86 '  |             |                |               |           |
| 2409         |                      | 6+70.05     | 685495.15121   | 1540820.61437 |           |
|              | Center Point:        | 2408        | 685193.78803   | 1540686.15163 |           |
|              | Radius:              | 330.00      | '              |               |           |
|              | Delta:               | 12°40'24"   | Right          |               |           |
|              | Arc Length:          | 72.99       | '              |               |           |
|              | Chord Bearing:       | S59°37'04"E |                |               |           |
|              | Chord Length:        | 72.85       | '              |               |           |
|              | Middle Ordinate:     | 2.02        | '              |               |           |
|              | External:            | 2.03        | '              |               |           |
|              | Deg of Curvature:    | 17°21'44"   | Arc Definition |               |           |
|              | Tangent:             | 36.65       | '              |               |           |
|              | Curve PI:            |             | 685480.21489   | 1540854.08410 |           |
| 2337         |                      | 7+43.04     | 685458.30615   | 1540883.45993 | 0.00      |
|              | N36°43'08"E 217.70 ' |             |                |               |           |
| 2197         |                      | 9+60.74     | 685632.80981   | 1541013.62046 |           |

|                               |                   |
|-------------------------------|-------------------|
| Closing latitude              | = 0.00431         |
| Closing departure             | = 0.00254         |
| Closing bearing               | = S30°32'30"W     |
| Closing distance              | = 0.00500         |
| Total traverse length         | = 943.61 (960.74) |
| Total error of closure        | = 1/188585        |
| Error of closure in latitude  | = 1/218964        |
| Error of closure in departure | = 1/371111        |
| Area                          | = 50519.23 SQ FT  |
| Area                          | = 1.160 ACRES     |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
 or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 108

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2199         |                      | 0+00.00     | 685785.96657   | 1541095.67954 |           |
|              | N77°14'39"W 401.89 ' |             |                |               |           |
| 2198         |                      | 4+01.89     | 685874.70257   | 1540703.70825 |           |
|              | Center Point:        | 2413        | 686132.15552   | 1539603.65333 |           |
|              | Radius:              | 1129.78     | '              |               |           |
|              | Delta:               | 7°09'43"    | Right          |               |           |
|              | Arc Length:          | 141.22      | '              |               |           |
|              | Chord Bearing:       | S16°45'12"W |                |               |           |
|              | Chord Length:        | 141.13      | '              |               |           |
|              | Middle Ordinate:     | 2.21        | '              |               |           |
|              | External:            | 2.21        | '              |               |           |
|              | Deg of Curvature:    | 5°04'17"    | Arc Definition |               |           |
|              | Tangent:             | 70.70       | '              |               |           |
|              | Curve PI:            |             | 685805.86097   | 1540687.59641 |           |
| 2412         |                      | 5+43.11     | 685739.56289   | 1540663.02725 |           |
|              | Center Point:        | 2411        | 685680.48876   | 1540822.43317 |           |
|              | Radius:              | 170.00      | '              |               |           |
|              | Delta:               | 9°01'34"    | Left           |               |           |
|              | Arc Length:          | 26.78       | '              |               |           |
|              | Chord Bearing:       | S15°49'16"W |                |               |           |
|              | Chord Length:        | 26.75       | '              |               |           |
|              | Middle Ordinate:     | 0.53        | '              |               |           |
|              | External:            | 0.53        | '              |               |           |
|              | Deg of Curvature:    | 33°42'12"   | Arc Definition |               |           |
|              | Tangent:             | 13.42       | '              |               |           |
|              | Curve PI:            |             | 685726.98282   | 1540658.36495 |           |
| 2196         |                      | 5+69.89     | 685713.82624   | 1540655.73427 |           |
|              | S77°14'39"E 366.94 ' |             |                |               |           |
| 2197         |                      | 9+36.83     | 685632.80709   | 1541013.61813 |           |
|              | N36°43'08"E 136.78 ' |             |                |               |           |
| 2336         |                      | 10+73.61    | 685742.44701   | 1541095.39745 | 0.00      |
|              | N00°22'16"E 43.52 '  |             |                |               |           |
| 2199         |                      | 11+17.13    | 685785.96609   | 1541095.67933 |           |

-----  
 Closing latitude = -0.00047  
 Closing departure = -0.00021  
 Closing bearing = N23°57'21"E  
 Closing distance = 0.00052  
 Total traverse length = 1117.01 (1117.13)  
 Total error of closure = 1/2151399  
 Error of closure in latitude = 1/2354194  
 Error of closure in departure = 1/5298570

Area = 65986.20 SQ FT  
 Area = 1.515 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 109

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2166         |                      | 0+00.00     | 685957.45372   | 1541096.79010 |           |
|              | N77°14'39"W 359.09 ' |             |                |               |           |
| 2165         |                      | 3+59.09     | 686036.73961   | 1540746.56249 |           |
|              | Center Point:        | 2415        | 685595.75823   | 1542097.12132 |           |
|              | Radius:              | 1420.73     | '              |               |           |
|              | Delta:               | 5°56'32"    | Left           |               |           |
|              | Arc Length:          | 147.34      | '              |               |           |
|              | Chord Bearing:       | S15°06'42"W |                |               |           |
|              | Chord Length:        | 147.28      | '              |               |           |
|              | Middle Ordinate:     | 1.91        | '              |               |           |
|              | External:            | 1.91        | '              |               |           |
|              | Deg of Curvature:    | 4°01'58"    | Arc Definition |               |           |
|              | Tangent:             | 73.74       | '              |               |           |
|              | Curve PI:            |             | 685966.64350   | 1540723.67383 |           |
| 2414         |                      | 5+06.44     | 685894.55262   | 1540708.16644 |           |
|              | Center Point:        | 2413        | 686132.15735   | 1539603.65440 |           |
|              | Radius:              | 1129.78     | '              |               |           |
|              | Delta:               | 1°01'55"    | Right          |               |           |
|              | Arc Length:          | 20.35       | '              |               |           |
|              | Chord Bearing:       | S12°39'23"W |                |               |           |
|              | Chord Length:        | 20.35       | '              |               |           |
|              | Middle Ordinate:     | 0.05        | '              |               |           |
|              | External:            | 0.05        | '              |               |           |
|              | Deg of Curvature:    | 5°04'17"    | Arc Definition |               |           |
|              | Tangent:             | 10.17       | '              |               |           |
|              | Curve PI:            |             | 685884.60850   | 1540706.02637 |           |
| 2198         |                      | 5+26.78     | 685874.69709   | 1540703.70768 |           |
|              | S77°14'39"E 401.89 ' |             |                |               |           |
| 2199         |                      | 9+28.67     | 685785.96109   | 1541095.67897 |           |
|              | N00°22'16"E 171.49 ' |             |                |               |           |
| 2166         |                      | 11+00.16    | 685957.44750   | 1541096.78972 |           |

-----

Closing latitude = -0.00622  
 Closing departure = -0.00037  
 Closing bearing = N03°26'36"E  
 Closing distance = 0.00623  
 Total traverse length = 1100.10 (1100.16)  
 Total error of closure = 1/176580  
 Error of closure in latitude = 1/176900  
 Error of closure in departure = 1/2939957

Area = 63983.28 SQ FT  
 Area = 1.469 ACRES



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 110

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2179         |                      | 0+00.00     | 686141.73841   | 1541097.98353 |           |
|              | N77°14'39"W 291.79 ' |             |                |               |           |
| 2178         |                      | 2+91.79     | 686206.16469   | 1540813.39495 |           |
|              | Center Point:        | 2505        | 686239.36773   | 1540713.78291 |           |
|              | Radius:              | 105.00      | '              |               |           |
|              | Delta:               | 6°30'58"    | Right          |               |           |
|              | Arc Length:          | 11.94       | '              |               |           |
|              | Chord Bearing:       | S21°41'33"W |                |               |           |
|              | Chord Length:        | 11.94       | '              |               |           |
|              | Middle Ordinate:     | 0.17        | '              |               |           |
|              | External:            | 0.17        | '              |               |           |
|              | Deg of Curvature:    | 54°34'03"   | Arc Definition |               |           |
|              | Tangent:             | 5.98        | '              |               |           |
|              | Curve PI:            |             | 686200.49422   | 1540811.50575 |           |
| 2416         |                      | 3+03.73     | 686195.07027   | 1540808.98163 |           |
|              | Center Point:        | 2415        | 685595.75523   | 1542097.11796 |           |
|              | Radius:              | 1420.73     | '              |               |           |
|              | Delta:               | 6°52'04"    | Left           |               |           |
|              | Arc Length:          | 170.30      | '              |               |           |
|              | Chord Bearing:       | S21°31'00"W |                |               |           |
|              | Chord Length:        | 170.20      | '              |               |           |
|              | Middle Ordinate:     | 2.55        | '              |               |           |
|              | External:            | 2.56        | '              |               |           |
|              | Deg of Curvature:    | 4°01'58"    | Arc Definition |               |           |
|              | Tangent:             | 85.25       | '              |               |           |
|              | Curve PI:            |             | 686117.78034   | 1540773.02250 |           |
| 2165         |                      | 4+74.03     | 686036.73135   | 1540746.55706 |           |
|              | S77°14'39"E 359.09 ' |             |                |               |           |
| 2166         |                      | 8+33.12     | 685957.44545   | 1541096.78466 |           |
|              | N00°22'16"E 184.29 ' |             |                |               |           |
| 2179         |                      | 10+17.41    | 686141.73159   | 1541097.97832 |           |

-----

Closing latitude = -0.00682  
 Closing departure = -0.00521  
 Closing bearing = N37°21'35"E  
 Closing distance = 0.00859  
 Total traverse length = 1017.31 (1017.41)  
 Total error of closure = 1/118478  
 Error of closure in latitude = 1/149059  
 Error of closure in departure = 1/195246

Area = 58870.46 SQ FT  
 Area = 1.351 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 111

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2181         |                      | 0+00.00     | 686326.02311   | 1541099.17696 |           |
|              | N77°14'39"W 401.98 ' |             |                |               |           |
| 2180         |                      | 4+01.98     | 686414.77898   | 1540707.11789 |           |
|              | Center Point:        | 3124        | 686434.70059   | 1540825.45271 |           |
|              | Radius:              | 120.00      | '              |               |           |
|              | Delta:               | 50°41'17"   | Left           |               |           |
|              | Arc Length:          | 106.16      | '              |               |           |
|              | Chord Bearing:       | S34°54'01"E |                |               |           |
|              | Chord Length:        | 102.73      | '              |               |           |
|              | Middle Ordinate:     | 11.55       | '              |               |           |
|              | External:            | 12.78       | '              |               |           |
|              | Deg of Curvature:    | 47°44'47"   | Arc Definition |               |           |
|              | Tangent:             | 56.84       | '              |               |           |
|              | Curve PI:            |             | 686358.73140   | 1540716.55303 |           |
| 2417         |                      | 5+08.14     | 686330.52506   | 1540765.89484 |           |
|              | Center Point:        | 2505        | 686239.36924   | 1540713.78327 |           |
|              | Radius:              | 105.00      | '              |               |           |
|              | Delta:               | 78°40'43"   | Right          |               |           |
|              | Arc Length:          | 144.19      | '              |               |           |
|              | Chord Bearing:       | S20°54'18"E |                |               |           |
|              | Chord Length:        | 133.12      | '              |               |           |
|              | Middle Ordinate:     | 23.79       | '              |               |           |
|              | External:            | 30.76       | '              |               |           |
|              | Deg of Curvature:    | 54°34'03"   | Arc Definition |               |           |
|              | Tangent:             | 86.06       | '              |               |           |
|              | Curve PI:            |             | 686287.81052   | 1540840.61026 |           |
| 2178         |                      | 6+52.33     | 686206.16791   | 1540813.39466 |           |
|              | S77°14'39"E 291.79 ' |             |                |               |           |
| 2179         |                      | 9+44.12     | 686141.74163   | 1541097.98324 |           |
|              | N00°22'16"E 184.29 ' |             |                |               |           |
| 2181         |                      | 11+28.41    | 686326.02776   | 1541099.17690 |           |

-----

Closing latitude = 0.00465  
 Closing departure = -0.00007  
 Closing bearing = S00°49'08"E  
 Closing distance = 0.00465  
 Total traverse length = 1113.91 (1128.41)  
 Total error of closure = 1/239309  
 Error of closure in latitude = 1/239333  
 Error of closure in departure = 1/16744565

Area = 59419.99 SQ FT  
 Area = 1.364 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 112

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2183         |                      | 0+00.00     | 686509.61386   | 1541100.36590 |           |
|              | N77°07'21"W 330.35 ' |             |                |               |           |
| 2182         |                      | 3+30.35     | 686583.23808   | 1540778.32460 |           |
|              | S32°45'17"W 99.42 '  |             |                |               |           |
| 2418         |                      | 4+29.77     | 686499.62641   | 1540724.53403 |           |
|              | Center Point:        | 3124        | 686434.70116   | 1540825.45336 |           |
|              | Radius:              | 120.00      | '              |               |           |
|              | Delta:               | 42°18'40"   | Left           |               |           |
|              | Arc Length:          | 88.62       | '              |               |           |
|              | Chord Bearing:       | S11°35'58"W |                |               |           |
|              | Chord Length:        | 86.62       | '              |               |           |
|              | Middle Ordinate:     | 8.09        | '              |               |           |
|              | External:            | 8.67        | '              |               |           |
|              | Deg of Curvature:    | 47°44'47"   | Arc Definition |               |           |
|              | Tangent:             | 46.44       | '              |               |           |
|              | Curve PI:            |             | 686460.57273   | 1540699.40787 |           |
| 2180         |                      | 5+18.39     | 686414.77543   | 1540707.11748 |           |
|              | S77°14'39"E 401.98 ' |             |                |               |           |
| 2181         |                      | 9+20.37     | 686326.01956   | 1541099.17656 |           |
|              | N00°22'16"E 183.59 ' |             |                |               |           |
| 2183         |                      | 11+03.96    | 686509.60571   | 1541100.36568 |           |

-----

Closing latitude = -0.00815  
 Closing departure = -0.00022  
 Closing bearing = N01°33'22"E  
 Closing distance = 0.00815  
 Total traverse length = 1101.96 (1103.96)  
 Total error of closure = 1/135180  
 Error of closure in latitude = 1/135230  
 Error of closure in departure = 1/4977799

Area = 67812.82 SQ FT  
 Area = 1.557 ACRES

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:42 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 113

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2177         |                   | 0+00.00     | 686694.59250   | 1541101.56383 |           |
|              | N77°14'39"W       | 247.41      |                |               |           |
| 2176         |                   | 2+47.41     | 686749.21982   | 1540860.25995 |           |
|              | Center Point:     | 3121        | 686859.20258   | 1540444.56319 |           |
|              | Radius:           | 430.00      |                |               |           |
|              | Delta:            | 17°56'07"   | Right          |               |           |
|              | Arc Length:       | 134.60      |                |               |           |
|              | Chord Bearing:    | S23°47'14"W |                |               |           |
|              | Chord Length:     | 134.05      |                |               |           |
|              | Middle Ordinate:  | 5.26        |                |               |           |
|              | External:         | 5.32        |                |               |           |
|              | Deg of Curvature: | 13°19'29"   | Arc Definition |               |           |
|              | Tangent:          | 67.86       |                |               |           |
|              | Curve PI:         |             | 686683.62074   | 1540842.90379 |           |
| 2419         |                   | 3+82.01     | 686626.55742   | 1540806.19205 |           |
|              | S32°45'17"W       | 51.51       |                |               |           |
| 2182         |                   | 4+33.52     | 686583.23780   | 1540778.32289 |           |
|              | S77°07'21"E       | 330.35      |                |               |           |
| 2183         |                   | 7+63.87     | 686509.61358   | 1541100.36418 |           |
|              | N00°22'16"E       | 184.98      |                |               |           |
| 2177         |                   | 9+48.85     | 686694.58970   | 1541101.56231 |           |

Closing latitude = -0.00280  
Closing departure = -0.00152  
Closing bearing = N28°24'26"E  
Closing distance = 0.00319  
Total traverse length = 948.30 (948.85)  
Total error of closure = 1/297518  
Error of closure in latitude = 1/338247  
Error of closure in departure = 1/625386

Area = 51085.23 SQ FT  
Area = 1.173 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 114

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2274         |                      | 0+00.00     | 686928.99697   | 1541103.08184 | 0.00      |
|              | N89°37'53"W 228.21 ' |             |                |               |           |
| 2273         |                      | 2+28.21     | 686930.46514   | 1540874.87656 | 0.00      |
|              | S00°15'05"W 73.15 '  |             |                |               |           |
| 2420         |                      | 3+01.36     | 686857.31585   | 1540874.55561 |           |
|              | Center Point:        | 3121        | 686859.20249   | 1540444.55975 |           |
|              | Radius:              | 430.00      | '              |               |           |
|              | Delta:               | 14°34'05"   | Right          |               |           |
|              | Arc Length:          | 109.33      | '              |               |           |
|              | Chord Bearing:       | S07°32'08"W |                |               |           |
|              | Chord Length:        | 109.04      | '              |               |           |
|              | Middle Ordinate:     | 3.47        | '              |               |           |
|              | External:            | 3.50        | '              |               |           |
|              | Deg of Curvature:    | 13°19'29"   | Arc Definition |               |           |
|              | Tangent:             | 54.96       | '              |               |           |
|              | Curve PI:            |             | 686802.35448   | 1540874.31794 |           |
| 2176         |                      | 4+10.69     | 686749.21755   | 1540860.25595 |           |
|              | S77°14'39"E 247.41 ' |             |                |               |           |
| 2177         |                      | 6+58.10     | 686694.59023   | 1541101.55983 |           |
|              | N00°22'16"E 234.41 ' |             |                |               |           |
| 2274         |                      | 8+92.51     | 686928.99531   | 1541103.07812 | 0.00      |

-----

Closing latitude = -0.00165  
 Closing departure = -0.00371  
 Closing bearing = N66°00'02"E  
 Closing distance = 0.00407  
 Total traverse length = 892.22 (892.51)  
 Total error of closure = 1/219411  
 Error of closure in latitude = 1/539456  
 Error of closure in departure = 1/240175

Area = 48255.69 SQ FT  
 Area = 1.108 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 115

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2168         |             | 0+00.00 | 687155.06104 | 1541104.54584 |           |
|              | N89°46'04"W | 228.68  | '            |               |           |
| 2167         |             | 2+28.68 | 687155.98789 | 1540875.86771 |           |
|              | S00°15'05"W | 225.53  | '            |               |           |
| 2273         |             | 4+54.20 | 686930.46006 | 1540874.87819 | 0.00      |
|              | S89°37'53"E | 228.21  | '            |               |           |
| 2274         |             | 6+82.41 | 686928.99189 | 1541103.08347 | 0.00      |
|              | N00°22'16"E | 226.07  | '            |               |           |
| 2168         |             | 9+08.48 | 687155.05714 | 1541104.54774 |           |

Closing latitude = -0.00390  
Closing departure = 0.00190  
Closing bearing = N26°00'21"W  
Closing distance = 0.00434  
Total traverse length = 908.49 (908.48)  
Total error of closure = 1/209471  
Error of closure in latitude = 1/233070  
Error of closure in departure = 1/477741

Area = 51581.52 SQ FT  
Area = 1.184 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 116

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2272         |                      | 0+00.00     | 687359.77803   | 1541105.87159 | 0.00      |
|              | N89°46'04"W 232.44 ' |             |                |               |           |
| 2271         |                      | 2+32.44     | 687360.72011   | 1540873.43350 | 0.00      |
|              | Center Point:        | 3118        | 687318.87840   | 1540596.57745 |           |
|              | Radius:              | 280.00      | '              |               |           |
|              | Delta:               | 8°50'44"    | Right          |               |           |
|              | Arc Length:          | 43.23       | '              |               |           |
|              | Chord Bearing:       | S04°10'17"E |                |               |           |
|              | Chord Length:        | 43.18       | '              |               |           |
|              | Middle Ordinate:     | 0.83        | '              |               |           |
|              | External:            | 0.84        | '              |               |           |
|              | Deg of Curvature:    | 20°27'46"   | Arc Definition |               |           |
|              | Tangent:             | 21.66       | '              |               |           |
|              | Curve PI:            |             | 687339.30664   | 1540876.67399 |           |
| 2421         |                      | 2+75.66     | 687317.65450   | 1540876.57442 |           |
|              | S00°15'05"W 161.66 ' |             |                |               |           |
| 2167         |                      | 4+37.33     | 687155.99606   | 1540875.86513 |           |
|              | S89°46'04"E 228.68 ' |             |                |               |           |
| 2168         |                      | 6+66.00     | 687155.06921   | 1541104.54325 |           |
|              | N00°22'16"E 204.72 ' |             |                |               |           |
| 2272         |                      | 8+70.73     | 687359.78491   | 1541105.86923 | 0.00      |

-----

Closing latitude = 0.00689  
 Closing departure = -0.00235  
 Closing bearing = S18°52'29"E  
 Closing distance = 0.00728  
 Total traverse length = 870.68 (870.73)  
 Total error of closure = 1/119604  
 Error of closure in latitude = 1/126401  
 Error of closure in departure = 1/369718

Area = 46906.57 SQ FT  
 Area = 1.077 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 118

| Point Number | Description         | Sta                       | Northing     | Easting       | Elevation |
|--------------|---------------------|---------------------------|--------------|---------------|-----------|
| Bearing      | Distance            |                           |              |               |           |
| 2187         |                     | 0+00.00                   | 685775.34397 | 1540612.17384 |           |
|              | N77°14'39"W 327.37' |                           |              |               |           |
| 2186         |                     | 3+27.37                   | 685847.62620 | 1540292.88338 |           |
|              | S11°18'30"W 56.55'  |                           |              |               |           |
| 2254         |                     | 3+83.92                   | 685792.17405 | 1540281.79456 |           |
|              | S05°09'39"W 84.75'  |                           |              |               |           |
| 2255         |                     | 4+68.67                   | 685707.76762 | 1540274.17115 |           |
|              | S26°39'09"W 61.25'  |                           |              |               |           |
| 2256         |                     | 5+29.92                   | 685653.02583 | 1540246.69574 |           |
|              | S77°14'39"E 218.55' |                           |              |               |           |
| 2384         |                     | 7+48.47                   | 685604.77070 | 1540459.85189 | 0.00      |
|              | Center Point:       | 2515                      | 685533.62679 | 1540496.43800 |           |
|              | Radius:             | 80.00'                    |              |               |           |
|              | Delta:              | 18°10'27" Right           |              |               |           |
|              | Arc Length:         | 25.38'                    |              |               |           |
|              | Chord Bearing:      | N71°52'21"E               |              |               |           |
|              | Chord Length:       | 25.27'                    |              |               |           |
|              | Middle Ordinate:    | 1.00'                     |              |               |           |
|              | External:           | 1.02'                     |              |               |           |
|              | Deg of Curvature:   | 71°37'11" Arc Definition  |              |               |           |
|              | Tangent:            | 12.80'                    |              |               |           |
|              | Curve PI:           |                           | 685610.61832 | 1540471.22950 |           |
| 2514         |                     | 7+73.84                   | 685612.63302 | 1540483.86765 |           |
|              | N80°57'34"E 105.06' |                           |              |               |           |
| 2513         |                     | 8+78.90                   | 685629.14147 | 1540587.62253 |           |
|              | Center Point:       | 2512                      | 685639.01724 | 1540586.05119 |           |
|              | Radius:             | 10.00'                    |              |               |           |
|              | Delta:              | 90°54'42" Left            |              |               |           |
|              | Arc Length:         | 15.87'                    |              |               |           |
|              | Chord Bearing:      | N35°30'13"E               |              |               |           |
|              | Chord Length:       | 14.25'                    |              |               |           |
|              | Middle Ordinate:    | 2.99'                     |              |               |           |
|              | External:           | 4.26'                     |              |               |           |
|              | Deg of Curvature:   | 572°57'29" Arc Definition |              |               |           |
|              | Tangent:            | 10.16'                    |              |               |           |
|              | Curve PI:           |                           | 685630.73314 | 1540597.65056 |           |
| 2511         |                     | 8+94.77                   | 685640.74209 | 1540595.89828 |           |
|              | Center Point:       | 2411                      | 685680.49228 | 1540822.43728 |           |
|              | Radius:             | 230.00'                   |              |               |           |
|              | Delta:              | 30°17'11" Right           |              |               |           |
|              | Arc Length:         | 121.58'                   |              |               |           |
|              | Chord Bearing:      | N05°11'28"E               |              |               |           |
|              | Chord Length:       | 120.17'                   |              |               |           |
|              | Middle Ordinate:    | 7.99'                     |              |               |           |
|              | External:           | 8.27'                     |              |               |           |
|              | Deg of Curvature:   | 24°54'40" Arc Definition  |              |               |           |
|              | Tangent:            | 62.24'                    |              |               |           |
|              | Curve PI:           |                           | 685702.04879 | 1540585.13705 |           |
| 2510         |                     | 10+16.34                  | 685760.41921 | 1540606.77103 |           |
|              | Center Point:       | 2509                      | 686132.16228 | 1539603.65770 |           |
|              | Radius:             | 1069.78'                  |              |               |           |
|              | Delta:              | 0°51'02" Left             |              |               |           |



CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----  
Arc Length: 15.88 '  
Chord Bearing: N19°54'32"E  
Chord Length: 15.88 '  
Middle Ordinate: 0.03 '  
External: 0.03 '  
Deg of Curvature: 5°21'21" Arc Definition  
Tangent: 7.94 '  
Curve PI: 685767.85918 1540609.52572  
2187 10+32.22 685775.35015 1540612.17857

-----  
Closing latitude = 0.00617  
Closing departure = 0.00473  
Closing bearing = S37°26'26"W  
Closing distance = 0.00778  
Total traverse length = 1029.10 (1032.22)  
Total error of closure = 1/132339  
Error of closure in latitude = 1/166678  
Error of closure in departure = 1/217685

Area = 61861.03 SQ FT  
Area = 1.420 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 119

| Point Number | Description         | Sta                     | Northing     | Easting       | Elevation |
|--------------|---------------------|-------------------------|--------------|---------------|-----------|
| Bearing      | Distance            |                         |              |               |           |
| 2189         |                     | 0+00.00                 | 685968.64712 | 1540664.11119 |           |
|              | N77°14'39"W 331.37' |                         |              |               |           |
| 2188         |                     | 3+31.37                 | 686041.81254 | 1540340.91945 |           |
|              | S05°51'05"W 101.24' |                         |              |               |           |
| 2252         |                     | 4+32.61                 | 685941.10003 | 1540330.59818 |           |
|              | S23°21'34"W 89.31'  |                         |              |               |           |
| 2253         |                     | 5+21.92                 | 685859.11028 | 1540295.18693 |           |
|              | S11°18'30"W 11.72'  |                         |              |               |           |
| 2186         |                     | 5+33.64                 | 685847.61781 | 1540292.88877 |           |
|              | S77°14'39"E 327.37' |                         |              |               |           |
| 2187         |                     | 8+61.00                 | 685775.33558 | 1540612.17923 |           |
|              | Center Point:       | 2509                    | 686132.15191 | 1539603.65984 |           |
|              | Radius:             | 1069.78'                |              |               |           |
|              | Delta:              | 7°20'36" Left           |              |               |           |
|              | Arc Length:         | 137.11'                 |              |               |           |
|              | Chord Bearing:      | N15°48'44"E             |              |               |           |
|              | Chord Length:       | 137.01'                 |              |               |           |
|              | Middle Ordinate:    | 2.20'                   |              |               |           |
|              | External:           | 2.20'                   |              |               |           |
|              | Deg of Curvature:   | 5°21'21" Arc Definition |              |               |           |
|              | Tangent:            | 68.65'                  |              |               |           |
|              | Curve PI:           |                         | 685840.06047 | 1540635.07053 |           |
| 2508         |                     | 9+98.11                 | 685907.16111 | 1540649.51246 |           |
|              | Center Point:       | 2507                    | 685595.74788 | 1542097.12537 |           |
|              | Radius:             | 1480.73'                |              |               |           |
|              | Delta:              | 2°26'42" Right          |              |               |           |
|              | Arc Length:         | 63.19'                  |              |               |           |
|              | Chord Bearing:      | N13°21'47"E             |              |               |           |
|              | Chord Length:       | 63.19'                  |              |               |           |
|              | Middle Ordinate:    | 0.34'                   |              |               |           |
|              | External:           | 0.34'                   |              |               |           |
|              | Deg of Curvature:   | 3°52'10" Arc Definition |              |               |           |
|              | Tangent:            | 31.60'                  |              |               |           |
|              | Curve PI:           |                         | 685938.06572 | 1540656.15353 |           |
| 2189         |                     | 10+61.30                | 685968.64025 | 1540664.11697 |           |

-----

Closing latitude = -0.00688  
 Closing departure = 0.00578  
 Closing bearing = N40°04'11"W  
 Closing distance = 0.00899  
 Total traverse length = 1061.21 (1061.30)  
 Total error of closure = 1/118102  
 Error of closure in latitude = 1/154329  
 Error of closure in departure = 1/183469

Area = 64938.33 SQ FT  
 Area = 1.491 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 120

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2191         |                      | 0+00.00     | 686159.28659   | 1540727.81472 |           |
|              | N77°14'39"W 358.35 ' |             |                |               |           |
| 2190         |                      | 3+58.35     | 686238.40910   | 1540378.30885 |           |
|              | S03°50'09"W 73.43 '  |             |                |               |           |
| 2249         |                      | 4+31.78     | 686165.14360   | 1540373.39654 |           |
|              | S19°06'18"W 86.07 '  |             |                |               |           |
| 2250         |                      | 5+17.86     | 686083.81430   | 1540345.22579 |           |
|              | S05°51'05"W 42.22 '  |             |                |               |           |
| 2188         |                      | 5+60.08     | 686041.81428   | 1540340.92153 |           |
|              | S77°14'39"E 331.37 ' |             |                |               |           |
| 2189         |                      | 8+91.45     | 685968.64887   | 1540664.11326 |           |
|              | Center Point:        | 2507        | 685595.76346   | 1542097.12331 |           |
|              | Radius:              | 1480.73     | '              |               |           |
|              | Delta:               | 7°47'01"    | Right          |               |           |
|              | Arc Length:          | 201.16      | '              |               |           |
|              | Chord Bearing:       | N18°28'39"E |                |               |           |
|              | Chord Length:        | 201.00      | '              |               |           |
|              | Middle Ordinate:     | 3.41        | '              |               |           |
|              | External:            | 3.42        | '              |               |           |
|              | Deg of Curvature:    | 3°52'10"    | Arc Definition |               |           |
|              | Tangent:             | 100.73      | '              |               |           |
|              | Curve PI:            |             | 686066.13376   | 1540689.47842 |           |
| 2191         |                      | 10+92.61    | 686159.28695   | 1540727.81664 |           |

-----

Closing latitude = 0.00036  
 Closing departure = 0.00192  
 Closing bearing = S79°18'47"W  
 Closing distance = 0.00196  
 Total traverse length = 1092.44 (1092.61)  
 Total error of closure = 1/558249  
 Error of closure in latitude = 1/3010374  
 Error of closure in departure = 1/568103

Area = 68045.06 SQ FT  
 Area = 1.562 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 121

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2193         |                      | 0+00.00     | 686362.88701   | 1540660.39834 |           |
|              | N77°14'39"W 299.71 ' |             |                |               |           |
| 2192         |                      | 2+99.71     | 686429.06200   | 1540368.08523 |           |
|              | S00°17'31"W 31.96 '  |             |                |               |           |
| 2246         |                      | 3+31.66     | 686397.10242   | 1540367.92238 |           |
|              | S18°31'17"E 65.98 '  |             |                |               |           |
| 2247         |                      | 3+97.65     | 686334.53984   | 1540388.88150 |           |
|              | S08°03'05"W 56.11 '  |             |                |               |           |
| 2248         |                      | 4+53.76     | 686278.98293   | 1540381.02267 |           |
|              | S03°50'09"W 40.67 '  |             |                |               |           |
| 2190         |                      | 4+94.42     | 686238.40403   | 1540378.30193 |           |
|              | S77°14'39"E 358.35 ' |             |                |               |           |
| 2191         |                      | 8+52.78     | 686159.28152   | 1540727.80779 |           |
|              | Center Point:        | 2507        | 685595.75599   | 1542097.11430 |           |
|              | Radius:              | 1480.73     | '              |               |           |
|              | Delta:               | 2°34'53"    | Right          |               |           |
|              | Arc Length:          | 66.71       | '              |               |           |
|              | Chord Bearing:       | N23°39'36"E |                |               |           |
|              | Chord Length:        | 66.71       | '              |               |           |
|              | Middle Ordinate:     | 0.38        | '              |               |           |
|              | External:            | 0.38        | '              |               |           |
|              | Deg of Curvature:    | 3°52'10"    | Arc Definition |               |           |
|              | Tangent:             | 33.36       | '              |               |           |
|              | Curve PI:            |             | 686190.13723   | 1540740.51105 |           |
| 2506         |                      | 9+19.49     | 686220.38408   | 1540754.57908 |           |
|              | Center Point:        | 2505        | 686239.36670   | 1540713.77883 |           |
|              | Radius:              | 45.00       | '              |               |           |
|              | Delta:               | 85°11'42"   | Left           |               |           |
|              | Arc Length:          | 66.91       | '              |               |           |
|              | Chord Bearing:       | N17°38'49"W |                |               |           |
|              | Chord Length:        | 60.92       | '              |               |           |
|              | Middle Ordinate:     | 11.87       | '              |               |           |
|              | External:            | 16.13       | '              |               |           |
|              | Deg of Curvature:    | 127°19'27"  | Arc Definition |               |           |
|              | Tangent:             | 41.38       | '              |               |           |
|              | Curve PI:            |             | 686257.89935   | 1540772.03790 |           |
| 2504         |                      | 9+86.40     | 686278.43734   | 1540736.11113 |           |
|              | Center Point:        | 3124        | 686434.70447   | 1540825.44526 |           |
|              | Radius:              | 180.00      | '              |               |           |
|              | Delta:               | 36°43'50"   | Right          |               |           |
|              | Arc Length:          | 115.39      | '              |               |           |
|              | Chord Bearing:       | N41°52'44"W |                |               |           |
|              | Chord Length:        | 113.43      | '              |               |           |
|              | Middle Ordinate:     | 9.17        | '              |               |           |
|              | External:            | 9.66        | '              |               |           |
|              | Deg of Curvature:    | 31°49'52"   | Arc Definition |               |           |
|              | Tangent:             | 59.76       | '              |               |           |
|              | Curve PI:            |             | 686308.09182   | 1540684.23954 |           |
| 2193         |                      | 11+01.79    | 686362.89251   | 1540660.39000 |           |

Closing latitude = 0.00550

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|                               |   |                   |
|-------------------------------|---|-------------------|
| losing departure              | = | -0.00834          |
| Closing bearing               | = | S56°37'04"E       |
| Closing distance              | = | 0.00999           |
| Total traverse length         | = | 1093.84 (1101.79) |
| Total error of closure        | = | 1/109493          |
| Error of closure in latitude  | = | 1/198998          |
| Error of closure in departure | = | 1/131127          |
| Area                          | = | 65349.68 SQ FT    |
| Area                          | = | 1.500 ACRES       |

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 122

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2258         |                      | 0+00.00     | 686542.78709   | 1540680.95552 |           |
|              | N77°14'38"W 334.82 ' |             |                |               |           |
| 2257         |                      | 3+34.82     | 686616.71583   | 1540354.39929 |           |
|              | S04°34'34"E 9.89 '   |             |                |               |           |
| 2243         |                      | 3+44.71     | 686606.85736   | 1540355.18835 |           |
|              | S00°17'28"W 58.51 '  |             |                |               |           |
| 2244         |                      | 4+03.22     | 686548.34812   | 1540354.89107 |           |
|              | S14°57'12"E 52.51 '  |             |                |               |           |
| 2245         |                      | 4+55.72     | 686497.61630   | 1540368.44034 |           |
|              | S00°17'31"W 68.56 '  |             |                |               |           |
| 2192         |                      | 5+24.29     | 686429.05719   | 1540368.09100 |           |
|              | S77°14'39"E 299.71 ' |             |                |               |           |
| 2193         |                      | 8+24.00     | 686362.88220   | 1540660.40411 |           |
|              | Center Point:        | 3124        | 686434.69624   | 1540825.45787 |           |
|              | Radius:              | 180.00      | '              |               |           |
|              | Delta:               | 56°16'07"   | Right          |               |           |
|              | Arc Length:          | 176.77      | '              |               |           |
|              | Chord Bearing:       | N04°37'14"E |                |               |           |
|              | Chord Length:        | 169.75      | '              |               |           |
|              | Middle Ordinate:     | 21.27       | '              |               |           |
|              | External:            | 24.12       | '              |               |           |
|              | Deg of Curvature:    | 31°49'52"   | Arc Definition |               |           |
|              | Tangent:             | 96.25       | '              |               |           |
|              | Curve PI:            |             | 686451.14423   | 1540621.99793 |           |
| 2503         |                      | 10+00.77    | 686532.08052   | 1540674.07858 |           |
|              | N32°45'17"E 12.72 '  |             |                |               |           |
| 2258         |                      | 10+13.49    | 686542.77797   | 1540680.96066 |           |

-----  
 Closing latitude = -0.00912  
 Closing departure = 0.00514  
 Closing bearing = N29°23'33"W  
 Closing distance = 0.01047  
 Total traverse length = 1006.47 (1013.49)  
 Total error of closure = 1/96151  
 Error of closure in latitude = 1/110356  
 Error of closure in departure = 1/195912

Area = 54085.69 SQ FT  
 Area = 1.242 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:43 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 123

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2260         |                      | 0+00.00     | 686704.74400   | 1540780.78083 |           |
|              | N77°14'39"W 421.14 ' |             |                |               |           |
| 2259         |                      | 4+21.14     | 686797.73034   | 1540370.03463 |           |
|              | S00°23'06"W 43.61 '  |             |                |               |           |
| 2241         |                      | 4+64.75     | 686754.12133   | 1540369.74160 |           |
|              | S16°34'11"W 72.79 '  |             |                |               |           |
| 2242         |                      | 5+37.54     | 686684.35405   | 1540348.98321 |           |
|              | S04°34'34"E 67.85 '  |             |                |               |           |
| 2257         |                      | 6+05.39     | 686616.72034   | 1540354.39650 |           |
|              | S77°14'38"E 334.82 ' |             |                |               |           |
| 2258         |                      | 9+40.22     | 686542.79159   | 1540680.95274 |           |
|              | N32°45'17"E 138.21 ' |             |                |               |           |
| 2502         |                      | 10+78.42    | 686659.02543   | 1540755.73040 |           |
|              | Center Point:        | 3121        | 686859.21163   | 1540444.56246 |           |
|              | Radius:              | 370.00      | '              |               |           |
|              | Delta:               | 8°04'50"    | Left           |               |           |
|              | Arc Length:          | 52.18       | '              |               |           |
|              | Chord Bearing:       | N28°42'52"E |                |               |           |
|              | Chord Length:        | 52.14       | '              |               |           |
|              | Middle Ordinate:     | 0.92        | '              |               |           |
|              | External:            | 0.92        | '              |               |           |
|              | Deg of Curvature:    | 15°29'07"   | Arc Definition |               |           |
|              | Tangent:             | 26.13       | '              |               |           |
|              | Curve PI:            |             | 686680.99564   | 1540769.87075 |           |
| 2260         |                      | 11+30.61    | 686704.75352   | 1540780.78078 |           |

-----

Closing latitude = 0.00951  
 Closing departure = -0.00005  
 Closing bearing = S00°18'51"E  
 Closing distance = 0.00951  
 Total traverse length = 1130.56 (1130.61)  
 Total error of closure = 1/118848  
 Error of closure in latitude = 1/118850  
 Error of closure in departure = 1/21677797

Area = 68899.08 SQ FT  
 Area = 1.582 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 124

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2262         |                      | 0+00.00     | 686881.62797   | 1540814.66521 |           |
|              | N77°14'39"W 384.85 ' |             |                |               |           |
| 2261         |                      | 3+84.85     | 686966.60159   | 1540439.31337 |           |
|              | S29°52'44"W 33.73 '  |             |                |               |           |
| 2238         |                      | 4+18.58     | 686937.35497   | 1540422.51015 |           |
|              | S31°05'37"W 89.03 '  |             |                |               |           |
| 2239         |                      | 5+07.61     | 686861.11639   | 1540376.53169 |           |
|              | S05°51'04"W 63.72 '  |             |                |               |           |
| 2259         |                      | 5+71.33     | 686797.72836   | 1540370.03584 |           |
|              | S77°14'39"E 421.14 ' |             |                |               |           |
| 2260         |                      | 9+92.47     | 686704.74202   | 1540780.78204 |           |
|              | Center Point:        | 3121        | 686859.20126   | 1540444.56433 |           |
|              | Radius:              | 370.00      | '              |               |           |
|              | Delta:               | 24°25'22"   | Left           |               |           |
|              | Arc Length:          | 157.72      | '              |               |           |
|              | Chord Bearing:       | N12°27'46"E |                |               |           |
|              | Chord Length:        | 156.52      | '              |               |           |
|              | Middle Ordinate:     | 8.37        | '              |               |           |
|              | External:            | 8.57        | '              |               |           |
|              | Deg of Curvature:    | 15°29'07"   | Arc Definition |               |           |
|              | Tangent:             | 80.07       | '              |               |           |
|              | Curve PI:            |             | 686777.50683   | 1540814.20833 |           |
| 2501         |                      | 11+50.19    | 686857.57385   | 1540814.55988 |           |
|              | N00°15'05"E 24.05 '  |             |                |               |           |
| 2262         |                      | 11+74.23    | 686881.62362   | 1540814.66540 |           |

-----  
 Closing latitude = -0.00435  
 Closing departure = 0.00019  
 Closing bearing = N02°32'00"W  
 Closing distance = 0.00436  
 Total traverse length = 1173.04 (1174.23)  
 Total error of closure = 1/269167  
 Error of closure in latitude = 1/269430  
 Error of closure in departure = 1/6089973

Area = 75428.31 SQ FT  
 Area = 1.732 ACRES



CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 125

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2264         |             | 0+00.00  | 687065.99970 | 1540815.47420 |           |
|              | N77°14'39"W | 339.40   |              |               |           |
| 2263         |             | 3+39.40  | 687140.93811 | 1540484.45064 |           |
|              | S09°22'32"E | 75.40    |              |               |           |
| 2237         |             | 4+14.80  | 687066.54533 | 1540496.73368 |           |
|              | S29°52'44"W | 115.26   |              |               |           |
| 2261         |             | 5+30.07  | 686966.60564 | 1540439.31480 |           |
|              | S77°14'39"E | 384.85   |              |               |           |
| 2262         |             | 9+14.92  | 686881.63202 | 1540814.66665 |           |
|              | N00°15'05"E | 184.37   |              |               |           |
| 2264         |             | 10+99.29 | 687066.00024 | 1540815.47558 |           |

Closing latitude = 0.00054  
Closing departure = 0.00138  
Closing bearing = S68°33'04"W  
Closing distance = 0.00149  
Total traverse length = 1099.28 (1099.29)  
Total error of closure = 1/740119  
Error of closure in latitude = 1/2023994  
Error of closure in departure = 1/795192

Area = 62433.20 SQ FT  
Area = 1.433 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 126

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2339         |                      | 0+00.00     | 687333.64863   | 1540816.08530 | 0.00      |
|              | N89°44'55"W 321.01 ' |             |                |               |           |
| 2338         |                      | 3+21.01     | 687335.05708   | 1540495.07839 | 0.00      |
|              | S19°06'12"W 97.71 '  |             |                |               |           |
| 2235         |                      | 4+18.71     | 687242.72798   | 1540463.10055 |           |
|              | S14°57'11"E 46.07 '  |             |                |               |           |
| 2236         |                      | 4+64.78     | 687198.21802   | 1540474.98788 |           |
|              | S09°22'32"E 58.06 '  |             |                |               |           |
| 2263         |                      | 5+22.84     | 687140.93360   | 1540484.44615 |           |
|              | S77°14'39"E 339.40 ' |             |                |               |           |
| 2264         |                      | 8+62.25     | 687065.99519   | 1540815.46971 |           |
|              | N00°15'05"E 251.92 ' |             |                |               |           |
| 2500         |                      | 11+14.16    | 687317.91276   | 1540816.57502 |           |
|              | Center Point:        | 3118        | 687318.87803   | 1540596.57713 |           |
|              | Radius:              | 220.00      | '              |               |           |
|              | Delta:               | 4°06'03"    | Left           |               |           |
|              | Arc Length:          | 15.75       | '              |               |           |
|              | Chord Bearing:       | N01°47'57"W |                |               |           |
|              | Chord Length:        | 15.74       | '              |               |           |
|              | Middle Ordinate:     | 0.14        | '              |               |           |
|              | External:            | 0.14        | '              |               |           |
|              | Deg of Curvature:    | 26°02'37"   | Arc Definition |               |           |
|              | Tangent:             | 7.88        | '              |               |           |
|              | Curve PI:            |             | 687325.78977   | 1540816.61410 |           |
| 2339         |                      | 11+29.91    | 687333.64500   | 1540816.08084 | 0.00      |

-----  
 Closing latitude = -0.00362  
 Closing departure = -0.00446  
 Closing bearing = N50°52'47"E  
 Closing distance = 0.00574  
 Total traverse length = 1129.91 (1129.91)  
 Total error of closure = 1/196707  
 Error of closure in latitude = 1/311764  
 Error of closure in departure = 1/253547

Area = 78041.53 SQ FT  
 Area = 1.792 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 127

| Point Number | Description                                | Sta     | Northing      | Easting       | Elevation |
|--------------|--|---------|---------------|---------------|-----------|
| Bearing      | Distance                                   |         |               |               |           |
| 2231         |  | 0+00.00 | 687534.79854  | 1540515.45846 |           |
|              | S34°33'29"W 31.06 '                        |         |               |               |           |
| 2232         |  | 0+31.06 | 687509.21902  | 1540497.83995 |           |
|              | S00°17'28"W 91.91 '                        |         |               |               |           |
| 2233         |  | 1+22.97 | 687417.31020  | 1540497.37298 |           |
|              | S07°28'05"E 55.33 '                        |         |               |               |           |
| 2234         |  | 1+78.31 | 687362.44954  | 1540504.56440 |           |
|              | S19°06'12"W 28.98 '                        |         |               |               |           |
| 2338         |  | 2+07.29 | 687335.06547  | 1540495.08004 | 0.00      |
|              | S89°44'55"E 321.01 '                       |         |               |               |           |
| 2339         |  | 5+28.30 | 687333.65702  | 1540816.08695 | 0.00      |
|              | Center Point: 3118                         |         | 687318.88734  | 1540596.58329 |           |
|              | Radius: 220.00 '                           |         |               |               |           |
|              | Delta: 89°15'29" Left                      |         |               |               |           |
|              | Arc Length: 342.73 '                       |         |               |               |           |
|              | Chord Bearing: N48°28'43"W                 |         |               |               |           |
|              | Chord Length: 309.11 '                     |         |               |               |           |
|              | Middle Ordinate: 63.43 '                   |         |               |               |           |
|              | External: 89.13 '                          |         |               |               |           |
|              | Deg of Curvature: 26°02'37" Arc Definition |         |               |               |           |
|              | Tangent: 217.17 '                          |         |               |               |           |
|              | Curve PI: 687550.32752                     |         | 1540801.50540 |               |           |
| 2499         |  | 8+71.02 | 687538.56592  | 1540584.65372 |           |
|              | S86°53'33"W 69.30 '                        |         |               |               |           |
| 2231         |  | 9+40.32 | 687534.80920  | 1540515.45562 |           |

-----

Closing latitude = 0.01066  
 Closing departure = -0.00284  
 Closing bearing = S14°54'30"E  
 Closing distance = 0.01103  
 Total traverse length = 906.70 (940.32)  
 Total error of closure = 1/82179  
 Error of closure in latitude = 1/85042  
 Error of closure in departure = 1/319424

Area = 54153.57 SQ FT  
 Area = 1.243 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 128

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2492         |                   | 0+00.00     | 687513.06941   | 1540115.20380 |           |
|              | Center Point:     | 2491        | 687506.07970   | 1540115.58326 |           |
|              | Radius:           | 7.00        | '              |               |           |
|              | Delta:            | 87°50'14"   | Left           |               |           |
|              | Arc Length:       | 10.73       | '              |               |           |
|              | Chord Bearing:    | S42°58'26"W |                |               |           |
|              | Chord Length:     | 9.71        | '              |               |           |
|              | Middle Ordinate:  | 1.96        | '              |               |           |
|              | External:         | 2.72        | '              |               |           |
|              | Deg of Curvature: | 818°30'40"  | Arc Definition |               |           |
|              | Tangent:          | 6.74        | '              |               |           |
|              | Curve PI:         |             | 687512.70401   | 1540108.47306 |           |
| 2490         |                   | 0+10.73     | 687505.96495   | 1540108.58483 |           |
|              | S00°56'41"E       | 2.05        | '              |               |           |
| 2489         |                   | 0+12.78     | 687503.91523   | 1540108.61863 |           |
|              | Center Point:     | 2465        | 687511.66448   | 1540578.55474 |           |
|              | Radius:           | 470.00      | '              |               |           |
|              | Delta:            | 5°46'21"    | Left           |               |           |
|              | Arc Length:       | 47.35       | '              |               |           |
|              | Chord Bearing:    | S03°49'51"E |                |               |           |
|              | Chord Length:     | 47.33       | '              |               |           |
|              | Middle Ordinate:  | 0.60        | '              |               |           |
|              | External:         | 0.60        | '              |               |           |
|              | Deg of Curvature: | 12°11'26"   | Arc Definition |               |           |
|              | Tangent:          | 23.70       | '              |               |           |
|              | Curve PI:         |             | 687480.22005   | 1540109.00874 |           |
| 2488         |                   | 0+60.13     | 687456.69098   | 1540111.78079 |           |
|              | S06°43'02"E       | 120.84      | '              |               |           |
| 2275         |                   | 1+80.97     | 687336.68048   | 1540125.91535 | 0.00      |
|              | S89°44'55"E       | 316.33      | '              |               |           |
| 2276         |                   | 4+97.31     | 687335.29257   | 1540442.24231 | 0.00      |
|              | N19°06'12"E       | 34.25       | '              |               |           |
| 2208         |                   | 5+31.56     | 687367.65641   | 1540453.45140 |           |
|              | N07°28'05"W       | 46.92       | '              |               |           |
| 2207         |                   | 5+78.47     | 687414.17841   | 1540447.35305 |           |
|              | N00°17'28"E       | 110.72      | '              |               |           |
| 2206         |                   | 6+89.19     | 687524.89699   | 1540447.91560 |           |
|              | N34°33'29"E       | 7.88        | '              |               |           |
| 2205         |                   | 6+97.07     | 687531.38657   | 1540452.38546 |           |
|              | S86°53'33"W       | 337.68      | '              |               |           |
| 2492         |                   | 10+34.75    | 687513.08110   | 1540115.20199 |           |

-----  
 Closing latitude = 0.01169  
 Closing departure = -0.00181  
 Closing bearing = S08°46'52"E  
 Closing distance = 0.01183  
 Total traverse length = 1033.71 (1034.75)  
 Total error of closure = 1/87363  
 Error of closure in latitude = 1/88399  
 Error of closure in departure = 1/572270

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

rea = 61884.88 SQ FT  
Area = 1.421 ACRES

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 129

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| 2276         |                      | 0+00.00     | 687335.28902   | 1540442.24618 | 0.00      |
|              | N89°44'55"W 316.33 ' |             |                |               |           |
| 2275         |                      | 3+16.33     | 687336.67694   | 1540125.91923 | 0.00      |
|              | S06°43'02"E 8.79 '   |             |                |               |           |
| 2487         |                      | 3+25.12     | 687327.94728   | 1540126.94739 |           |
|              | Center Point:        | 2468        | 687301.04435   | 1539898.52622 |           |
|              | Radius:              | 230.00      | '              |               |           |
|              | Delta:               | 26°09'37"   | Right          |               |           |
|              | Arc Length:          | 105.01      | '              |               |           |
|              | Chord Bearing:       | S06°21'47"W |                |               |           |
|              | Chord Length:        | 104.10      | '              |               |           |
|              | Middle Ordinate:     | 5.97        | '              |               |           |
|              | External:            | 6.13        | '              |               |           |
|              | Deg of Curvature:    | 24°54'40"   | Arc Definition |               |           |
|              | Tangent:             | 53.44       | '              |               |           |
|              | Curve PI:            |             | 687274.87559   | 1540133.19359 |           |
| 2202         |                      | 4+30.14     | 687224.48858   | 1540115.41018 |           |
|              | S77°14'39"E 324.40 ' |             |                |               |           |
| 2203         |                      | 7+54.54     | 687152.86211   | 1540431.80394 |           |
|              | N09°22'32"W 35.29 '  |             |                |               |           |
| 2210         |                      | 7+89.83     | 687187.68070   | 1540426.05502 |           |
|              | N14°57'11"W 58.94 '  |             |                |               |           |
| 2209         |                      | 8+48.78     | 687244.62485   | 1540410.84688 |           |
|              | N19°06'12"E 95.95 '  |             |                |               |           |
| 2276         |                      | 9+44.73     | 687335.29087   | 1540442.24871 | 0.00      |

Closing latitude = 0.00185  
Closing departure = 0.00252  
Closing bearing = S53°48'36"W  
Closing distance = 0.00313  
Total traverse length = 943.80 (944.73)  
Total error of closure = 1/301682  
Error of closure in latitude = 1/510922  
Error of closure in departure = 1/373802

Area = 44178.31 SQ FT  
Area = 1.014 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 130

| Point Number | Description          | Sta                      | Northing     | Easting       | Elevation |
|--------------|----------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance             |                          |              |               |           |
| 2203         |                      | 0+00.00                  | 687152.85681 | 1540431.80377 |           |
|              | N77°14'39"W 324.40 ' |                          |              |               |           |
| 2202         |                      | 3+24.40                  | 687224.48327 | 1540115.41001 |           |
|              | Center Point:        | 2468                     | 687301.04333 | 1539898.52627 |           |
|              | Radius:              | 230.00'                  |              |               |           |
|              | Delta:               | 11°20'59" Right          |              |               |           |
|              | Arc Length:          | 45.56'                   |              |               |           |
|              | Chord Bearing:       | S25°07'04"W              |              |               |           |
|              | Chord Length:        | 45.49'                   |              |               |           |
|              | Middle Ordinate:     | 1.13'                    |              |               |           |
|              | External:            | 1.13'                    |              |               |           |
|              | Deg of Curvature:    | 24°54'40" Arc Definition |              |               |           |
|              | Tangent:             | 22.86'                   |              |               |           |
|              | Curve PI:            |                          | 687202.93285 | 1540107.79780 |           |
| 2486         |                      | 3+69.97                  | 687183.29493 | 1540096.10040 |           |
|              | Center Point:        | 2470                     | 687019.47587 | 1540370.98821 |           |
|              | Radius:              | 320.00'                  |              |               |           |
|              | Delta:               | 24°35'03" Left           |              |               |           |
|              | Arc Length:          | 137.30'                  |              |               |           |
|              | Chord Bearing:       | S18°30'02"W              |              |               |           |
|              | Chord Length:        | 136.25'                  |              |               |           |
|              | Middle Ordinate:     | 7.34'                    |              |               |           |
|              | External:            | 7.51'                    |              |               |           |
|              | Deg of Curvature:    | 17°54'18" Arc Definition |              |               |           |
|              | Tangent:             | 69.72'                   |              |               |           |
|              | Curve PI:            |                          | 687123.40440 | 1540060.40303 |           |
| 2200         |                      | 5+07.27                  | 687054.08626 | 1540052.86638 |           |
|              | S77°14'39"E 343.91 ' |                          |              |               |           |
| 2201         |                      | 8+51.18                  | 686978.15205 | 1540388.28863 |           |
|              | N29°52'44"E 112.84 ' |                          |              |               |           |
| 2211         |                      | 9+64.01                  | 687075.99340 | 1540444.50194 |           |
|              | N09°22'32"W 77.91 '  |                          |              |               |           |
| 2203         |                      | 10+41.92                 | 687152.86266 | 1540431.81001 |           |

-----

Closing latitude = 0.00585  
 Closing departure = 0.00624  
 Closing bearing = S46°52'13"W  
 Closing distance = 0.00856  
 Total traverse length = 1040.80 (1041.92)  
 Total error of closure = 1/121659  
 Error of closure in latitude = 1/177955  
 Error of closure in departure = 1/166700

Area = 63920.21 SQ FT  
 Area = 1.467 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449  
 Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 131

| Point Number | Description                                | Sta      | Northing      | Easting       | Elevation |
|--------------|--|----------|---------------|---------------|-----------|
| Bearing      | Distance                                   |          |               |               |           |
| 2201         |  | 0+00.00  | 686978.15425  | 1540388.28356 |           |
|              | N77°14'39"W 343.91 '                       |          |               |               |           |
| 2200         |  | 3+43.91  | 687054.08845  | 1540052.86131 |           |
|              | Center Point: 2470                         |          | 687019.48084  | 1540370.98442 |           |
|              | Radius: 320.00 '                           |          |               |               |           |
|              | Delta: 25°02'01" Left                      |          |               |               |           |
|              | Arc Length: 139.81 '                       |          |               |               |           |
|              | Chord Bearing: S06°18'29"E                 |          |               |               |           |
|              | Chord Length: 138.70 '                     |          |               |               |           |
|              | Middle Ordinate: 7.61 '                    |          |               |               |           |
|              | External: 7.79 '                           |          |               |               |           |
|              | Deg of Curvature: 17°54'18" Arc Definition |          |               |               |           |
|              | Tangent: 71.04 '                           |          |               |               |           |
|              | Curve PI: 686983.46463                     |          | 1540045.17952 |               |           |
| 2485         |  | 4+83.72  | 686916.22821  | 1540068.10084 |           |
|              | Center Point: 2472                         |          | 686761.34242  | 1539613.77674 |           |
|              | Radius: 480.00 '                           |          |               |               |           |
|              | Delta: 16°16'21" Right                     |          |               |               |           |
|              | Arc Length: 136.32 '                       |          |               |               |           |
|              | Chord Bearing: S10°41'19"E                 |          |               |               |           |
|              | Chord Length: 135.87 '                     |          |               |               |           |
|              | Middle Ordinate: 4.83 '                    |          |               |               |           |
|              | External: 4.88 '                           |          |               |               |           |
|              | Deg of Curvature: 11°56'12" Arc Definition |          |               |               |           |
|              | Tangent: 68.62 '                           |          |               |               |           |
|              | Curve PI: 686851.27060                     |          | 1540090.24629 |               |           |
| 2184         |  | 6+20.05  | 686782.71559  | 1540093.30083 | -1050.65  |
|              | S84°39'57"E 227.47 '                       |          |               |               |           |
| 2185         |  | 8+47.52  | 686761.56900  | 1540319.78576 | -1050.65  |
|              | N00°23'06"E 38.89 '                        |          |               |               |           |
| 2214         |  | 8+86.41  | 686800.45812  | 1540320.04708 |           |
|              | N05°51'04"E 77.30 '                        |          |               |               |           |
| 2213         |  | 9+63.71  | 686877.35540  | 1540327.92733 |           |
|              | N31°05'37"E 99.70 '                        |          |               |               |           |
| 2212         |  | 10+63.41 | 686962.73097  | 1540379.41618 |           |
|              | N29°52'44"E 17.79 '                        |          |               |               |           |
| 2201         |  | 10+81.20 | 686978.15633  | 1540388.27859 |           |

-----  
 Closing latitude = 0.00208  
 Closing departure = -0.00497  
 Closing bearing = S67°15'13"E  
 Closing distance = 0.00538  
 Total traverse length = 1079.63 (1081.20)  
 Total error of closure = 1/200505  
 Error of closure in latitude = 1/518568  
 Error of closure in departure = 1/217415

Area = 67007.02 SQ FT  
 Area = 1.538 ACRES



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:44 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 132

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2185         |                      | 0+00.00     | 686761.56702   | 1540319.79064 | -1050.65  |
|              | N84°39'57"W 227.47 ' |             |                |               |           |
| 2184         |                      | 2+27.47     | 686782.71362   | 1540093.30571 | -1050.65  |
|              | Center Point:        | 2472        | 686761.33692   | 1539613.78195 |           |
|              | Radius:              | 480.00      | '              |               |           |
|              | Delta:               | 5°20'13"    | Right          |               |           |
|              | Arc Length:          | 44.71       | '              |               |           |
|              | Chord Bearing:       | S00°06'58"W |                |               |           |
|              | Chord Length:        | 44.69       | '              |               |           |
|              | Middle Ordinate:     | 0.52        | '              |               |           |
|              | External:            | 0.52        | '              |               |           |
|              | Deg of Curvature:    | 11°56'12"   | Arc Definition |               |           |
|              | Tangent:             | 22.37       | '              |               |           |
|              | Curve PI:            |             | 686760.36516   | 1540094.29855 |           |
| 2484         |                      | 2+72.18     | 686738.02371   | 1540093.21514 |           |
|              | S02°47'04"W 29.95 '  |             |                |               |           |
| 2483         |                      | 3+02.13     | 686708.10907   | 1540091.76022 |           |
|              | Center Point:        | 2482        | 686707.76902   | 1540098.75195 |           |
|              | Radius:              | 7.00        | '              |               |           |
|              | Delta:               | 60°00'00"   | Left           |               |           |
|              | Arc Length:          | 7.33        | '              |               |           |
|              | Chord Bearing:       | S27°12'56"E |                |               |           |
|              | Chord Length:        | 7.00        | '              |               |           |
|              | Middle Ordinate:     | 0.94        | '              |               |           |
|              | External:            | 1.08        | '              |               |           |
|              | Deg of Curvature:    | 818°30'40"  | Arc Definition |               |           |
|              | Tangent:             | 4.04        | '              |               |           |
|              | Curve PI:            |             | 686704.07174   | 1540091.56057 |           |
| 2481         |                      | 3+09.46     | 686701.88402   | 1540094.96159 |           |
|              | Center Point:        | 2477        | 686645.55621   | 1540058.68243 |           |
|              | Radius:              | 67.00       | '              |               |           |
|              | Delta:               | 152°33'31"  | Right          |               |           |
|              | Arc Length:          | 178.40      | '              |               |           |
|              | Chord Bearing:       | S19°03'50"W |                |               |           |
|              | Chord Length:        | 130.18      | '              |               |           |
|              | Middle Ordinate:     | 51.11       | '              |               |           |
|              | External:            | 215.48      | '              |               |           |
|              | Deg of Curvature:    | 85°30'58"   | Arc Definition |               |           |
|              | Tangent:             | 274.41      | '              |               |           |
|              | Curve PI:            |             | 686553.29294   | 1540325.66214 |           |
| 2345         |                      | 4+87.86     | 686578.84375   | 1540052.44190 | 0.00      |
|              | S05°20'36"W 230.93 ' |             |                |               |           |
| 2346         |                      | 7+18.79     | 686348.91725   | 1540030.93686 | 0.00      |
|              | S84°39'24"E 306.78 ' |             |                |               |           |
| 2318         |                      | 10+25.56    | 686320.34878   | 1540336.38377 | 0.00      |
|              | N08°03'05"E 9.59 '   |             |                |               |           |
| 2220         |                      | 10+35.16    | 686329.84425   | 1540337.72695 |           |
|              | N18°31'17"W 62.46 '  |             |                |               |           |
| 2219         |                      | 10+97.62    | 686389.06914   | 1540317.88599 |           |
|              | N00°17'31"E 102.11 ' |             |                |               |           |
| 2218         |                      | 11+99.73    | 686491.17781   | 1540318.40628 |           |
|              | N14°57'12"W 52.50 '  |             |                |               |           |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|      |             |       |          |              |               |          |
|------|-------------|-------|----------|--------------|---------------|----------|
| 2217 |             |       | 12+52.23 | 686541.89997 | 1540304.85959 |          |
|      | N00°17'28"E | 63.07 | '        |              |               |          |
| 2216 |             |       | 13+15.31 | 686604.96916 | 1540305.18004 |          |
|      | N04°34'34"W | 84.95 | '        |              |               |          |
| 2215 |             |       | 14+00.26 | 686689.64836 | 1540298.40244 |          |
|      | N16°34'11"E | 75.02 | '        |              |               |          |
| 2185 |             |       | 14+75.27 | 686761.55303 | 1540319.79679 | -1050.65 |

---

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | -0.01399          |
| Closing departure             | = | 0.00615           |
| Closing bearing               | = | N23°44'52"W       |
| Closing distance              | = | 0.01528           |
| Total traverse length         | = | 1426.70 (1475.27) |
| Total error of closure        | = | 1/93355           |
| Error of closure in latitude  | = | 1/101990          |
| Error of closure in departure | = | 1/231817          |

|      |   |                 |
|------|---|-----------------|
| Area | = | 105926.08 SQ FT |
| Area | = | 2.432 ACRES     |

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 133

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2343         |                      | 0+00.00     | 686646.17034   | 1539991.68184 | 0.00      |
|              | N89°28'27"W 163.80 ' |             |                |               |           |
| 2344         |                      | 1+63.80     | 686647.67359   | 1539827.88873 | 0.00      |
|              | S04°15'08"W 118.89 ' |             |                |               |           |
| 2093         |                      | 2+82.68     | 686529.11086   | 1539819.07338 | 0.00      |
|              | S42°27'19"E 220.19 ' |             |                |               |           |
| 2094         |                      | 5+02.87     | 686366.65370   | 1539967.70482 | 0.00      |
|              | S05°47'05"E 12.00 '  |             |                |               |           |
| 2317         |                      | 5+14.87     | 686354.71481   | 1539968.91432 | 0.00      |
|              | S84°39'24"E 62.29 '  |             |                |               |           |
| 2346         |                      | 5+77.16     | 686348.91414   | 1540030.93364 | 0.00      |
|              | N05°20'36"E 230.93 ' |             |                |               |           |
| 2345         |                      | 8+08.09     | 686578.84064   | 1540052.43868 | 0.00      |
|              | Center Point:        | 2477        | 686645.54953   | 1540058.67764 |           |
|              | Radius:              | 67.00       | '              |               |           |
|              | Delta:               | 85°10'57"   | Right          |               |           |
|              | Arc Length:          | 99.61       | '              |               |           |
|              | Chord Bearing:       | N42°03'56"W |                |               |           |
|              | Chord Length:        | 90.69       | '              |               |           |
|              | Middle Ordinate:     | 17.67       | '              |               |           |
|              | External:            | 24.01       | '              |               |           |
|              | Deg of Curvature:    | 85°30'58"   | Arc Definition |               |           |
|              | Tangent:             | 61.59       | '              |               |           |
|              | Curve PI:            |             | 686584.58214   | 1539991.11674 |           |
| 2343         |                      | 9+07.70     | 686646.16697   | 1539991.67815 | 0.00      |

-----  
 Closing latitude = -0.00336  
 Closing departure = -0.00368  
 Closing bearing = N47°35'01"E  
 Closing distance = 0.00499  
 Total traverse length = 898.79 (907.70)  
 Total error of closure = 1/180190  
 Error of closure in latitude = 1/267140  
 Error of closure in departure = 1/244073

Area = 48459.37 SQ FT  
 Area = 1.112 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 135

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2225         |             | 0+00.00  | 685953.86107 | 1540281.64003 |           |
|              | N77°06'43"W | 285.77   |              |               |           |
| 2316         |             | 2+85.77  | 686017.60118 | 1540003.06923 | 0.00      |
|              | S05°47'05"E | 38.63    |              |               |           |
| 2095         |             | 3+24.40  | 685979.16790 | 1540006.96278 | 0.00      |
|              | S01°07'41"W | 212.01   |              |               |           |
| 2096         |             | 5+36.41  | 685767.19899 | 1540002.78894 | 0.00      |
|              | S13°20'35"W | 57.51    |              |               |           |
| 2098         |             | 5+93.92  | 685711.24143 | 1539989.51673 | 0.00      |
|              | S77°14'39"E | 212.18   |              |               |           |
| 2229         |             | 8+06.10  | 685664.39278 | 1540196.46009 |           |
|              | N26°39'09"E | 64.14    |              |               |           |
| 2228         |             | 8+70.24  | 685721.71749 | 1540225.23190 |           |
|              | N05°09'39"E | 77.94    |              |               |           |
| 2227         |             | 9+48.18  | 685799.34153 | 1540232.24274 |           |
|              | N11°18'30"E | 76.23    |              |               |           |
| 2226         |             | 10+24.42 | 685874.09161 | 1540247.19059 |           |
|              | N23°21'34"E | 86.89    |              |               |           |
| 2225         |             | 11+11.30 | 685953.85972 | 1540281.64231 |           |

-----

Closing latitude = -0.00135  
 Closing departure = 0.00229  
 Closing bearing = N59°28'47"W  
 Closing distance = 0.00265  
 Total traverse length = 1111.30 (1111.30)  
 Total error of closure = 1/418789  
 Error of closure in latitude = 1/824640  
 Error of closure in departure = 1/486145

Area = 72559.62 SQ FT  
 Area = 1.666 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 136

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2341         |                      | 0+00.00     | 686902.75856   | 1540009.35611 | 0.00      |
|              | S74°12'27"W 184.10 ' |             |                |               |           |
| 2342         |                      | 1+84.10     | 686852.65495   | 1539832.20522 | 0.00      |
|              | S15°47'33"E 31.80 '  |             |                |               |           |
| 2059         |                      | 2+15.90     | 686822.05529   | 1539840.85972 | 0.00      |
|              | S04°15'08"W 174.86 ' |             |                |               |           |
| 2344         |                      | 3+90.77     | 686647.67662   | 1539827.89435 | 0.00      |
|              | S89°28'27"E 163.80 ' |             |                |               |           |
| 2343         |                      | 5+54.56     | 686646.17337   | 1539991.68745 | 0.00      |
|              | Center Point:        | 2477        | 686645.55848   | 1540058.68463 |           |
|              | Radius:              | 67.00       | '              |               |           |
|              | Delta:               | 62°15'32"   | Right          |               |           |
|              | Arc Length:          | 72.80       | '              |               |           |
|              | Chord Bearing:       | N31°39'18"E |                |               |           |
|              | Chord Length:        | 69.27       | '              |               |           |
|              | Middle Ordinate:     | 9.65        | '              |               |           |
|              | External:            | 11.27       | '              |               |           |
|              | Deg of Curvature:    | 85°30'58"   | Arc Definition |               |           |
|              | Tangent:             | 40.46       | '              |               |           |
|              | Curve PI:            |             | 686686.63256   | 1539992.05309 |           |
| 2476         |                      | 6+27.37     | 686705.13762   | 1540028.04057 |           |
|              | Center Point:        | 2475        | 686711.36267   | 1540024.83920 |           |
|              | Radius:              | 7.00        | '              |               |           |
|              | Delta:               | 60°00'00"   | Left           |               |           |
|              | Arc Length:          | 7.33        | '              |               |           |
|              | Chord Bearing:       | N32°47'04"E |                |               |           |
|              | Chord Length:        | 7.00        | '              |               |           |
|              | Middle Ordinate:     | 0.94        | '              |               |           |
|              | External:            | 1.08        | '              |               |           |
|              | Deg of Curvature:    | 818°30'40"  | Arc Definition |               |           |
|              | Tangent:             | 4.04        | '              |               |           |
|              | Curve PI:            |             | 686706.98655   | 1540031.63141 |           |
| 2474         |                      | 6+34.70     | 686711.02262   | 1540031.83093 |           |
|              | N02°47'04"E 29.95 '  |             |                |               |           |
| 2473         |                      | 6+64.64     | 686740.93726   | 1540033.28586 |           |
|              | Center Point:        | 2472        | 686761.34027   | 1539613.78173 |           |
|              | Radius:              | 420.00      | '              |               |           |
|              | Delta:               | 21°36'34"   | Left           |               |           |
|              | Arc Length:          | 158.41      | '              |               |           |
|              | Chord Bearing:       | N08°01'13"W |                |               |           |
|              | Chord Length:        | 157.47      | '              |               |           |
|              | Middle Ordinate:     | 7.45        | '              |               |           |
|              | External:            | 7.58        | '              |               |           |
|              | Deg of Curvature:    | 13°38'31"   | Arc Definition |               |           |
|              | Tangent:             | 80.16       | '              |               |           |
|              | Curve PI:            |             | 686820.99574   | 1540037.17655 |           |
| 2471         |                      | 8+23.05     | 686896.86700   | 1540011.31509 |           |
|              | Center Point:        | 2470        | 687019.48492   | 1540370.98834 |           |
|              | Radius:              | 380.00      | '              |               |           |
|              | Delta:               | 0°56'11"    | Right          |               |           |
|              | Arc Length:          | 6.21        | '              |               |           |
|              | Chord Bearing:       | N18°21'24"W |                |               |           |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----  
Chord Length: 6.21 '  
Middle Ordinate: 0.01 '  
External: 0.01 '  
Deg of Curvature: 15°04'40" Arc Definition  
Tangent: 3.11 '  
Curve PI: 686899.80293 1540010.31009  
2341 8+29.26 686902.76100 1540009.35936 0.00

-----  
Closing latitude = 0.00245  
Closing departure = 0.00325  
Closing bearing = S53°03'46"W  
Closing distance = 0.00407  
Total traverse length = 824.46 (829.26)  
Total error of closure = 1/202519  
Error of closure in latitude = 1/337004  
Error of closure in departure = 1/253373

Area = 43592.97 SQ FT  
Area = 1.001 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 137

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2340         |                      | 0+00.00     | 687092.81562   | 1539998.12896 | 0.00      |
|              | N78°52'23"W 134.44 ' |             |                |               |           |
| 2286         |                      | 1+34.44     | 687118.76031   | 1539866.21616 | 0.00      |
|              | S50°28'37"W 114.86 ' |             |                |               |           |
| 2058         |                      | 2+49.30     | 687045.66471   | 1539777.61676 | 0.00      |
|              | S15°47'33"E 200.58 ' |             |                |               |           |
| 2342         |                      | 4+49.88     | 686852.65588   | 1539832.20547 | 0.00      |
|              | N74°12'27"E 184.10 ' |             |                |               |           |
| 2341         |                      | 6+33.98     | 686902.75948   | 1540009.35636 | 0.00      |
|              | Center Point:        | 2470        | 687019.48137   | 1540370.98601 |           |
|              | Radius:              | 380.00      | '              |               |           |
|              | Delta:               | 29°00'56"   | Right          |               |           |
|              | Arc Length:          | 192.44      | '              |               |           |
|              | Chord Bearing:       | N03°22'50"W |                |               |           |
|              | Chord Length:        | 190.39      | '              |               |           |
|              | Middle Ordinate:     | 12.12       | '              |               |           |
|              | External:            | 12.52       | '              |               |           |
|              | Deg of Curvature:    | 15°04'40"   | Arc Definition |               |           |
|              | Tangent:             | 98.33       | '              |               |           |
|              | Curve PI:            |             | 686996.33451   | 1539979.15276 |           |
| 2340         |                      | 8+26.42     | 687092.81819   | 1539998.12952 | 0.00      |

-----  
 Closing latitude = 0.00256  
 Closing departure = 0.00057  
 Closing bearing = S12°27'55"W  
 Closing distance = 0.00262  
 Total traverse length = 824.37 (826.42)  
 Total error of closure = 1/314109  
 Error of closure in latitude = 1/321692  
 Error of closure in departure = 1/1455226

Area = 44111.09 SQ FT  
 Area = 1.013 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 138

| Point Number | Description         | Sta                      | Northing     | Easting       | Elevation |
|--------------|---------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance            |                          |              |               |           |
| 2319         |                     | 0+00.00                  | 687384.09765 | 1540059.91504 | 0.00      |
|              | S83°16'58"W 116.75' |                          |              |               |           |
| 2320         |                     | 1+16.75                  | 687370.44149 | 1539943.96646 | 0.00      |
|              | Center Point:       | 2321                     | 687271.12793 | 1539955.66339 |           |
|              | Radius:             | 100.00'                  |              |               |           |
|              | Delta:              | 31°27'44" Left           |              |               |           |
|              | Arc Length:         | 54.91'                   |              |               |           |
|              | Chord Bearing:      | S67°33'06"W              |              |               |           |
|              | Chord Length:       | 54.22'                   |              |               |           |
|              | Middle Ordinate:    | 3.75'                    |              |               |           |
|              | External:           | 3.89'                    |              |               |           |
|              | Deg of Curvature:   | 57°17'45" Arc Definition |              |               |           |
|              | Tangent:            | 28.17'                   |              |               |           |
|              | Curve PI:           |                          | 687367.14667 | 1539915.99065 |           |
| 2322         |                     | 1+71.66                  | 687349.73757 | 1539893.85502 | 0.00      |
|              | S51°49'14"W 5.71'   |                          |              |               |           |
| 2285         |                     | 1+77.37                  | 687346.20807 | 1539889.36651 | 0.00      |
|              | S05°48'38"W 228.62' |                          |              |               |           |
| 2286         |                     | 4+05.99                  | 687118.76270 | 1539866.22112 | 0.00      |
|              | S78°52'23"E 134.44' |                          |              |               |           |
| 2340         |                     | 5+40.43                  | 687092.81801 | 1539998.13392 | 0.00      |
|              | Center Point:       | 2470                     | 687019.48431 | 1540370.99069 |           |
|              | Radius:             | 380.00'                  |              |               |           |
|              | Delta:              | 19°39'56" Right          |              |               |           |
|              | Arc Length:         | 130.43'                  |              |               |           |
|              | Chord Bearing:      | N20°57'36"E              |              |               |           |
|              | Chord Length:       | 129.79'                  |              |               |           |
|              | Middle Ordinate:    | 5.58'                    |              |               |           |
|              | External:           | 5.67'                    |              |               |           |
|              | Deg of Curvature:   | 15°04'40" Arc Definition |              |               |           |
|              | Tangent:            | 65.86'                   |              |               |           |
|              | Curve PI:           |                          | 687157.43908 | 1540010.83929 |           |
| 2469         |                     | 6+70.86                  | 687214.01986 | 1540044.56189 |           |
|              | Center Point:       | 2468                     | 687301.04874 | 1539898.52774 |           |
|              | Radius:             | 170.00'                  |              |               |           |
|              | Delta:              | 37°30'36" Left           |              |               |           |
|              | Arc Length:         | 111.29'                  |              |               |           |
|              | Chord Bearing:      | N12°02'16"E              |              |               |           |
|              | Chord Length:       | 109.32'                  |              |               |           |
|              | Middle Ordinate:    | 9.03'                    |              |               |           |
|              | External:           | 9.53'                    |              |               |           |
|              | Deg of Curvature:   | 33°42'12" Arc Definition |              |               |           |
|              | Tangent:            | 57.72'                   |              |               |           |
|              | Curve PI:           |                          | 687263.60180 | 1540074.10667 |           |
| 2467         |                     | 7+82.15                  | 687320.93594 | 1540067.36130 |           |
|              | N06°43'02"W 63.61'  |                          |              |               |           |
| 2319         |                     | 8+45.76                  | 687384.10929 | 1540059.92088 | 0.00      |

-----  
 Closing latitude = 0.01165  
 Closing departure = 0.00585  
 Closing bearing = S26°39'49"W



CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|                               |   |                 |
|-------------------------------|---|-----------------|
| losing distance               | = | 0.01303         |
| Total traverse length         | = | 842.46 (845.76) |
| Total error of closure        | = | 1/64645         |
| Error of closure in latitude  | = | 1/72337         |
| Error of closure in departure | = | 1/144055        |
| Area                          | = | 44493.53 SQ FT  |
| Area                          | = | 1.021 ACRES     |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 139

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2285         |             | 0+00.00 | 687346.20822 | 1539889.36289 | 0.00      |
|              | S51°49'14"W |         |              |               |           |
| 2323         | 110.09 '    | 1+10.09 | 687278.15868 | 1539802.82349 | 0.00      |
|              | N88°28'20"W |         |              |               |           |
| 2303         | 145.44 '    | 2+55.53 | 687282.03635 | 1539657.43519 | 0.00      |
|              | S01°31'40"W |         |              |               |           |
| 2304         | 238.52 '    | 4+94.05 | 687043.60114 | 1539651.07586 | 0.00      |
|              | N84°00'57"E |         |              |               |           |
| 2057         | 42.81 '     | 5+36.87 | 687048.06423 | 1539693.65258 | 0.00      |
|              | S88°21'49"E |         |              |               |           |
| 2058         | 83.99 '     | 6+20.86 | 687045.66577 | 1539777.60833 | 0.00      |
|              | N50°28'37"E |         |              |               |           |
| 2286         | 114.86 '    | 7+35.73 | 687118.76138 | 1539866.20772 | 0.00      |
|              | N05°48'38"E |         |              |               |           |
| 2285         | 228.62 '    | 9+64.35 | 687346.20674 | 1539889.35312 | 0.00      |

Closing latitude = -0.00148  
Closing departure = -0.00977  
Closing bearing = N81°24'13"E  
Closing distance = 0.00989  
Total traverse length = 964.33 (964.35)  
Total error of closure = 1/97544  
Error of closure in latitude = 1/652587  
Error of closure in departure = 1/98652

Area = 50223.61 SQ FT  
Area = 1.153 ACRES

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 140

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2303         |             | 0+00.00  | 687282.03321 | 1539657.43260 | 0.00      |
|              | N38°56'33"W | 164.31   |              |               |           |
| 2283         |             | 1+64.31  | 687409.82977 | 1539554.15717 | 0.00      |
|              | N88°28'20"W | 221.04   |              |               |           |
| 2282         |             | 3+85.35  | 687415.72305 | 1539333.19574 | 0.00      |
|              | S01°31'40"W | 100.00   |              |               |           |
| 2302         |             | 4+85.35  | 687315.75860 | 1539330.52958 | 0.00      |
|              | S88°28'20"E | 72.42    |              |               |           |
| 2279         |             | 5+57.78  | 687313.82777 | 1539402.92384 | 0.00      |
|              | S51°15'07"E | 107.08   |              |               |           |
| 2280         |             | 6+64.85  | 687246.80672 | 1539486.43614 | 0.00      |
|              | S01°31'40"W | 221.17   |              |               |           |
| 2281         |             | 8+86.02  | 687025.71534 | 1539480.53940 | 0.00      |
|              | N84°00'57"E | 171.47   |              |               |           |
| 2304         |             | 10+57.49 | 687043.59171 | 1539651.07502 | 0.00      |
|              | N01°31'40"E | 238.52   |              |               |           |
| 2303         |             | 12+96.01 | 687282.02692 | 1539657.43434 | 0.00      |

Closing latitude = -0.00629  
Closing departure = 0.00174  
Closing bearing = N15°26'37"W  
Closing distance = 0.00653  
Total traverse length = 1296.01 (1296.01)  
Total error of closure = 1/198475  
Error of closure in latitude = 1/205910  
Error of closure in departure = 1/745339

Area = 75568.59 SQ FT  
Area = 1.735 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----  
CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 141

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2280         |             | 0+00.00 | 687246.81082 | 1539486.43282 | 0.00      |
|              | N51°15'07"W |         |              |               |           |
| 2279         | 107.08 '    | 1+07.08 | 687313.83187 | 1539402.92052 | 0.00      |
|              | N88°28'20"W |         |              |               |           |
| 2299         | 99.73 '     | 2+06.81 | 687316.49083 | 1539303.22597 | 0.00      |
|              | S01°31'40"W |         |              |               |           |
| 2298         | 283.84 '    | 4+90.65 | 687032.75173 | 1539295.65834 | 0.00      |
|              | S80°45'04"E |         |              |               |           |
| 2056         | 99.97 '     | 5+90.62 | 687016.68421 | 1539394.32868 | 0.00      |
|              | N84°00'57"E |         |              |               |           |
| 2281         | 86.68 '     | 6+77.30 | 687025.72091 | 1539480.53634 | 0.00      |
|              | N01°31'40"E |         |              |               |           |
| 2280         | 221.17 '    | 8+98.46 | 687246.81229 | 1539486.43308 | 0.00      |

-----  
Closing latitude = 0.00147  
Closing departure = 0.00026  
Closing bearing = S10°05'08"W  
Closing distance = 0.00150  
Total traverse length = 898.47 (898.46)  
Total error of closure = 1/600186  
Error of closure in latitude = 1/609606  
Error of closure in departure = 1/3427302

Area = 51081.13 SQ FT

Area = 1.173 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----  
CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 142

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2299         |             | 0+00.00 | 687316.48837 | 1539303.22526 | 0.00      |
|              | N88°28'20"W | 169.95  | '            |               |           |
| 2278         |             | 1+69.95 | 687321.01951 | 1539133.33567 | 0.00      |
|              | S75°36'40"W | 133.03  | '            |               |           |
| 2277         |             | 3+02.99 | 687287.96128 | 1539004.47864 | 0.00      |
|              | S51°32'23"E | 208.99  | '            |               |           |
| 2053         |             | 5+11.98 | 687157.97537 | 1539168.12608 | 0.00      |
|              | S39°07'03"E | 126.62  | '            |               |           |
| 2054         |             | 6+38.59 | 687059.73677 | 1539248.01226 | 0.00      |
|              | S58°50'26"E | 50.85   | '            |               |           |
| 2055         |             | 6+89.44 | 687033.42589 | 1539291.52616 | 0.00      |
|              | S80°45'04"E | 4.19    | '            |               |           |
| 2298         |             | 6+93.64 | 687032.75246 | 1539295.66169 | 0.00      |
|              | N01°31'40"E | 283.84  | '            |               |           |
| 2299         |             | 9+77.47 | 687316.49156 | 1539303.22932 | 0.00      |

-----  
Closing latitude = 0.00319  
Closing departure = 0.00406  
Closing bearing = S51°51'59"W  
Closing distance = 0.00516  
Total traverse length = 977.47 (977.47)  
Total error of closure = 1/189394  
Error of closure in latitude = 1/306712  
Error of closure in departure = 1/240784

Area = 44720.90 SQ FT  
Area = 1.027 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:45 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 143

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2300         |                   | 0+00.00     | 687597.48732   | 1539140.70450 | 0.00      |
|              | Center Point:     | 2439        | 687385.15073   | 1539083.14435 |           |
|              | Radius:           | 220.00      | '              |               |           |
|              | Delta:            | 38°57'01"   | Left           |               |           |
|              | Arc Length:       | 149.56      | '              |               |           |
|              | Chord Bearing:    | S85°41'32"W |                |               |           |
|              | Chord Length:     | 146.69      | '              |               |           |
|              | Middle Ordinate:  | 12.59       | '              |               |           |
|              | External:         | 13.35       | '              |               |           |
|              | Deg of Curvature: | 26°02'37"   | Arc Definition |               |           |
|              | Tangent:          | 77.80       | '              |               |           |
|              | Curve PI:         |             | 687617.84247   | 1539065.61598 |           |
| 2050         |                   | 1+49.56     | 687586.46884   | 1538994.42891 | 0.00      |
|              | S33°54'23"W       | 118.55      | '              |               |           |
| 2051         |                   | 2+68.11     | 687488.07825   | 1538928.29725 | 0.00      |
|              | S07°12'52"E       | 156.45      | '              |               |           |
| 2052         |                   | 4+24.56     | 687332.86686   | 1538947.94477 | 0.00      |
|              | S51°32'23"E       | 72.20       | '              |               |           |
| 2277         |                   | 4+96.76     | 687287.96049   | 1539004.48022 | 0.00      |
|              | N75°36'40"E       | 133.03      | '              |               |           |
| 2278         |                   | 6+29.79     | 687321.01871   | 1539133.33726 | 0.00      |
|              | N01°31'40"E       | 276.57      | '              |               |           |
| 2300         |                   | 9+06.35     | 687597.49040   | 1539140.71105 | 0.00      |

-----

Closing latitude = 0.00307  
 Closing departure = 0.00655  
 Closing bearing = S64°51'51"W  
 Closing distance = 0.00724  
 Total traverse length = 903.49 (906.35)  
 Total error of closure = 1/124868  
 Error of closure in latitude = 1/293971  
 Error of closure in departure = 1/137929

Area = 55128.28 SQ FT  
 Area = 1.266 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 144

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2301         |                   | 0+00.00     | 687592.73444   | 1539337.91323 | 0.00      |
|              | Center Point:     | 2435        | 686880.60901   | 1539498.46655 |           |
|              | Radius:           | 730.00      | '              |               |           |
|              | Delta:            | 2°00'26"    | Left           |               |           |
|              | Arc Length:       | 25.57       | '              |               |           |
|              | Chord Bearing:    | S76°17'28"W |                |               |           |
|              | Chord Length:     | 25.57       | '              |               |           |
|              | Middle Ordinate:  | 0.11        | '              |               |           |
|              | External:         | 0.11        | '              |               |           |
|              | Deg of Curvature: | 7°50'55"    | Arc Definition |               |           |
|              | Tangent:          | 12.79       | '              |               |           |
|              | Curve PI:         |             | 687589.92200   | 1539325.43890 |           |
| 2459         |                   | 0+25.57     | 687586.67463   | 1539313.07166 |           |
|              | Center Point:     | 2458        | 687847.82197   | 1539244.50004 |           |
|              | Radius:           | 270.00      | '              |               |           |
|              | Delta:            | 33°56'19"   | Right          |               |           |
|              | Arc Length:       | 159.93      | '              |               |           |
|              | Chord Bearing:    | N87°44'35"W |                |               |           |
|              | Chord Length:     | 157.60      | '              |               |           |
|              | Middle Ordinate:  | 11.76       | '              |               |           |
|              | External:         | 12.29       | '              |               |           |
|              | Deg of Curvature: | 21°13'15"   | Arc Definition |               |           |
|              | Tangent:          | 82.39       | '              |               |           |
|              | Curve PI:         |             | 687565.75020   | 1539233.38309 |           |
| 2457         |                   | 1+85.50     | 687592.88107   | 1539155.59391 |           |
|              | Center Point:     | 2439        | 687385.15126   | 1539083.14857 |           |
|              | Radius:           | 220.00      | '              |               |           |
|              | Delta:            | 4°03'32"    | Left           |               |           |
|              | Arc Length:       | 15.58       | '              |               |           |
|              | Chord Bearing:    | N72°48'12"W |                |               |           |
|              | Chord Length:     | 15.58       | '              |               |           |
|              | Middle Ordinate:  | 0.14        | '              |               |           |
|              | External:         | 0.14        | '              |               |           |
|              | Deg of Curvature: | 26°02'37"   | Arc Definition |               |           |
|              | Tangent:          | 7.80        | '              |               |           |
|              | Curve PI:         |             | 687595.44768   | 1539148.22859 |           |
| 2300         |                   | 2+01.09     | 687597.48733   | 1539140.71041 | 0.00      |
|              | S01°31'40"W       | 276.57      | '              |               |           |
| 2278         |                   | 4+77.65     | 687321.01565   | 1539133.33661 | 0.00      |
|              | S88°28'20"E       | 197.27      | '              |               |           |
| 2302         |                   | 6+74.92     | 687315.75611   | 1539330.53648 | 0.00      |
|              | N01°31'40"E       | 277.07      | '              |               |           |
| 2301         |                   | 9+51.99     | 687592.72762   | 1539337.92361 | 0.00      |

-----  
 Closing latitude = -0.00682  
 Closing departure = 0.01038  
 Closing bearing = N56°43'03"W  
 Closing distance = 0.01242  
 Total traverse length = 949.66 (951.99)  
 Total error of closure = 1/76457  
 Error of closure in latitude = 1/139324

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

rror of closure in departure = 1/91458

Area = 52396.50 SQ FT

Area = 1.203 ACRES



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 145

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2284         |                   | 0+00.00     | 687606.60111   | 1539574.86005 | 0.00      |
|              | Center Point:     | 2435        | 686880.60938   | 1539498.46628 |           |
|              | Radius:           | 730.00      | '              |               |           |
|              | Delta:            | 18°42'44"   | Left           |               |           |
|              | Arc Length:       | 238.41      | '              |               |           |
|              | Chord Bearing:    | S86°39'03"W |                |               |           |
|              | Chord Length:     | 237.35      | '              |               |           |
|              | Middle Ordinate:  | 9.71        | '              |               |           |
|              | External:         | 9.84        | '              |               |           |
|              | Deg of Curvature: | 7°50'55"    | Arc Definition |               |           |
|              | Tangent:          | 120.28      | '              |               |           |
|              | Curve PI:         |             | 687619.18768   | 1539455.24432 |           |
| 2301         |                   | 2+38.41     | 687592.73496   | 1539337.91543 | 0.00      |
|              | S01°31'40"W       | 177.07      | '              |               |           |
| 2282         |                   | 4+15.48     | 687415.72790   | 1539333.19447 | 0.00      |
|              | S88°28'20"E       | 221.04      | '              |               |           |
| 2283         |                   | 6+36.52     | 687409.83462   | 1539554.15589 | 0.00      |
|              | N06°00'25"E       | 197.86      | '              |               |           |
| 2284         |                   | 8+34.38     | 687606.60822   | 1539574.86174 | 0.00      |

-----

Closing latitude = 0.00711  
 Closing departure = 0.00169  
 Closing bearing = S13°21'56"W  
 Closing distance = 0.00731  
 Total traverse length = 833.32 (834.38)  
 Total error of closure = 1/114074  
 Error of closure in latitude = 1/117250  
 Error of closure in departure = 1/493483

Area = 44277.22 SQ FT  
 Area = 1.016 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 146

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2351         |                   | 0+00.00     | 687550.62401   | 1539796.62013 | 0.00      |
|              | Center Point:     | 2433        | 688441.61243   | 1540063.15276 |           |
|              | Radius:           | 930.00      | '              |               |           |
|              | Delta:            | 3°14'00"    | Right          |               |           |
|              | Arc Length:       | 52.48       | '              |               |           |
|              | Chord Bearing:    | N71°43'46"W |                |               |           |
|              | Chord Length:     | 52.47       | '              |               |           |
|              | Middle Ordinate:  | 0.37        | '              |               |           |
|              | External:         | 0.37        | '              |               |           |
|              | Deg of Curvature: | 6°09'39"    | Arc Definition |               |           |
|              | Tangent:          | 26.25       | '              |               |           |
|              | Curve PI:         |             | 687558.14624   | 1539771.47397 |           |
| 2460         |                   | 0+52.48     | 687567.07359   | 1539746.79532 |           |
|              | Center Point:     | 2435        | 686880.60786   | 1539498.47133 |           |
|              | Radius:           | 730.00      | '              |               |           |
|              | Delta:            | 13°52'50"   | Left           |               |           |
|              | Arc Length:       | 176.85      | '              |               |           |
|              | Chord Bearing:    | N77°03'11"W |                |               |           |
|              | Chord Length:     | 176.42      | '              |               |           |
|              | Middle Ordinate:  | 5.35        | '              |               |           |
|              | External:         | 5.39        | '              |               |           |
|              | Deg of Curvature: | 7°50'55"    | Arc Definition |               |           |
|              | Tangent:          | 88.86       | '              |               |           |
|              | Curve PI:         |             | 687597.30219   | 1539663.23178 |           |
| 2284         |                   | 2+29.33     | 687606.60026   | 1539574.86027 | 0.00      |
|              | S06°00'25"W       | 197.86      | '              |               |           |
| 2283         |                   | 4+27.19     | 687409.82667   | 1539554.15442 | 0.00      |
|              | S38°56'33"E       | 119.99      | '              |               |           |
| 2349         |                   | 5+47.17     | 687316.50119   | 1539629.57296 | 0.00      |
|              | N51°17'30"E       | 100.21      | '              |               |           |
| 2350         |                   | 6+47.39     | 687379.16813   | 1539707.77077 | 0.00      |
|              | N27°23'38"E       | 193.10      | '              |               |           |
| 2351         |                   | 8+40.49     | 687550.61476   | 1539796.61707 | 0.00      |

-----

Closing latitude = -0.00925  
 Closing departure = -0.00306  
 Closing bearing = N18°19'46"E  
 Closing distance = 0.00975  
 Total traverse length = 840.05 (840.49)  
 Total error of closure = 1/86197  
 Error of closure in latitude = 1/90804  
 Error of closure in departure = 1/274098

Area = 43986.05 SQ FT  
 Area = 1.010 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 147

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2347         |                   | 0+00.00     | 687525.52940   | 1539902.86717 | 0.00      |
|              | Center Point:     | 2433        | 688441.61278   | 1540063.15208 |           |
|              | Radius:           | 930.00      | '              |               |           |
|              | Delta:            | 6°43'47"    | Right          |               |           |
|              | Arc Length:       | 109.23      | '              |               |           |
|              | Chord Bearing:    | N76°42'39"W |                |               |           |
|              | Chord Length:     | 109.17      | '              |               |           |
|              | Middle Ordinate:  | 1.60        | '              |               |           |
|              | External:         | 1.61        | '              |               |           |
|              | Deg of Curvature: | 6°09'39"    | Arc Definition |               |           |
|              | Tangent:          | 54.68       | '              |               |           |
|              | Curve PI:         |             | 687534.95330   | 1539849.00593 |           |
| 2351         |                   | 1+09.23     | 687550.62385   | 1539796.62048 | 0.00      |
|              | S27°23'38"W       | 193.10      | '              |               |           |
| 2350         |                   | 3+02.33     | 687379.17722   | 1539707.77419 | 0.00      |
|              | S51°17'30"W       | 100.21      | '              |               |           |
| 2349         |                   | 4+02.55     | 687316.51028   | 1539629.57637 | 0.00      |
|              | S38°56'33"E       | 44.32       | '              |               |           |
| 2303         |                   | 4+46.87     | 687282.03919   | 1539657.43327 | 0.00      |
|              | S88°28'20"E       | 145.44      | '              |               |           |
| 2323         |                   | 5+92.31     | 687278.16153   | 1539802.82157 | 0.00      |
|              | N51°49'14"E       | 115.80      | '              |               |           |
| 2322         |                   | 7+08.11     | 687349.74057   | 1539893.84948 | 0.00      |
|              | Center Point:     | 2321        | 687271.13270   | 1539955.66213 |           |
|              | Radius:           | 100.00      | '              |               |           |
|              | Delta:            | 7°15'26"    | Right          |               |           |
|              | Arc Length:       | 12.67       | '              |               |           |
|              | Chord Bearing:    | N55°26'57"E |                |               |           |
|              | Chord Length:     | 12.66       | '              |               |           |
|              | Middle Ordinate:  | 0.20        | '              |               |           |
|              | External:         | 0.20        | '              |               |           |
|              | Deg of Curvature: | 57°17'45"   | Arc Definition |               |           |
|              | Tangent:          | 6.34        | '              |               |           |
|              | Curve PI:         |             | 687353.65563   | 1539898.83388 |           |
| 2348         |                   | 7+20.78     | 687356.92053   | 1539904.27655 | 0.00      |
|              | N00°28'41"W       | 168.62      | '              |               |           |
| 2347         |                   | 8+89.40     | 687525.53466   | 1539902.86967 | 0.00      |

-----

Closing latitude = 0.00525  
 Closing departure = 0.00250  
 Closing bearing = S25°26'55"W  
 Closing distance = 0.00582  
 Total traverse length = 889.32 (889.40)  
 Total error of closure = 1/152815  
 Error of closure in latitude = 1/169235  
 Error of closure in departure = 1/355631

Area = 44856.28 SQ FT  
 Area = 1.030 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----  
CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 148

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2363         |             | 0+00.00 | 684678.63743 | 1538448.71038 |           |
|              | N89°59'56"W | 207.49  | '            |               |           |
| 2368         |             | 2+07.49 | 684678.64146 | 1538241.22038 |           |
|              | S12°12'04"E | 189.61  | '            |               |           |
| 2171         |             | 3+97.09 | 684493.31441 | 1538281.29327 |           |
|              | N77°47'56"E | 195.36  | '            |               |           |
| 2367         |             | 5+92.45 | 684534.60252 | 1538472.24044 | 2488.00   |
|              | N09°16'41"W | 145.94  | '            |               |           |
| 2363         |             | 7+38.39 | 684678.63327 | 1538448.71114 |           |

-----  
Closing latitude = -0.00417  
Closing departure = 0.00076  
Closing bearing = N10°18'40"W  
Closing distance = 0.00423  
Total traverse length = 738.40 (738.39)  
Total error of closure = 1/174378  
Error of closure in latitude = 1/177241  
Error of closure in departure = 1/974233

Area = 33462.36 SQ FT  
Area = 0.768 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449  
 Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 149

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2368         |                      | 0+00.00     | 684678.64118   | 1538241.22521 |           |
|              | N89°59'56"W 113.48 ' |             |                |               |           |
| 1337         |                      | 1+13.48     | 684678.64338   | 1538127.74521 |           |
|              | S44°01'26"W 236.40 ' |             |                |               |           |
| 2381         |                      | 3+49.88     | 684508.65993   | 1537963.45709 |           |
|              | Center Point:        | 2577        | 684462.79269   | 1538010.91439 |           |
|              | Radius:              | 66.00       | '              |               |           |
|              | Delta:               | 139°27'33"  | Right          |               |           |
|              | Arc Length:          | 160.65      | '              |               |           |
|              | Chord Bearing:       | S66°14'48"E |                |               |           |
|              | Chord Length:        | 123.83      | '              |               |           |
|              | Middle Ordinate:     | 43.13       | '              |               |           |
|              | External:            | 124.50      | '              |               |           |
|              | Deg of Curvature:    | 86°48'42"   | Arc Definition |               |           |
|              | Tangent:             | 178.71      | '              |               |           |
|              | Curve PI:            |             | 684637.16012   | 1538087.64861 |           |
| 2576         |                      | 5+10.53     | 684458.78122   | 1538076.79721 |           |
|              | Center Point:        | 2575        | 684458.17368   | 1538086.77873 |           |
|              | Radius:              | 10.00       | '              |               |           |
|              | Delta:               | 58°14'35"   | Left           |               |           |
|              | Arc Length:          | 10.17       | '              |               |           |
|              | Chord Bearing:       | S25°38'19"E |                |               |           |
|              | Chord Length:        | 9.73        | '              |               |           |
|              | Middle Ordinate:     | 1.26        | '              |               |           |
|              | External:            | 1.45        | '              |               |           |
|              | Deg of Curvature:    | 572°57'28"  | Arc Definition |               |           |
|              | Tangent:             | 5.57        | '              |               |           |
|              | Curve PI:            |             | 684453.22449   | 1538076.45331 |           |
| 2366         |                      | 5+20.69     | 684450.00922   | 1538081.00731 | 2488.00   |
|              | N77°47'56"E 204.92 ' |             |                |               |           |
| 2171         |                      | 7+25.61     | 684493.31778   | 1538281.29854 |           |
|              | N12°12'04"W 189.61 ' |             |                |               |           |
| 2368         |                      | 9+15.22     | 684678.64483   | 1538241.22565 |           |

-----

Closing latitude = 0.00366  
 Closing departure = 0.00044  
 Closing bearing = S06°48'17"W  
 Closing distance = 0.00368  
 Total traverse length = 877.97 (915.22)  
 Total error of closure = 1/238482  
 Error of closure in latitude = 1/240173  
 Error of closure in departure = 1/2012774

Area = 42938.93 SQ FT  
 Area = 0.986 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 150

| Point Number | Description          | Sta                      | Northing     | Easting       | Elevation |
|--------------|----------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance             |                          |              |               |           |
| 2171         |                      | 0+00.00                  | 684493.31897 | 1538281.29687 |           |
|              | S77°47'56"W 204.92 ' |                          |              |               |           |
| 2366         |                      | 2+04.92                  | 684450.01041 | 1538081.00565 | 2488.00   |
|              | S54°45'36"E 18.58 '  |                          |              |               |           |
| 2574         |                      | 2+23.50                  | 684439.28970 | 1538096.18072 |           |
|              | Center Point:        | 2573                     | 684312.69465 | 1538006.74531 |           |
|              | Radius:              | 155.00'                  |              |               |           |
|              | Delta:               | 20°37'33" Right          |              |               |           |
|              | Arc Length:          | 55.80'                   |              |               |           |
|              | Chord Bearing:       | S44°26'50"E              |              |               |           |
|              | Chord Length:        | 55.50'                   |              |               |           |
|              | Middle Ordinate:     | 2.50'                    |              |               |           |
|              | External:            | 2.55'                    |              |               |           |
|              | Deg of Curvature:    | 36°57'54" Arc Definition |              |               |           |
|              | Tangent:             | 28.20'                   |              |               |           |
|              | Curve PI:            |                          | 684423.01683 | 1538119.21216 |           |
| 2572         |                      | 2+79.30                  | 684399.66848 | 1538135.04470 |           |
|              | S34°08'04"E 128.33 ' |                          |              |               |           |
| 2571         |                      | 4+07.62                  | 684293.44677 | 1538207.05537 |           |
|              | Center Point:        | 2570                     | 684346.75476 | 1538285.68907 |           |
|              | Radius:              | 95.00'                   |              |               |           |
|              | Delta:               | 17°13'36" Left           |              |               |           |
|              | Arc Length:          | 28.56'                   |              |               |           |
|              | Chord Bearing:       | S42°44'52"E              |              |               |           |
|              | Chord Length:        | 28.46'                   |              |               |           |
|              | Middle Ordinate:     | 1.07'                    |              |               |           |
|              | External:            | 1.08'                    |              |               |           |
|              | Deg of Curvature:    | 60°18'41" Arc Definition |              |               |           |
|              | Tangent:             | 14.39'                   |              |               |           |
|              | Curve PI:            |                          | 684281.54192 | 1538215.12169 |           |
| 2569         |                      | 4+36.19                  | 684272.54720 | 1538226.37323 |           |
|              | S51°21'39"E 28.24 '  |                          |              |               |           |
| 2364         |                      | 4+64.42                  | 684254.91376 | 1538248.43132 |           |
|              | N77°47'56"E 82.52 '  |                          |              |               |           |
| 2369         |                      | 5+46.94                  | 684272.35385 | 1538329.08734 |           |
|              | N12°12'04"W 226.06 ' |                          |              |               |           |
| 2171         |                      | 7+73.00                  | 684493.30756 | 1538281.31098 |           |

-----  
 Closing latitude = -0.01141  
 Closing departure = 0.01410  
 Closing bearing = N51°01'19"W  
 Closing distance = 0.01814  
 Total traverse length = 772.61 (773.00)  
 Total error of closure = 1/42586  
 Error of closure in latitude = 1/67703  
 Error of closure in departure = 1/54782

Area = 32137.89 SQ FT  
 Area = 0.738 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 151

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2367         |             | 0+00.00  | 684534.60600 | 1538472.23988 | 2488.00   |
|              | S77°47'56"W | 195.36 ' |              |               |           |
| 2171         |             | 1+95.36  | 684493.31788 | 1538281.29271 |           |
|              | S12°12'04"E | 226.06 ' |              |               |           |
| 2369         |             | 4+21.41  | 684272.36417 | 1538329.06908 |           |
|              | N77°47'56"E | 183.81 ' |              |               |           |
| 2365         |             | 6+05.23  | 684311.21127 | 1538508.72714 |           |
|              | N09°16'41"W | 226.35 ' |              |               |           |
| 2367         |             | 8+31.58  | 684534.60005 | 1538472.23367 | 2488.00   |

Closing latitude = -0.00595  
Closing departure = -0.00621  
Closing bearing = N46°13'48"E  
Closing distance = 0.00860  
Total traverse length = 831.58 (831.58)  
Total error of closure = 1/96746  
Error of closure in latitude = 1/139854  
Error of closure in departure = 1/133975

Area = 42857.28 SQ FT  
Area = 0.984 ACRES

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 152

| Point Number      | Description | Sta         | Northing       | Easting       | Elevation |
|-------------------|-------------|-------------|----------------|---------------|-----------|
| Bearing           | Distance    |             |                |               |           |
| 2365              |             | 0+00.00     | 684311.21376   | 1538508.73404 |           |
| S77°47'56"W       | 266.33 '    |             |                |               |           |
| 2364              |             | 2+66.33     | 684254.92658   | 1538248.41995 |           |
| S51°21'39"E       | 241.97 '    |             |                |               |           |
| 2568              |             | 5+08.31     | 684103.83720   | 1538437.42122 |           |
| Center Point:     |             | 2567        | 684174.13564   | 1538493.61846 |           |
| Radius:           |             | 90.00       | '              |               |           |
| Delta:            |             | 71°40'03"   | Left           |               |           |
| Arc Length:       |             | 112.58      | '              |               |           |
| Chord Bearing:    |             | S87°11'41"E |                |               |           |
| Chord Length:     |             | 105.38      | '              |               |           |
| Middle Ordinate:  |             | 17.04       | '              |               |           |
| External:         |             | 21.01       | '              |               |           |
| Deg of Curvature: |             | 63°39'43"   | Arc Definition |               |           |
| Tangent:          |             | 64.99       | '              |               |           |
| Curve PI:         |             |             | 684063.25461   | 1538488.18323 |           |
| 2566              |             | 6+20.88     | 684098.67972   | 1538542.67494 |           |
| N56°58'18"E       | 0.84 '      |             |                |               |           |
| 2362              |             | 6+21.73     | 684099.13756   | 1538543.37920 |           |
| N09°16'41"W       | 214.89 '    |             |                |               |           |
| 2365              |             | 8+36.61     | 684311.21627   | 1538508.73338 |           |

Closing latitude = 0.00251  
Closing departure = -0.00066  
Closing bearing = S14°45'52"E  
Closing distance = 0.00260  
Total traverse length = 829.41 (836.61)  
Total error of closure = 1/319599  
Error of closure in latitude = 1/330512  
Error of closure in departure = 1/1254082

Area = 37386.91 SQ FT  
Area = 0.858 ACRES



CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:46 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 153

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2352         |                      | 0+00.00     | 684488.64874   | 1537950.18829 |           |
|              | S23°03'43"W 261.01 ' |             |                |               |           |
| 2360         |                      | 2+61.01     | 684248.49816   | 1537847.94387 |           |
|              | S86°14'48"E 341.10 ' |             |                |               |           |
| 2361         |                      | 6+02.11     | 684226.16935   | 1538188.31225 |           |
|              | Center Point:        | 2570        | 684346.76400   | 1538285.68745 |           |
|              | Radius:              | 155.00      | '              |               |           |
|              | Delta:               | 16°56'46"   | Right          |               |           |
|              | Arc Length:          | 45.84       | '              |               |           |
|              | Chord Bearing:       | N42°36'27"W |                |               |           |
|              | Chord Length:        | 45.68       | '              |               |           |
|              | Middle Ordinate:     | 1.69        | '              |               |           |
|              | External:            | 1.71        | '              |               |           |
|              | Deg of Curvature:    | 36°57'54"   | Arc Definition |               |           |
|              | Tangent:             | 23.09       | '              |               |           |
|              | Curve PI:            |             | 684240.67208   | 1538170.34048 |           |
| 2586         |                      | 6+47.95     | 684259.79022   | 1538157.38815 |           |
|              | N34°08'04"W 128.33 ' |             |                |               |           |
| 2585         |                      | 7+76.28     | 684366.01193   | 1538085.37748 |           |
|              | Center Point:        | 2573        | 684312.70395   | 1538006.74378 |           |
|              | Radius:              | 95.00       | '              |               |           |
|              | Delta:               | 20°37'33"   | Left           |               |           |
|              | Arc Length:          | 34.20       | '              |               |           |
|              | Chord Bearing:       | N44°26'50"W |                |               |           |
|              | Chord Length:        | 34.01       | '              |               |           |
|              | Middle Ordinate:     | 1.53        | '              |               |           |
|              | External:            | 1.56        | '              |               |           |
|              | Deg of Curvature:    | 60°18'41"   | Arc Definition |               |           |
|              | Tangent:             | 17.29       | '              |               |           |
|              | Curve PI:            |             | 684380.31179   | 1538075.67507 |           |
| 2584         |                      | 8+10.48     | 684390.29153   | 1538061.56191 |           |
|              | N54°45'36"W 18.58 '  |             |                |               |           |
| 2583         |                      | 8+29.06     | 684401.01224   | 1538046.38684 |           |
|              | Center Point:        | 2582        | 684392.84482   | 1538040.61681 |           |
|              | Radius:              | 10.00       | '              |               |           |
|              | Delta:               | 58°14'35"   | Left           |               |           |
|              | Arc Length:          | 10.17       | '              |               |           |
|              | Chord Bearing:       | N83°52'54"W |                |               |           |
|              | Chord Length:        | 9.73        | '              |               |           |
|              | Middle Ordinate:     | 1.26        | '              |               |           |
|              | External:            | 1.45        | '              |               |           |
|              | Deg of Curvature:    | 572°57'28"  | Arc Definition |               |           |
|              | Tangent:             | 5.57        | '              |               |           |
|              | Curve PI:            |             | 684404.21988   | 1538041.83324 |           |
| 2581         |                      | 8+39.22     | 684402.04928   | 1538036.71226 |           |
|              | Center Point:        | 2577        | 684462.80110   | 1538010.92047 |           |
|              | Radius:              | 66.00       | '              |               |           |
|              | Delta:               | 136°03'55"  | Right          |               |           |
|              | Arc Length:          | 156.74      | '              |               |           |
|              | Chord Bearing:       | N44°58'14"W |                |               |           |
|              | Chord Length:        | 122.42      | '              |               |           |
|              | Middle Ordinate:     | 41.31       | '              |               |           |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|                   |                                    |
|-------------------|------------------------------------|
| External:         | 110.43 '                           |
| Deg of Curvature: | 86°48'42" Arc Definition           |
| Tangent:          | 163.62 '                           |
| Curve PI:         | 684338.10139 1537886.09236         |
| 2352              | 9+95.96 684488.65777 1537950.19275 |

---

|                               |                   |
|-------------------------------|-------------------|
| Closing latitude              | = 0.00903         |
| Closing departure             | = 0.00445         |
| Closing bearing               | = S26°14'28"W     |
| Closing distance              | = 0.01007         |
| Total traverse length         | = 960.86 (995.96) |
| Total error of closure        | = 1/95405         |
| Error of closure in latitude  | = 1/106367        |
| Error of closure in departure | = 1/215776        |

|      |                  |
|------|------------------|
| Area | = 40707.24 SQ FT |
| Area | = 0.935 ACRES    |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 154

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2372         |             | 0+00.00 | 684236.78471 | 1538026.44403 |           |
|              | N86°14'48"W | 178.89  |              |               |           |
| 2360         |             | 1+78.89 | 684248.49506 | 1537847.93773 |           |
|              | S23°03'43"W | 188.02  |              |               |           |
| 1338         |             | 3+66.91 | 684075.50127 | 1537774.28539 |           |
|              | S22°28'11"E | 83.70   |              |               |           |
| 2370         |             | 4+50.60 | 683998.15563 | 1537806.27512 | -2383.00  |
|              | S90°00'00"E | 182.42  |              |               |           |
| 2354         |             | 6+33.03 | 683998.15563 | 1537988.69512 | -2383.00  |
|              | N77°47'56"E | 22.92   |              |               |           |
| 2371         |             | 6+55.95 | 684002.99963 | 1538011.09740 |           |
|              | N03°45'13"E | 234.29  |              |               |           |
| 2372         |             | 8+90.24 | 684236.78703 | 1538026.43544 |           |

-----

Closing latitude = 0.00232  
 Closing departure = -0.00859  
 Closing bearing = S74°52'41"E  
 Closing distance = 0.00890  
 Total traverse length = 890.24 (890.24)  
 Total error of closure = 1/99998  
 Error of closure in latitude = 1/383322  
 Error of closure in departure = 1/103585

Area = 52549.54 SQ FT  
 Area = 1.206 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
 or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 155

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2361         |                      | 0+00.00     | 684226.16599   | 1538188.30560 |           |
|              | N86°14'48"W 162.21 ' |             |                |               |           |
| 2372         |                      | 1+62.21     | 684236.78445   | 1538026.44352 |           |
|              | S03°45'13"W 234.29 ' |             |                |               |           |
| 2371         |                      | 3+96.50     | 684002.99705   | 1538011.10549 |           |
|              | N77°47'56"E 367.50 ' |             |                |               |           |
| 2355         |                      | 7+64.00     | 684080.66588   | 1538370.30433 | -2383.00  |
|              | N51°21'39"W 232.25 ' |             |                |               |           |
| 2587         |                      | 9+96.25     | 684225.68596   | 1538188.89529 |           |
|              | Center Point:        | 2570        | 684346.75550   | 1538285.67941 |           |
|              | Radius:              | 155.00      | '              |               |           |
|              | Delta:               | 0°16'49"    | Right          |               |           |
|              | Arc Length:          | 0.76        | '              |               |           |
|              | Chord Bearing:       | N51°13'15"W |                |               |           |
|              | Chord Length:        | 0.76        | '              |               |           |
|              | Middle Ordinate:     | 0.00        | '              |               |           |
|              | External:            | 0.00        | '              |               |           |
|              | Deg of Curvature:    | 36°57'54"   | Arc Definition |               |           |
|              | Tangent:             | 0.38        | '              |               |           |
|              | Curve PI:            |             | 684225.92777   | 1538188.60063 |           |
| 2361         |                      | 9+97.01     | 684226.16196   | 1538188.30282 |           |

-----  
 Closing latitude = -0.00403  
 Closing departure = -0.00279  
 Closing bearing = N34°38'31"E  
 Closing distance = 0.00490  
 Total traverse length = 997.01 (997.01)  
 Total error of closure = 1/203466  
 Error of closure in latitude = 1/247309  
 Error of closure in departure = 1/357935

Area = 52200.37 SQ FT  
 Area = 1.198 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 156

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2354         |             | 0+00.00 | 683998.15724 | 1537988.70099 | -2383.00  |
|              | N90°00'00"W |         |              |               |           |
| 2370         | 182.42 '    | 1+82.42 | 683998.15724 | 1537806.28099 | -2383.00  |
|              | S22°28'11"E |         |              |               |           |
| 1339         | 275.26 '    | 4+57.69 | 683743.79453 | 1537911.48403 |           |
|              | S89°31'43"E |         |              |               |           |
| 2353         | 75.09 '     | 5+32.77 | 683743.17675 | 1537986.57149 | -2383.00  |
|              | N00°28'48"E |         |              |               |           |
| 2354         | 254.99 '    | 7+87.76 | 683998.15780 | 1537988.70766 | -2383.00  |

Closing latitude = 0.00056  
Closing departure = 0.00667  
Closing bearing = S85°11'06"W  
Closing distance = 0.00670  
Total traverse length = 787.76 (787.76)  
Total error of closure = 1/117652  
Error of closure in latitude = 1/1401685  
Error of closure in departure = 1/118069

Area = 32774.39 SQ FT  
Area = 0.752 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 157

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2356         |             | 0+00.00 | 684040.92554 | 1538186.49457 | -2383.00  |
|              | S77°47'56"W |         |              |               |           |
| 2354         | 202.36 '    | 2+02.36 | 683998.15802 | 1537988.70552 | -2383.00  |
|              | S00°28'48"W |         |              |               |           |
| 2353         | 254.99 '    | 4+57.36 | 683743.17697 | 1537986.56934 | -2383.00  |
|              | S89°31'43"E |         |              |               |           |
| 2357         | 197.43 '    | 6+54.78 | 683741.55267 | 1538183.99266 | -2383.00  |
|              | N00°28'48"E |         |              |               |           |
| 2356         | 299.38 '    | 9+54.17 | 684040.92217 | 1538186.50071 | -2383.00  |

Closing latitude = -0.00337  
Closing departure = 0.00614  
Closing bearing = N61°13'20"W  
Closing distance = 0.00701  
Total traverse length = 954.16 (954.17)  
Total error of closure = 1/136127  
Error of closure in latitude = 1/282768  
Error of closure in departure = 1/155309

Area = 54724.78 SQ FT  
Area = 1.256 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 158

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2355         |             | 0+00.00  | 684080.67068 | 1538370.30668 | -2383.00  |
|              | S77°47'56"W | 188.06   |              |               |           |
| 2356         |             | 1+88.06  | 684040.92537 | 1538186.49462 | -2383.00  |
|              | S00°28'48"W | 299.38   |              |               |           |
| 2357         |             | 4+87.44  | 683741.55588 | 1538183.98657 | -2383.00  |
|              | S89°31'43"E | 206.65   |              |               |           |
| 2359         |             | 6+94.09  | 683739.85573 | 1538390.62957 | -2383.00  |
|              | N00°28'48"E | 322.43   |              |               |           |
| 2358         |             | 10+16.52 | 684062.27441 | 1538393.33072 | -2383.00  |
|              | N51°21'39"W | 29.47    |              |               |           |
| 2355         |             | 10+45.99 | 684080.67588 | 1538370.31189 | -2383.00  |

Closing latitude = 0.00521  
Closing departure = 0.00521  
Closing bearing = S45°01'05"W  
Closing distance = 0.00737  
Total traverse length = 1045.99 (1045.99)  
Total error of closure = 1/142005  
Error of closure in latitude = 1/200889  
Error of closure in departure = 1/200762

Area = 66397.08 SQ FT  
Area = 1.524 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT S-3

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2174         |                      | 0+00.00     | 685309.90646   | 1540672.28929 |           |
|              | N77°14'39"W 77.44 '  |             |                |               |           |
| 2269         |                      | 0+77.44     | 685327.00495   | 1540596.76052 | 0.00      |
|              | N39°12'48"W 118.06 ' |             |                |               |           |
| 2270         |                      | 1+95.49     | 685418.47753   | 1540522.12185 | 0.00      |
|              | Center Point:        | 2518        | 685421.08421   | 1540442.16433 |           |
|              | Radius:              | 80.00       | '              |               |           |
|              | Delta:               | 32°26'14"   | Right          |               |           |
|              | Arc Length:          | 45.29       | '              |               |           |
|              | Chord Bearing:       | S18°05'10"W |                |               |           |
|              | Chord Length:        | 44.69       | '              |               |           |
|              | Middle Ordinate:     | 3.18        | '              |               |           |
|              | External:            | 3.32        | '              |               |           |
|              | Deg of Curvature:    | 71°37'11"   | Arc Definition |               |           |
|              | Tangent:             | 23.27       | '              |               |           |
|              | Curve PI:            |             | 685395.21616   | 1540521.36861 |           |
| 2525         |                      | 2+40.78     | 685375.99562   | 1540508.24802 |           |
|              | S34°18'17"W 30.31 '  |             |                |               |           |
| 2524         |                      | 2+71.10     | 685350.95799   | 1540491.16548 |           |
|              | Center Point:        | 2521        | 685503.12841   | 1540268.13148 |           |
|              | Radius:              | 270.00      | '              |               |           |
|              | Delta:               | 7°51'23"    | Right          |               |           |
|              | Arc Length:          | 37.02       | '              |               |           |
|              | Chord Bearing:       | S38°13'58"W |                |               |           |
|              | Chord Length:        | 36.99       | '              |               |           |
|              | Middle Ordinate:     | 0.63        | '              |               |           |
|              | External:            | 0.64        | '              |               |           |
|              | Deg of Curvature:    | 21°13'14"   | Arc Definition |               |           |
|              | Tangent:             | 18.54       | '              |               |           |
|              | Curve PI:            |             | 685335.63728   | 1540480.71955 |           |
| 2523         |                      | 3+08.12     | 685321.90223   | 1540468.27393 |           |
|              | S42°09'39"W 48.51 '  |             |                |               |           |
| 2376         |                      | 3+56.63     | 685285.94354   | 1540435.71333 |           |
|              | S25°11'33"W 68.65 '  |             |                |               |           |
| 2377         |                      | 4+25.28     | 685223.82333   | 1540406.49172 |           |
|              | S40°21'03"E 93.55 '  |             |                |               |           |
| 2378         |                      | 5+18.83     | 685152.52942   | 1540467.06218 |           |
|              | S80°51'40"E 92.36 '  |             |                |               |           |
| 2379         |                      | 6+11.19     | 685137.86005   | 1540558.24978 |           |
|              | N64°26'10"E 93.34 '  |             |                |               |           |
| 2380         |                      | 7+04.53     | 685178.13787   | 1540642.45223 |           |
|              | N12°45'21"E 135.11 ' |             |                |               |           |
| 2174         |                      | 8+39.64     | 685309.91334   | 1540672.28408 |           |

-----  
 Closing latitude = 0.00688  
 Closing departure = -0.00521  
 Closing bearing = S37°07'50"E  
 Closing distance = 0.00863  
 Total traverse length = 839.01 (839.64)  
 Total error of closure = 1/97232  
 Error of closure in latitude = 1/121958



CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

rror of closure in departure = 1/161079

Area = 43306.27 SQ FT

Area = 0.994 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT S-2

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2164         |                      | 0+00.00     | 683893.55923   | 1540487.44498 |           |
|              | S81°33'11"W 47.33 '  |             |                |               |           |
| 2163         |                      | 0+47.33     | 683886.60676   | 1540440.62840 |           |
|              | N84°16'35"W 148.18 ' |             |                |               |           |
| 2162         |                      | 1+95.51     | 683901.38472   | 1540293.18714 |           |
|              | S12°45'21"W 179.87 ' |             |                |               |           |
| 2161         |                      | 3+75.37     | 683725.95394   | 1540253.47243 |           |
|              | S89°34'25"E 129.92 ' |             |                |               |           |
| 2551         |                      | 5+05.29     | 683724.98710   | 1540383.38884 |           |
|              | N24°04'28"E 43.31 '  |             |                |               |           |
| 2550         |                      | 5+48.60     | 683764.52983   | 1540401.05599 |           |
|              | Center Point:        | 2387        | 683629.91515   | 1540702.35134 |           |
|              | Radius:              | 330.00      | '              |               |           |
|              | Delta:               | 12°33'08"   | Right          |               |           |
|              | Arc Length:          | 72.30       | '              |               |           |
|              | Chord Bearing:       | N30°21'02"E |                |               |           |
|              | Chord Length:        | 72.15       | '              |               |           |
|              | Middle Ordinate:     | 1.98        | '              |               |           |
|              | External:            | 1.99        | '              |               |           |
|              | Deg of Curvature:    | 17°21'44"   | Arc Definition |               |           |
|              | Tangent:             | 36.29       | '              |               |           |
|              | Curve PI:            |             | 683797.66613   | 1540415.86531 |           |
| 2549         |                      | 6+20.89     | 683826.79167   | 1540437.51261 |           |
|              | N36°37'36"E 75.88 '  |             |                |               |           |
| 2548         |                      | 6+96.78     | 683887.68840   | 1540482.78250 |           |
|              | Center Point:        | 2547        | 683816.69319   | 1540578.28475 |           |
|              | Radius:              | 119.00      | '              |               |           |
|              | Delta:               | 3°36'25"    | Right          |               |           |
|              | Arc Length:          | 7.49        | '              |               |           |
|              | Chord Bearing:       | N38°25'49"E |                |               |           |
|              | Chord Length:        | 7.49        | '              |               |           |
|              | Middle Ordinate:     | 0.06        | '              |               |           |
|              | External:            | 0.06        | '              |               |           |
|              | Deg of Curvature:    | 48°08'52"   | Arc Definition |               |           |
|              | Tangent:             | 3.75        | '              |               |           |
|              | Curve PI:            |             | 683890.69871   | 1540485.02477 |           |
| 2164         |                      | 7+04.27     | 683893.55581   | 1540487.43800 |           |

-----

Closing latitude = -0.00342  
 Closing departure = -0.00698  
 Closing bearing = N63°52'08"E  
 Closing distance = 0.00777  
 Total traverse length = 704.13 (704.27)  
 Total error of closure = 1/90614  
 Error of closure in latitude = 1/205742  
 Error of closure in departure = 1/100930

Area = 26326.13 SQ FT  
 Area = 0.604 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-18

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2461         |                   | 0+00.00     | 687511.85916   | 1540041.75434 |           |
|              | Center Point:     | 2433        | 688441.61299   | 1540063.15106 |           |
|              | Radius:           | 930.00      | '              |               |           |
|              | Delta:            | 8°36'22"    | Right          |               |           |
|              | Arc Length:       | 139.69      | '              |               |           |
|              | Chord Bearing:    | N84°22'43"W |                |               |           |
|              | Chord Length:     | 139.56      | '              |               |           |
|              | Middle Ordinate:  | 2.62        | '              |               |           |
|              | External:         | 2.63        | '              |               |           |
|              | Deg of Curvature: | 6°09'39"    | Arc Definition |               |           |
|              | Tangent:          | 69.98       | '              |               |           |
|              | Curve PI:         |             | 687513.46911   | 1539971.79645 |           |
| 2347         |                   | 1+39.69     | 687525.52968   | 1539902.86550 | 0.00      |
|              | S00°28'41"E       | 168.62      | '              |               |           |
| 2348         |                   | 3+08.31     | 687356.91555   | 1539904.27239 | 0.00      |
|              | Center Point:     | 2321        | 687271.12898   | 1539955.65979 |           |
|              | Radius:           | 100.00      | '              |               |           |
|              | Delta:            | 24°12'18"   | Right          |               |           |
|              | Arc Length:       | 42.25       | '              |               |           |
|              | Chord Bearing:    | N71°10'49"E |                |               |           |
|              | Chord Length:     | 41.93       | '              |               |           |
|              | Middle Ordinate:  | 2.22        | '              |               |           |
|              | External:         | 2.27        | '              |               |           |
|              | Deg of Curvature: | 57°17'45"   | Arc Definition |               |           |
|              | Tangent:          | 21.44       | '              |               |           |
|              | Curve PI:         |             | 687367.93323   | 1539922.66906 |           |
| 2320         |                   | 3+50.56     | 687370.44181   | 1539943.96074 | 0.00      |
|              | N83°16'58"E       | 116.75      | '              |               |           |
| 2319         |                   | 4+67.31     | 687384.09797   | 1540059.90931 | 0.00      |
|              | N06°43'02"W       | 66.02       | '              |               |           |
| 2466         |                   | 5+33.33     | 687449.66478   | 1540052.18700 |           |
|              | Center Point:     | 2465        | 687511.65849   | 1540578.54884 |           |
|              | Radius:           | 530.00      | '              |               |           |
|              | Delta:            | 5°46'21"    | Right          |               |           |
|              | Arc Length:       | 53.40       | '              |               |           |
|              | Chord Bearing:    | N03°49'51"W |                |               |           |
|              | Chord Length:     | 53.37       | '              |               |           |
|              | Middle Ordinate:  | 0.67        | '              |               |           |
|              | External:         | 0.67        | '              |               |           |
|              | Deg of Curvature: | 10°48'38"   | Arc Definition |               |           |
|              | Tangent:          | 26.72       | '              |               |           |
|              | Curve PI:         |             | 687476.20617   | 1540049.06677 |           |
| 2464         |                   | 5+86.73     | 687502.91554   | 1540048.62131 |           |
|              | N00°56'41"W       | 2.05        | '              |               |           |
| 2463         |                   | 5+88.78     | 687504.96526   | 1540048.58751 |           |
|              | Center Point:     | 2462        | 687504.84984   | 1540041.58846 |           |
|              | Radius:           | 7.00        | '              |               |           |
|              | Delta:            | 87°44'13"   | Left           |               |           |
|              | Arc Length:       | 10.72       | '              |               |           |
|              | Chord Bearing:    | N44°48'48"W |                |               |           |
|              | Chord Length:     | 9.70        | '              |               |           |
|              | Middle Ordinate:  | 1.95        | '              |               |           |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|                   |              |                            |
|-------------------|--------------|----------------------------|
| External:         | 2.71         | '                          |
| Deg of Curvature: | 818°30'42"   | Arc Definition             |
| Tangent:          | 6.73         | '                          |
| Curve PI:         | 687511.70435 | 1540048.48139              |
| 2461              | 5+99.50      | 687511.84650 1540041.75095 |

---

|                               |   |                 |
|-------------------------------|---|-----------------|
| Closing latitude              | = | -0.01266        |
| Closing departure             | = | -0.00339        |
| Closing bearing               | = | N14°59'13"E     |
| Closing distance              | = | 0.01311         |
| Total traverse length         | = | 598.00 (599.50) |
| Total error of closure        | = | 1/45629         |
| Error of closure in latitude  | = | 1/47236         |
| Error of closure in departure | = | 1/176449        |

|      |   |                |
|------|---|----------------|
| Area | = | 21334.58 SQ FT |
| Area | = | 0.490 ACRES    |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:47 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-19

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 1296         |                   | 0+00.00     | 684927.48374   | 1538273.56645 |           |
|              | S58°10'48"W       | 440.24      |                |               |           |
| 1295         |                   | 4+40.24     | 684695.36613   | 1537899.49069 |           |
|              | N88°15'44"W       | 327.37      |                |               |           |
| 1294         |                   | 7+67.61     | 684705.29372   | 1537572.27125 |           |
|              | N59°15'40"W       | 282.74      |                |               |           |
| 1293         |                   | 10+50.35    | 684849.80961   | 1537329.25465 |           |
|              | N28°33'41"W       | 339.01      |                |               |           |
| 1292         |                   | 13+89.36    | 685147.56391   | 1537167.17394 |           |
|              | N03°53'07"W       | 157.14      |                |               |           |
| 1291         |                   | 15+46.50    | 685304.34276   | 1537156.52631 |           |
|              | N05°41'41"W       | 70.61       |                |               |           |
| 1290         |                   | 16+17.11    | 685374.60427   | 1537149.51981 |           |
|              | N13°49'49"W       | 265.96      |                |               |           |
| 1289         |                   | 18+83.07    | 685632.85359   | 1537085.94297 |           |
|              | S78°49'41"W       | 333.45      |                |               |           |
| 1288         |                   | 22+16.52    | 685568.24632   | 1536758.81180 |           |
|              | S04°42'00"W       | 74.81       |                |               |           |
| 1287         |                   | 22+91.33    | 685493.68788   | 1536752.68198 |           |
|              | S26°41'28"E       | 891.00      |                |               |           |
| 1474         |                   | 31+82.33    | 684697.63187   | 1537152.90171 |           |
|              | S50°15'09"E       | 234.51      |                |               |           |
| 1363         |                   | 34+16.84    | 684547.68490   | 1537333.20935 |           |
|              | S50°49'47"E       | 212.70      |                |               |           |
| 1364         |                   | 36+29.54    | 684413.33779   | 1537498.10976 |           |
|              | S48°09'21"E       | 58.57       |                |               |           |
| 1365         |                   | 36+88.11    | 684374.26533   | 1537541.74218 |           |
|              | S30°12'16"E       | 161.47      |                |               |           |
| 1366         |                   | 38+49.58    | 684234.71718   | 1537622.97564 |           |
|              | S29°15'05"E       | 185.85      |                |               |           |
| 1367         |                   | 40+35.43    | 684072.56600   | 1537713.78983 |           |
|              | S22°52'48"E       | 63.29       |                |               |           |
| 1340         |                   | 40+98.72    | 684014.25558   | 1537738.39713 |           |
|              | N30°22'16"E       | 70.99       |                |               |           |
| 1338         |                   | 41+69.71    | 684075.50353   | 1537774.28959 |           |
|              | N23°03'43"E       | 449.04      |                |               |           |
| 2352         |                   | 46+18.75    | 684488.65710   | 1537950.19027 |           |
|              | Center Point:     | 2577        | 684462.80318   | 1538010.91568 |           |
|              | Radius:           | 66.00       |                |               |           |
|              | Delta:            | 20°57'42"   | Right          |               |           |
|              | Arc Length:       | 24.15       |                |               |           |
|              | Chord Bearing:    | N33°32'34"E |                |               |           |
|              | Chord Length:     | 24.01       |                |               |           |
|              | Middle Ordinate:  | 1.10        |                |               |           |
|              | External:         | 1.12        |                |               |           |
|              | Deg of Curvature: | 86°48'42"   | Arc Definition |               |           |
|              | Tangent:          | 12.21       |                |               |           |
|              | Curve PI:         |             | 684499.88256   | 1537954.97112 |           |
| 2381         |                   | 46+42.89    | 684508.66880   | 1537963.45723 |           |
|              | N44°01'26"E       | 236.40      |                |               |           |
| 1337         |                   | 48+79.29    | 684678.65225   | 1538127.74535 |           |
|              | N30°22'16"E       | 288.42      |                |               |           |

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

1296

51+67.71 684927.49200 1538273.57016

---

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | 0.00825           |
| Closing departure             | = | 0.00371           |
| Closing bearing               | = | S24°13'39"W       |
| Closing distance              | = | 0.00905           |
| Total traverse length         | = | 5167.58 (5167.71) |
| Total error of closure        | = | 1/570863          |
| Error of closure in latitude  | = | 1/625998          |
| Error of closure in departure | = | 1/1391131         |
| Area                          | = | 575093.62 SQ FT   |
| Area                          | = | 13.202 ACRES      |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:48 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 134

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2318         |             | 0+00.00  | 686320.35470 | 1540336.37915 | 0.00      |
|              | N84°39'24"W | 369.07   | '            |               |           |
| 2317         |             | 3+69.07  | 686354.72384 | 1539968.91292 | 0.00      |
|              | S05°47'05"E | 338.85   | '            |               |           |
| 2316         |             | 7+07.91  | 686017.59939 | 1540003.06596 | 0.00      |
|              | S77°06'43"E | 285.77   | '            |               |           |
| 2225         |             | 9+93.69  | 685953.85928 | 1540281.63676 |           |
|              | N05°51'05"E | 141.57   | '            |               |           |
| 2223         |             | 11+35.25 | 686094.69165 | 1540296.06962 |           |
|              | N19°06'18"E | 85.18    | '            |               |           |
| 2222         |             | 12+20.43 | 686175.17997 | 1540323.94906 |           |
|              | N03°50'09"E | 109.23   | '            |               |           |
| 2221         |             | 13+29.66 | 686284.16527 | 1540331.25632 |           |
|              | N08°03'05"E | 36.55    | '            |               |           |
| 2318         |             | 13+66.21 | 686320.35500 | 1540336.37556 | 0.00      |

Closing latitude = 0.00030  
Closing departure = -0.00359  
Closing bearing = S85°16'54"E  
Closing distance = 0.00360  
Total traverse length = 1366.22 (1366.21)  
Total error of closure = 1/379294  
Error of closure in latitude = 1/4610977  
Error of closure in departure = 1/380584

Area = 114312.24 SQ FT  
Area = 2.624 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:48 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 159

| Point Number | Description       | Sta         | Northing       | Easting       | Elevation |
|--------------|-------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance          |             |                |               |           |
| 2373         |                   | 0+00.00     | 684036.64469   | 1538553.58863 |           |
|              | Center Point:     | 2567        | 684174.13402   | 1538493.61626 |           |
|              | Radius:           | 150.00      | '              |               |           |
|              | Delta:            | 62°12'20"   | Right          |               |           |
|              | Arc Length:       | 162.85      | '              |               |           |
|              | Chord Bearing:    | N82°27'49"W |                |               |           |
|              | Chord Length:     | 154.97      | '              |               |           |
|              | Middle Ordinate:  | 21.56       | '              |               |           |
|              | External:         | 25.18       | '              |               |           |
|              | Deg of Curvature: | 38°11'50"   | Arc Definition |               |           |
|              | Tangent:          | 90.50       | '              |               |           |
|              | Curve PI:         |             | 684000.46315   | 1538470.64046 |           |
| 2588         |                   | 1+62.85     | 684056.96991   | 1538399.95730 |           |
|              | N51°21'39"W       | 8.48        | '              |               |           |
| 2358         |                   | 1+71.34     | 684062.26494   | 1538393.33362 | -2383.00  |
|              | S00°28'48"W       | 322.43      | '              |               |           |
| 2359         |                   | 4+93.76     | 683739.84626   | 1538390.63247 | -2383.00  |
|              | S89°31'43"E       | 38.18       | '              |               |           |
| 1013         | 1/16TH            | 5+31.95     | 683739.53214   | 1538428.81118 |           |
|              | S89°34'25"E       | 173.53      | '              |               |           |
| 1103         | SP05-27           | 7+05.48     | 683738.24076   | 1538602.33638 |           |
|              | N09°16'41"W       | 302.35      | '              |               |           |
| 2373         |                   | 10+07.83    | 684036.63528   | 1538553.58974 |           |

-----

Closing latitude = -0.00941  
 Closing departure = 0.00111  
 Closing bearing = N06°43'33"W  
 Closing distance = 0.00948  
 Total traverse length = 999.94 (1007.83)  
 Total error of closure = 1/105501  
 Error of closure in latitude = 1/106232  
 Error of closure in departure = 1/900818

Area = 54818.38 SQ FT  
 Area = 1.258 ACRES



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449  
 Thursday, September 1, 2022 9:30:48 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: LOT 88

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 2295         |                      | 0+00.00     | 683721.64072   | 1540833.48723 | 0.00      |
|              | N31°48'18"W 256.78 ' |             |                |               |           |
| 2294         |                      | 2+56.78     | 683939.86436   | 1540698.15648 | 0.00      |
|              | S50°00'38"W 55.02 '  |             |                |               |           |
| 2395         |                      | 3+11.80     | 683904.50595   | 1540656.00220 |           |
|              | Center Point:        | 2394        | 684148.91190   | 1540450.99797 |           |
|              | Radius:              | 319.00      | '              |               |           |
|              | Delta:               | 12°48'37"   | Right          |               |           |
|              | Arc Length:          | 71.32       | '              |               |           |
|              | Chord Bearing:       | S56°24'56"W |                |               |           |
|              | Chord Length:        | 71.17       | '              |               |           |
|              | Middle Ordinate:     | 1.99        | '              |               |           |
|              | External:            | 2.00        | '              |               |           |
|              | Deg of Curvature:    | 17°57'40"   | Arc Definition |               |           |
|              | Tangent:             | 35.81       | '              |               |           |
|              | Curve PI:            |             | 683881.48820   | 1540628.56650 |           |
| 2393         |                      | 3+83.12     | 683865.13717   | 1540596.71250 |           |
|              | S62°49'14"W 13.46 '  |             |                |               |           |
| 2392         |                      | 3+96.58     | 683858.98892   | 1540584.73875 |           |
|              | Center Point:        | 2387        | 683629.92199   | 1540702.35929 |           |
|              | Radius:              | 257.50      | '              |               |           |
|              | Delta:               | 5°26'03"    | Left           |               |           |
|              | Arc Length:          | 24.42       | '              |               |           |
|              | Chord Bearing:       | S60°06'12"W |                |               |           |
|              | Chord Length:        | 24.41       | '              |               |           |
|              | Middle Ordinate:     | 0.29        | '              |               |           |
|              | External:            | 0.29        | '              |               |           |
|              | Deg of Curvature:    | 22°15'03"   | Arc Definition |               |           |
|              | Tangent:             | 12.22       | '              |               |           |
|              | Curve PI:            |             | 683853.39988   | 1540573.86413 |           |
| 2391         |                      | 4+21.00     | 683846.82207   | 1540563.57709 |           |
|              | S57°23'11"W 57.61 '  |             |                |               |           |
| 2390         |                      | 4+78.61     | 683815.77196   | 1540515.05079 |           |
|              | Center Point:        | 2389        | 683705.42746   | 1540585.65597 |           |
|              | Radius:              | 131.00      | '              |               |           |
|              | Delta:               | 24°29'05"   | Left           |               |           |
|              | Arc Length:          | 55.98       | '              |               |           |
|              | Chord Bearing:       | S45°08'38"W |                |               |           |
|              | Chord Length:        | 55.56       | '              |               |           |
|              | Middle Ordinate:     | 2.98        | '              |               |           |
|              | External:            | 3.05        | '              |               |           |
|              | Deg of Curvature:    | 43°44'14"   | Arc Definition |               |           |
|              | Tangent:             | 28.42       | '              |               |           |
|              | Curve PI:            |             | 683800.44385   | 1540491.10263 |           |
| 2388         |                      | 5+34.59     | 683776.58389   | 1540475.66539 |           |
|              | Center Point:        | 2387        | 683629.92019   | 1540702.35849 |           |
|              | Radius:              | 270.00      | '              |               |           |
|              | Delta:               | 8°49'38"    | Left           |               |           |
|              | Arc Length:          | 41.60       | '              |               |           |
|              | Chord Bearing:       | S28°29'17"W |                |               |           |
|              | Chord Length:        | 41.56       | '              |               |           |
|              | Middle Ordinate:     | 0.80        | '              |               |           |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----  
External: 0.80 '  
Deg of Curvature: 21°13'14" Arc Definition  
Tangent: 20.84 '  
Curve PI: 683759.08143 1540464.34241  
2386 5+76.19 683740.05612 1540455.84229  
S24°04'28"W 17.03 '  
2385 5+93.22 683724.50745 1540448.89536  
S89°34'25"E 384.60 '  
2295 9+77.83 683721.64533 1540833.48471 0.00

-----  
Closing latitude = 0.00461  
Closing departure = -0.00252  
Closing bearing = S28°42'34"E  
Closing distance = 0.00525  
Total traverse length = 977.20 (977.83)  
Total error of closure = 1/186073  
Error of closure in latitude = 1/212154  
Error of closure in departure = 1/387356

Area = 45903.55 SQ FT  
Area = 1.054 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH sTREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:48 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT AC-8

| Point Number | Description        | Sta                      | Northing     | Easting       | Elevation |
|--------------|--------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance           |                          |              |               |           |
| 2240         |                    | 0+00.00                  | 687006.02978 | 1538457.68183 |           |
|              | N00°30'29"E 65.16' |                          |              |               |           |
| 2224         |                    | 0+65.16                  | 687071.18722 | 1538458.25962 |           |
|              | Center Point:      | 3107                     | 687662.82507 | 1538200.39743 |           |
|              | Radius:            | 645.39'                  |              |               |           |
|              | Delta:             | 48°59'20" Left           |              |               |           |
|              | Arc Length:        | 551.82'                  |              |               |           |
|              | Chord Bearing:     | N41°57'21"E              |              |               |           |
|              | Chord Length:      | 535.16'                  |              |               |           |
|              | Middle Ordinate:   | 58.08'                   |              |               |           |
|              | External:          | 63.83'                   |              |               |           |
|              | Deg of Curvature:  | 8°52'40" Arc Definition  |              |               |           |
|              | Tangent:           | 294.05'                  |              |               |           |
|              | Curve PI:          |                          | 687188.67202 | 1538727.81494 |           |
| 2440         |                    | 6+16.98                  | 687469.16452 | 1538816.04488 |           |
|              | Center Point:      | 2439                     | 687385.14687 | 1539083.14230 |           |
|              | Radius:            | 280.00'                  |              |               |           |
|              | Delta:             | 91°45'53" Right          |              |               |           |
|              | Arc Length:        | 448.45'                  |              |               |           |
|              | Chord Bearing:     | N63°20'37"E              |              |               |           |
|              | Chord Length:      | 402.03'                  |              |               |           |
|              | Middle Ordinate:   | 85.08'                   |              |               |           |
|              | External:          | 122.22'                  |              |               |           |
|              | Deg of Curvature:  | 20°27'46" Arc Definition |              |               |           |
|              | Tangent:           | 288.76'                  |              |               |           |
|              | Curve PI:          |                          | 687744.62206 | 1538902.69211 |           |
| 2438         |                    | 10+65.43                 | 687649.53081 | 1539175.34437 |           |
|              | Center Point:      | 2437                     | 687847.81835 | 1539244.49673 |           |
|              | Radius:            | 210.00'                  |              |               |           |
|              | Delta:             | 33°56'19" Left           |              |               |           |
|              | Arc Length:        | 124.39'                  |              |               |           |
|              | Chord Bearing:     | S87°44'35"E              |              |               |           |
|              | Chord Length:      | 122.58'                  |              |               |           |
|              | Middle Ordinate:   | 9.14'                    |              |               |           |
|              | External:          | 9.56'                    |              |               |           |
|              | Deg of Curvature:  | 27°17'01" Arc Definition |              |               |           |
|              | Tangent:           | 64.08'                   |              |               |           |
|              | Curve PI:          |                          | 687628.43278 | 1539235.85336 |           |
| 2436         |                    | 11+89.82                 | 687644.70349 | 1539297.82928 |           |
|              | Center Point:      | 2435                     | 686880.60572 | 1539498.46476 |           |
|              | Radius:            | 790.00'                  |              |               |           |
|              | Delta:             | 34°35'59" Right          |              |               |           |
|              | Arc Length:        | 477.06'                  |              |               |           |
|              | Chord Bearing:     | S87°24'45"E              |              |               |           |
|              | Chord Length:      | 469.85'                  |              |               |           |
|              | Middle Ordinate:   | 35.74'                   |              |               |           |
|              | External:          | 37.43'                   |              |               |           |
|              | Deg of Curvature:  | 7°15'09" Arc Definition  |              |               |           |
|              | Tangent:           | 246.06'                  |              |               |           |
|              | Curve PI:          |                          | 687707.19748 | 1539535.82065 |           |
| 2434         |                    | 16+66.88                 | 687623.49209 | 1539767.20024 |           |
|              | Center Point:      | 2433                     | 688441.60878 | 1540063.14800 |           |

CONTOUR ENGINEERING, LLC

3309 56TH sTREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |               |
|------|-------------------|-------------|----------------|---------------|
|      | Radius:           | 870.00      | '              |               |
|      | Delta:            | 22°59'41"   | Left           |               |
|      | Arc Length:       | 349.16      | '              |               |
|      | Chord Bearing:    | S81°36'36"E |                |               |
|      | Chord Length:     | 346.82      | '              |               |
|      | Middle Ordinate:  | 17.46       | '              |               |
|      | External:         | 17.81       | '              |               |
|      | Deg of Curvature: | 6°35'09"    | Arc Definition |               |
|      | Tangent:          | 176.96      | '              |               |
|      | Curve PI:         |             | 687563.29939   | 1539933.61067 |
| 2432 |                   | 20+16.04    | 687572.88746   | 1540110.30851 |
|      | N86°53'33"E       | 471.78      | '              |               |
| 2422 |                   | 24+87.83    | 687598.46243   | 1540581.39479 |
|      | Center Point:     | 3118        | 687318.87414   | 1540596.57346 |
|      | Radius:           | 280.00      | '              |               |
|      | Delta:            | 93°21'32"   | Right          |               |
|      | Arc Length:       | 456.24      | '              |               |
|      | Chord Bearing:    | S46°25'41"E |                |               |
|      | Chord Length:     | 407.41      | '              |               |
|      | Middle Ordinate:  | 87.90       | '              |               |
|      | External:         | 128.12      | '              |               |
|      | Deg of Curvature: | 20°27'46"   | Arc Definition |               |
|      | Tangent:          | 296.92      | '              |               |
|      | Curve PI:         |             | 687614.56222   | 1540877.88180 |
| 2421 |                   | 29+44.06    | 687317.64903   | 1540876.56719 |
|      | S00°15'05"W       | 460.34      | '              |               |
| 2420 |                   | 34+04.40    | 686857.31346   | 1540874.54743 |
|      | Center Point:     | 3121        | 686859.20011   | 1540444.55156 |
|      | Radius:           | 430.00      | '              |               |
|      | Delta:            | 32°30'12"   | Right          |               |
|      | Arc Length:       | 243.94      | '              |               |
|      | Chord Bearing:    | S16°30'11"W |                |               |
|      | Chord Length:     | 240.68      | '              |               |
|      | Middle Ordinate:  | 17.18       | '              |               |
|      | External:         | 17.90       | '              |               |
|      | Deg of Curvature: | 13°19'29"   | Arc Definition |               |
|      | Tangent:          | 125.35      | '              |               |
|      | Curve PI:         |             | 686731.97039   | 1540874.00910 |
| 2419 |                   | 36+48.34    | 686626.54837   | 1540806.17831 |
|      | S32°45'17"W       | 150.93      | '              |               |
| 2418 |                   | 37+99.26    | 686499.61709   | 1540724.51857 |
|      | Center Point:     | 3124        | 686434.69183   | 1540825.43790 |
|      | Radius:           | 120.00      | '              |               |
|      | Delta:            | 92°59'57"   | Left           |               |
|      | Arc Length:       | 194.78      | '              |               |
|      | Chord Bearing:    | S13°44'41"E |                |               |
|      | Chord Length:     | 174.09      | '              |               |
|      | Middle Ordinate:  | 37.40       | '              |               |
|      | External:         | 54.33       | '              |               |
|      | Deg of Curvature: | 47°44'47"   | Arc Definition |               |
|      | Tangent:          | 126.45      | '              |               |
|      | Curve PI:         |             | 686393.28154   | 1540656.11672 |
| 2417 |                   | 39+94.04    | 686330.51233   | 1540765.88173 |
|      | Center Point:     | 3126        | 686239.35676   | 1540713.76971 |
|      | Radius:           | 105.00      | '              |               |
|      | Delta:            | 85°11'41"   | Right          |               |
|      | Arc Length:       | 156.13      | '              |               |
|      | Chord Bearing:    | S17°38'49"E |                |               |
|      | Chord Length:     | 142.14      | '              |               |
|      | Middle Ordinate:  | 27.71       | '              |               |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |                            |
|------|-------------------|-------------|----------------|----------------------------|
|      | External:         | 37.64       | '              |                            |
|      | Deg of Curvature: | 54°34'03"   | Arc Definition |                            |
|      | Tangent:          | 96.54       | '              |                            |
|      | Curve PI:         |             |                | 686282.60832 1540849.70993 |
| 2416 | Center Point:     | 41+50.17    |                | 686195.06107 1540808.97158 |
|      | Radius:           | 2415        |                | 685595.74603 1542097.10791 |
|      | Delta:            | 1420.73     | '              |                            |
|      | Arc Length:       | 12°48'36"   | Left           |                            |
|      | Chord Bearing:    | 317.64      | '              |                            |
|      | Chord Length:     | S18°32'44"W |                |                            |
|      | Middle Ordinate:  | 316.98      | '              |                            |
|      | External:         | 8.87        | '              |                            |
|      | Deg of Curvature: | 8.92        | '              |                            |
|      | Tangent:          | 4°01'58"    | Arc Definition |                            |
|      | Curve PI:         | 159.49      | '              |                            |
|      |                   |             |                | 686050.47326 1540741.70738 |
| 2414 | Center Point:     | 44+67.81    |                | 685894.54150 1540708.15337 |
|      | Radius:           | 2413        |                | 686132.14623 1539603.64134 |
|      | Delta:            | 1129.78     | '              |                            |
|      | Arc Length:       | 8°11'37"    | Right          |                            |
|      | Chord Bearing:    | 161.57      | '              |                            |
|      | Chord Length:     | S16°14'14"W |                |                            |
|      | Middle Ordinate:  | 161.43      | '              |                            |
|      | External:         | 2.89        | '              |                            |
|      | Deg of Curvature: | 2.89        | '              |                            |
|      | Tangent:          | 5°04'17"    | Arc Definition |                            |
|      | Curve PI:         | 80.92       | '              |                            |
|      |                   |             |                | 685815.44296 1540691.14740 |
| 2412 | Center Point:     | 46+29.38    |                | 685739.55059 1540663.01514 |
|      | Radius:           | 2411        |                | 685680.47646 1540822.42106 |
|      | Delta:            | 170.00      | '              |                            |
|      | Arc Length:       | 86°17'20"   | Left           |                            |
|      | Chord Bearing:    | 256.02      | '              |                            |
|      | Chord Length:     | S22°48'37"E |                |                            |
|      | Middle Ordinate:  | 232.51      | '              |                            |
|      | External:         | 45.96       | '              |                            |
|      | Deg of Curvature: | 62.99       | '              |                            |
|      | Tangent:          | 33°42'12"   | Arc Definition |                            |
|      | Curve PI:         | 159.33      | '              |                            |
|      |                   |             |                | 685590.16376 1540607.66116 |
| 2410 | Center Point:     | 48+85.40    |                | 685525.22435 1540753.15484 |
|      | Radius:           |             |                |                            |
|      | Delta:            |             |                |                            |
|      | Arc Length:       |             |                |                            |
|      | Chord Bearing:    |             |                |                            |
|      | Chord Length:     |             |                |                            |
|      | Middle Ordinate:  |             |                |                            |
|      | External:         |             |                |                            |
|      | Deg of Curvature: |             |                |                            |
|      | Tangent:          |             |                |                            |
|      | Curve PI:         |             |                |                            |
| 2409 | Center Point:     |             |                |                            |
|      | Radius:           |             |                |                            |
|      | Delta:            |             |                |                            |
|      | Arc Length:       |             |                |                            |
|      | Chord Bearing:    |             |                |                            |
|      | Chord Length:     |             |                |                            |
|      | Middle Ordinate:  |             |                |                            |
|      | External:         |             |                |                            |
|      | Deg of Curvature: |             |                |                            |
|      | Tangent:          |             |                |                            |
|      | Curve PI:         |             |                |                            |
| 2407 | Center Point:     |             |                |                            |
|      | Radius:           |             |                |                            |
|      | Delta:            |             |                |                            |
|      | Arc Length:       |             |                |                            |
|      | Chord Bearing:    |             |                |                            |
|      | Chord Length:     |             |                |                            |
|      | Middle Ordinate:  |             |                |                            |
|      | External:         |             |                |                            |
|      | Deg of Curvature: |             |                |                            |
|      | Tangent:          |             |                |                            |
|      | Curve PI:         |             |                |                            |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |                            |
|------|-------------------|-------------|----------------|----------------------------|
|      | Chord Length:     | 112.14      | '              |                            |
|      | Middle Ordinate:  | 7.62        | '              |                            |
|      | External:         | 7.90        | '              |                            |
|      | Deg of Curvature: | 27°15'23"   | Arc Definition |                            |
|      | Tangent:          | 58.18       | '              |                            |
|      | Curve PI:         |             |                | 685045.42031 1540986.61049 |
| 2405 |                   | 55+46.42    |                | 684989.12338 1541001.32063 |
|      | Center Point:     | 2404        |                | 684915.15398 1540718.54515 |
|      | Radius:           | 292.29      | '              |                            |
|      | Delta:            | 54°22'43"   | Right          |                            |
|      | Arc Length:       | 277.41      | '              |                            |
|      | Chord Bearing:    | S12°31'49"W |                |                            |
|      | Chord Length:     | 267.11      | '              |                            |
|      | Middle Ordinate:  | 32.30       | '              |                            |
|      | External:         | 36.31       | '              |                            |
|      | Deg of Curvature: | 19°36'09"   | Arc Definition |                            |
|      | Tangent:          | 150.15      | '              |                            |
|      | Curve PI:         |             |                | 684843.87540 1541039.33099 |
| 2403 |                   | 58+23.83    |                | 684728.37554 1540943.36964 |
|      | Center Point:     | 2402        |                | 684568.62471 1541135.65763 |
|      | Radius:           | 249.99      | '              |                            |
|      | Delta:            | 41°25'39"   | Left           |                            |
|      | Arc Length:       | 180.76      | '              |                            |
|      | Chord Bearing:    | S19°00'21"W |                |                            |
|      | Chord Length:     | 176.84      | '              |                            |
|      | Middle Ordinate:  | 16.16       | '              |                            |
|      | External:         | 17.28       | '              |                            |
|      | Deg of Curvature: | 22°55'09"   | Arc Definition |                            |
|      | Tangent:          | 94.53       | '              |                            |
|      | Curve PI:         |             |                | 684655.67226 1540882.97332 |
| 2401 |                   | 60+04.59    |                | 684561.17590 1540885.77915 |
|      | Center Point:     | 2400        |                | 684540.26376 1540184.50088 |
|      | Radius:           | 701.59      | '              |                            |
|      | Delta:            | 14°17'03"   | Right          |                            |
|      | Arc Length:       | 174.91      | '              |                            |
|      | Chord Bearing:    | S05°26'02"W |                |                            |
|      | Chord Length:     | 174.46      | '              |                            |
|      | Middle Ordinate:  | 5.44        | '              |                            |
|      | External:         | 5.49        | '              |                            |
|      | Deg of Curvature: | 8°10'00"    | Arc Definition |                            |
|      | Tangent:          | 87.91       | '              |                            |
|      | Curve PI:         |             |                | 684473.31066 1540888.41132 |
| 2399 |                   | 61+79.50    |                | 684387.49990 1540869.25828 |
|      | S12°34'34"W       | 271.52      | '              |                            |
| 2398 |                   | 64+51.01    |                | 684122.49431 1540810.13852 |
|      | Center Point:     | 2397        |                | 684194.34730 1540488.05600 |
|      | Radius:           | 330.00      | '              |                            |
|      | Delta:            | 37°26'04"   | Right          |                            |
|      | Arc Length:       | 215.61      | '              |                            |
|      | Chord Bearing:    | S31°17'36"W |                |                            |
|      | Chord Length:     | 211.79      | '              |                            |
|      | Middle Ordinate:  | 17.45       | '              |                            |
|      | External:         | 18.43       | '              |                            |
|      | Deg of Curvature: | 17°21'44"   | Arc Definition |                            |
|      | Tangent:          | 111.81      | '              |                            |
|      | Curve PI:         |             |                | 684013.37976 1540785.80700 |
| 2396 |                   | 66+66.62    |                | 683941.51567 1540700.13062 |
|      | S50°00'38"W       | 57.61       | '              |                            |
| 2395 |                   | 67+24.23    |                | 683904.49281 1540655.99198 |
|      | Center Point:     | 2394        |                | 684148.89876 1540450.98776 |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449  
 Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

```

      Radius:          319.00 '
      Delta:           12°48'37" Right
      Arc Length:      71.32 '
      Chord Bearing:   S56°24'56"W
      Chord Length:    71.17 '
      Middle Ordinate: 1.99 '
      External:        2.00 '
      Deg of Curvature: 17°57'40" Arc Definition
      Tangent:         35.81 '
      Curve PI:        683881.48820 1540628.56650
2393      67+95.55 683865.12403 1540596.70228
      S62°49'14"W      13.46 '
2392      68+09.01 683858.97579 1540584.72853
      Center Point:    2387 683629.90886 1540702.34908
      Radius:          257.50 '
      Delta:           5°26'03" Left
      Arc Length:      24.42 '
      Chord Bearing:   S60°06'12"W
      Chord Length:    24.41 '
      Middle Ordinate: 0.29 '
      External:        0.29 '
      Deg of Curvature: 22°15'03" Arc Definition
      Tangent:         12.22 '
      Curve PI:        683853.39988 1540573.86413
2391      68+33.44 683846.80893 1540563.56688
      S57°23'11"W      57.61 '
2390      68+91.05 683815.75882 1540515.04057
      Center Point:    2389 683705.41432 1540585.64576
      Radius:          131.00 '
      Delta:           24°29'05" Left
      Arc Length:      55.98 '
      Chord Bearing:   S45°08'38"W
      Chord Length:    55.56 '
      Middle Ordinate: 2.98 '
      External:        3.05 '
      Deg of Curvature: 43°44'14" Arc Definition
      Tangent:         28.42 '
      Curve PI:        683800.44385 1540491.10263
2388      69+47.03 683776.57075 1540475.65518
      Center Point:    2387 683629.90706 1540702.34827
      Radius:          270.00 '
      Delta:           8°49'38" Left
      Arc Length:      41.60 '
      Chord Bearing:   S28°29'17"W
      Chord Length:    41.56 '
      Middle Ordinate: 0.80 '
      External:        0.80 '
      Deg of Curvature: 21°13'14" Arc Definition
      Tangent:         20.84 '
      Curve PI:        683759.08143 1540464.34241
2386      69+88.62 683740.04298 1540455.83207
      S24°04'28"W      17.03 '
2385      70+05.66 683724.49431 1540448.88514
      N89°34'25"W      65.50 '
2551      70+71.16 683724.98175 1540383.38695
      N24°04'28"E      43.31 '
2550      71+14.46 683764.52449 1540401.05411
      Center Point:    2387 683629.90981 1540702.34946
      Radius:          330.00 '
      Delta:           12°33'08" Right
  
```

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |              |                |               |  |  |  |
|------|-------------------|--------------|----------------|---------------|--|--|--|
|      | Arc Length:       | 72.30        | '              |               |  |  |  |
|      | Chord Bearing:    | N30°21'02"E  |                |               |  |  |  |
|      | Chord Length:     | 72.15        | '              |               |  |  |  |
|      | Middle Ordinate:  | 1.98         | '              |               |  |  |  |
|      | External:         | 1.99         | '              |               |  |  |  |
|      | Deg of Curvature: | 17°21'44"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 36.29        | '              |               |  |  |  |
|      | Curve PI:         | 683797.66613 | 1540415.86531  |               |  |  |  |
| 2549 |                   | 71+86.76     | 683826.78633   | 1540437.51073 |  |  |  |
|      | N36°37'36"E       | 75.88        | '              |               |  |  |  |
| 2548 |                   | 72+62.64     | 683887.68306   | 1540482.78062 |  |  |  |
|      | Center Point:     | 2547         | 683816.68784   | 1540578.28287 |  |  |  |
|      | Radius:           | 119.00       | '              |               |  |  |  |
|      | Delta:            | 25°48'37"    | Right          |               |  |  |  |
|      | Arc Length:       | 53.61        | '              |               |  |  |  |
|      | Chord Bearing:    | N49°31'55"E  |                |               |  |  |  |
|      | Chord Length:     | 53.15        | '              |               |  |  |  |
|      | Middle Ordinate:  | 3.01         | '              |               |  |  |  |
|      | External:         | 3.08         | '              |               |  |  |  |
|      | Deg of Curvature: | 48°08'52"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 27.27        | '              |               |  |  |  |
|      | Curve PI:         | 683909.57364 | 1540499.05620  |               |  |  |  |
| 2546 |                   | 73+16.25     | 683922.17868   | 1540523.21544 |  |  |  |
|      | N62°26'14"E       | 63.53        | '              |               |  |  |  |
| 2545 |                   | 73+79.78     | 683951.57530   | 1540579.53506 |  |  |  |
|      | Center Point:     | 2544         | 683757.43084   | 1540680.87079 |  |  |  |
|      | Radius:           | 219.00       | '              |               |  |  |  |
|      | Delta:            | 3°52'15"     | Right          |               |  |  |  |
|      | Arc Length:       | 14.80        | '              |               |  |  |  |
|      | Chord Bearing:    | N64°22'21"E  |                |               |  |  |  |
|      | Chord Length:     | 14.79        | '              |               |  |  |  |
|      | Middle Ordinate:  | 0.12         | '              |               |  |  |  |
|      | External:         | 0.13         | '              |               |  |  |  |
|      | Deg of Curvature: | 26°09'45"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 7.40         | '              |               |  |  |  |
|      | Curve PI:         | 683955.01001 | 1540586.10531  |               |  |  |  |
| 2543 |                   | 73+94.57     | 683957.97225   | 1540592.87009 |  |  |  |
|      | N66°18'29"E       | 42.64        | '              |               |  |  |  |
| 2542 |                   | 74+37.21     | 683975.10581   | 1540631.91636 |  |  |  |
|      | Center Point:     | 2541         | 684140.85097   | 1540559.18711 |  |  |  |
|      | Radius:           | 181.00       | '              |               |  |  |  |
|      | Delta:            | 29°21'32"    | Left           |               |  |  |  |
|      | Arc Length:       | 92.75        | '              |               |  |  |  |
|      | Chord Bearing:    | N51°37'42"E  |                |               |  |  |  |
|      | Chord Length:     | 91.74        | '              |               |  |  |  |
|      | Middle Ordinate:  | 5.91         | '              |               |  |  |  |
|      | External:         | 6.11         | '              |               |  |  |  |
|      | Deg of Curvature: | 31°39'18"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 47.42        | '              |               |  |  |  |
|      | Curve PI:         | 683994.16823 | 1540675.34391  |               |  |  |  |
| 2540 |                   | 75+29.95     | 684032.05435   | 1540703.84056 |  |  |  |
|      | Center Point:     | 2397         | 684194.35198   | 1540488.06411 |  |  |  |
|      | Radius:           | 270.00       | '              |               |  |  |  |
|      | Delta:            | 24°22'23"    | Left           |               |  |  |  |
|      | Arc Length:       | 114.85       | '              |               |  |  |  |
|      | Chord Bearing:    | N24°45'45"E  |                |               |  |  |  |
|      | Chord Length:     | 113.99       | '              |               |  |  |  |
|      | Middle Ordinate:  | 6.08         | '              |               |  |  |  |
|      | External:         | 6.22         | '              |               |  |  |  |
|      | Deg of Curvature: | 21°13'14"    | Arc Definition |               |  |  |  |



CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

---

|      |                   |             |                |              |               |
|------|-------------------|-------------|----------------|--------------|---------------|
|      | Tangent:          | 58.31       | '              |              |               |
|      | Curve PI:         |             |                | 684078.66036 | 1540738.89532 |
| 2539 |                   | 76+44.81    |                | 684135.56317 | 1540751.58617 |
|      | N12°34'34"E       | 271.52      | '              |              |               |
| 2538 |                   | 79+16.33    |                | 684400.56877 | 1540810.70594 |
|      | Center Point:     | 2400        |                | 684540.26621 | 1540184.50920 |
|      | Radius:           | 641.59      | '              |              |               |
|      | Delta:            | 14°17'03"   | Left           |              |               |
|      | Arc Length:       | 159.95      | '              |              |               |
|      | Chord Bearing:    | N05°26'02"E |                |              |               |
|      | Chord Length:     | 159.54      | '              |              |               |
|      | Middle Ordinate:  | 4.98        | '              |              |               |
|      | External:         | 5.02        | '              |              |               |
|      | Deg of Curvature: | 8°55'49"    | Arc Definition |              |               |
|      | Tangent:          | 80.39       | '              |              |               |
|      | Curve PI:         |             |                | 684479.03699 | 1540828.21389 |
| 2537 |                   | 80+76.28    |                | 684559.39181 | 1540825.81392 |
|      | Center Point:     | 2402        |                | 684568.63162 | 1541135.66619 |
|      | Radius:           | 309.99      | '              |              |               |
|      | Delta:            | 41°25'39"   | Right          |              |               |
|      | Arc Length:       | 224.14      | '              |              |               |
|      | Chord Bearing:    | N19°00'21"E |                |              |               |
|      | Chord Length:     | 219.29      | '              |              |               |
|      | Middle Ordinate:  | 20.04       | '              |              |               |
|      | External:         | 21.42       | '              |              |               |
|      | Deg of Curvature: | 18°28'59"   | Arc Definition |              |               |
|      | Tangent:          | 117.22      | '              |              |               |
|      | Curve PI:         |             |                | 684676.56236 | 1540822.32370 |
| 2536 |                   | 83+00.42    |                | 684766.72731 | 1540897.22887 |
|      | Center Point:     | 2404        |                | 684915.16733 | 1540718.55541 |
|      | Radius:           | 232.29      | '              |              |               |
|      | Delta:            | 54°22'43"   | Left           |              |               |
|      | Arc Length:       | 220.46      | '              |              |               |
|      | Chord Bearing:    | N12°31'49"E |                |              |               |
|      | Chord Length:     | 212.28      | '              |              |               |
|      | Middle Ordinate:  | 25.67       | '              |              |               |
|      | External:         | 28.86       | '              |              |               |
|      | Deg of Curvature: | 24°39'57"   | Arc Definition |              |               |
|      | Tangent:          | 119.33      | '              |              |               |
|      | Curve PI:         |             |                | 684858.50969 | 1540973.48410 |
| 2535 |                   | 85+20.88    |                | 684973.95112 | 1540943.28418 |
|      | Center Point:     | 2406        |                | 685042.33277 | 1541204.69840 |
|      | Radius:           | 270.21      | '              |              |               |
|      | Delta:            | 30°56'26"   | Right          |              |               |
|      | Arc Length:       | 145.92      | '              |              |               |
|      | Chord Bearing:    | N00°48'40"E |                |              |               |
|      | Chord Length:     | 144.15      | '              |              |               |
|      | Middle Ordinate:  | 9.79        | '              |              |               |
|      | External:         | 10.16       | '              |              |               |
|      | Deg of Curvature: | 21°12'15"   | Arc Definition |              |               |
|      | Tangent:          | 74.79       | '              |              |               |
|      | Curve PI:         |             |                | 685046.30160 | 1540924.36115 |
| 2534 |                   | 86+66.80    |                | 685118.08668 | 1540945.32478 |
|      | Center Point:     | 2408        |                | 685193.78251 | 1540686.15275 |
|      | Radius:           | 270.00      | '              |              |               |
|      | Delta:            | 82°14'09"   | Left           |              |               |
|      | Arc Length:       | 387.53      | '              |              |               |
|      | Chord Bearing:    | N24°50'12"W |                |              |               |
|      | Chord Length:     | 355.11      | '              |              |               |
|      | Middle Ordinate:  | 66.59       | '              |              |               |

CONTOUR ENGINEERING, LLC

3309 56TH STREET NW

GIG HARBOR, WA. 98335

253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                            |  |
|------|-------------------|-------------|----------------------------|--|
|      | External:         | 88.40       | '                          |  |
|      | Deg of Curvature: | 21°13'14"   | Arc Definition             |  |
|      | Tangent:          | 235.69      | '                          |  |
|      | Curve PI:         |             | 685344.32092 1541011.40319 |  |
| 2533 |                   | 90+54.32    | 685440.35215 1540796.16689 |  |
|      | N65°57'16"W       | 73.86       | '                          |  |
| 2532 |                   | 91+28.19    | 685470.44736 1540728.71633 |  |
|      | Center Point:     | 2411        | 685680.48836 1540822.43279 |  |
|      | Radius:           | 230.00      | '                          |  |
|      | Delta:            | 41°29'35"   | Right                      |  |
|      | Arc Length:       | 166.56      | '                          |  |
|      | Chord Bearing:    | N45°12'29"W |                            |  |
|      | Chord Length:     | 162.95      | '                          |  |
|      | Middle Ordinate:  | 14.91       | '                          |  |
|      | External:         | 15.95       | '                          |  |
|      | Deg of Curvature: | 24°54'40"   | Arc Definition             |  |
|      | Tangent:          | 87.12       | '                          |  |
|      | Curve PI:         |             | 685505.94873 1540649.15482 |  |
| 2531 |                   | 92+94.75    | 685585.25124 1540613.07564 |  |
|      | Center Point:     | 2530        | 685581.11040 1540603.97325 |  |
|      | Radius:           | 10.00       | '                          |  |
|      | Delta:            | 74°34'44"   | Left                       |  |
|      | Arc Length:       | 13.02       | '                          |  |
|      | Chord Bearing:    | N61°45'04"W |                            |  |
|      | Chord Length:     | 12.12       | '                          |  |
|      | Middle Ordinate:  | 2.04        | '                          |  |
|      | External:         | 2.57        | '                          |  |
|      | Deg of Curvature: | 572°57'28"  | Arc Definition             |  |
|      | Tangent:          | 7.62        | '                          |  |
|      | Curve PI:         |             | 685592.18303 1540609.92537 |  |
| 2529 |                   | 93+07.76    | 685590.98767 1540602.39913 |  |
|      | S80°57'34"W       | 113.67      | '                          |  |
| 2528 |                   | 94+21.43    | 685573.12630 1540490.14121 |  |
|      | Center Point:     | 2515        | 685533.62321 1540496.42655 |  |
|      | Radius:           | 40.00       | '                          |  |
|      | Delta:            | 129°02'50"  | Left                       |  |
|      | Arc Length:       | 90.09       | '                          |  |
|      | Chord Bearing:    | S16°26'09"W |                            |  |
|      | Chord Length:     | 72.22       | '                          |  |
|      | Middle Ordinate:  | 22.79       | '                          |  |
|      | External:         | 52.99       | '                          |  |
|      | Deg of Curvature: | 143°14'22"  | Arc Definition             |  |
|      | Tangent:          | 83.95       | '                          |  |
|      | Curve PI:         |             | 685559.93437 1540407.24357 |  |
| 2527 |                   | 95+11.52    | 685503.85741 1540469.70718 |  |
|      | S48°05'16"E       | 34.79       | '                          |  |
| 2526 |                   | 95+46.32    | 685480.61799 1540495.59683 |  |
|      | Center Point:     | 2518        | 685421.08447 1540442.15752 |  |
|      | Radius:           | 80.00       | '                          |  |
|      | Delta:            | 82°23'32"   | Right                      |  |
|      | Arc Length:       | 115.04      | '                          |  |
|      | Chord Bearing:    | S06°53'29"E |                            |  |
|      | Chord Length:     | 105.38      | '                          |  |
|      | Middle Ordinate:  | 19.80       | '                          |  |
|      | External:         | 26.32       | '                          |  |
|      | Deg of Curvature: | 71°37'11"   | Arc Definition             |  |
|      | Tangent:          | 70.03       | '                          |  |
|      | Curve PI:         |             | 685433.83810 1540547.71932 |  |
| 2525 |                   | 96+61.36    | 685375.99932 1540508.24112 |  |
|      | S34°18'17"W       | 30.31       | '                          |  |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |        |             |                |               |      |
|------|-------------------|--------|-------------|----------------|---------------|------|
| 2524 |                   |        | 96+91.67    | 685350.96169   | 1540491.15859 |      |
|      | Center Point:     |        | 2521        | 685503.13211   | 1540268.12459 |      |
|      | Radius:           |        | 270.00      | '              |               |      |
|      | Delta:            |        | 7°51'23"    | Right          |               |      |
|      | Arc Length:       |        | 37.02       | '              |               |      |
|      | Chord Bearing:    |        | S38°13'58"W |                |               |      |
|      | Chord Length:     |        | 36.99       | '              |               |      |
|      | Middle Ordinate:  |        | 0.63        | '              |               |      |
|      | External:         |        | 0.64        | '              |               |      |
|      | Deg of Curvature: |        | 21°13'14"   | Arc Definition |               |      |
|      | Tangent:          |        | 18.54       | '              |               |      |
|      | Curve PI:         |        |             | 685335.63728   | 1540480.71955 |      |
| 2523 |                   |        | 97+28.69    | 685321.90594   | 1540468.26703 |      |
|      | S42°09'39"W       | 48.51  | '           |                |               |      |
| 2376 |                   |        | 97+77.20    | 685285.94724   | 1540435.70644 |      |
|      | N47°50'21"W       | 40.00  | '           |                |               |      |
| 2311 |                   |        | 98+17.20    | 685312.79580   | 1540406.05590 | 0.00 |
|      | N42°09'39"E       | 48.51  | '           |                |               |      |
| 2522 |                   |        | 98+65.72    | 685348.75450   | 1540438.61649 |      |
|      | Center Point:     |        | 2521        | 685503.13372   | 1540268.12586 |      |
|      | Radius:           |        | 230.00      | '              |               |      |
|      | Delta:            |        | 7°51'23"    | Left           |               |      |
|      | Arc Length:       |        | 31.54       | '              |               |      |
|      | Chord Bearing:    |        | N38°13'58"E |                |               |      |
|      | Chord Length:     |        | 31.51       | '              |               |      |
|      | Middle Ordinate:  |        | 0.54        | '              |               |      |
|      | External:         |        | 0.54        | '              |               |      |
|      | Deg of Curvature: |        | 24°54'40"   | Arc Definition |               |      |
|      | Tangent:          |        | 15.79       | '              |               |      |
|      | Curve PI:         |        |             | 685360.44991   | 1540449.22545 |      |
| 2520 |                   |        | 98+97.25    | 685373.50570   | 1540458.11670 |      |
|      | N34°18'17"E       | 30.31  | '           |                |               |      |
| 2519 |                   |        | 99+27.57    | 685398.54333   | 1540475.19924 |      |
|      | Center Point:     |        | 2518        | 685421.08709   | 1540442.15716 |      |
|      | Radius:           |        | 40.00       | '              |               |      |
|      | Delta:            |        | 82°23'32"   | Left           |               |      |
|      | Arc Length:       |        | 57.52       | '              |               |      |
|      | Chord Bearing:    |        | N06°53'29"W |                |               |      |
|      | Chord Length:     |        | 52.69       | '              |               |      |
|      | Middle Ordinate:  |        | 9.90        | '              |               |      |
|      | External:         |        | 13.16       | '              |               |      |
|      | Deg of Curvature: |        | 143°14'22"  | Arc Definition |               |      |
|      | Tangent:          |        | 35.01       | '              |               |      |
|      | Curve PI:         |        |             | 685427.45957   | 1540494.94434 |      |
| 2517 |                   |        | 99+85.09    | 685450.85266   | 1540468.87709 |      |
|      | N48°05'16"W       | 34.79  | '           |                |               |      |
| 2516 |                   |        | 100+19.88   | 685474.09208   | 1540442.98745 |      |
|      | Center Point:     |        | 2515        | 685533.62561   | 1540496.42675 |      |
|      | Radius:           |        | 80.00       | '              |               |      |
|      | Delta:            |        | 129°02'50"  | Right          |               |      |
|      | Arc Length:       |        | 180.18      | '              |               |      |
|      | Chord Bearing:    |        | N16°26'09"E |                |               |      |
|      | Chord Length:     |        | 144.44      | '              |               |      |
|      | Middle Ordinate:  |        | 45.59       | '              |               |      |
|      | External:         |        | 105.99      | '              |               |      |
|      | Deg of Curvature: |        | 71°37'11"   | Arc Definition |               |      |
|      | Tangent:          |        | 167.90      | '              |               |      |
|      | Curve PI:         |        |             | 685586.24604   | 1540318.05054 |      |
| 2514 |                   |        | 102+00.06   | 685612.62986   | 1540483.85550 |      |
|      | N80°57'34"E       | 105.06 | '           |                |               |      |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |               |
|------|-------------------|-------------|----------------|---------------|
| 2513 |                   | 103+05.12   | 685629.13831   | 1540587.61038 |
|      | Center Point:     | 2512        | 685639.01408   | 1540586.03904 |
|      | Radius:           | 10.00       | '              |               |
|      | Delta:            | 90°54'42"   | Left           |               |
|      | Arc Length:       | 15.87       | '              |               |
|      | Chord Bearing:    | N35°30'13"E |                |               |
|      | Chord Length:     | 14.25       | '              |               |
|      | Middle Ordinate:  | 2.99        | '              |               |
|      | External:         | 4.26        | '              |               |
|      | Deg of Curvature: | 572°57'29"  | Arc Definition |               |
|      | Tangent:          | 10.16       | '              |               |
|      | Curve PI:         |             | 685630.73314   | 1540597.65056 |
| 2511 |                   | 103+20.99   | 685640.73893   | 1540595.88612 |
|      | Center Point:     | 2411        | 685680.48912   | 1540822.42513 |
|      | Radius:           | 230.00      | '              |               |
|      | Delta:            | 30°17'11"   | Right          |               |
|      | Arc Length:       | 121.58      | '              |               |
|      | Chord Bearing:    | N05°11'28"E |                |               |
|      | Chord Length:     | 120.17      | '              |               |
|      | Middle Ordinate:  | 7.99        | '              |               |
|      | External:         | 8.27        | '              |               |
|      | Deg of Curvature: | 24°54'40"   | Arc Definition |               |
|      | Tangent:          | 62.24       | '              |               |
|      | Curve PI:         |             | 685702.04879   | 1540585.13705 |
| 2510 |                   | 104+42.56   | 685760.41605   | 1540606.75888 |
|      | Center Point:     | 2509        | 686132.15911   | 1539603.64555 |
|      | Radius:           | 1069.78     | '              |               |
|      | Delta:            | 8°11'37"    | Left           |               |
|      | Arc Length:       | 152.99      | '              |               |
|      | Chord Bearing:    | N16°14'14"E |                |               |
|      | Chord Length:     | 152.86      | '              |               |
|      | Middle Ordinate:  | 2.73        | '              |               |
|      | External:         | 2.74        | '              |               |
|      | Deg of Curvature: | 5°21'21"    | Arc Definition |               |
|      | Tangent:          | 76.62       | '              |               |
|      | Curve PI:         |             | 685832.26295   | 1540633.39312 |
| 2508 |                   | 105+95.55   | 685907.17881   | 1540649.50081 |
|      | Center Point:     | 2507        | 685595.76557   | 1542097.11372 |
|      | Radius:           | 1480.73     | '              |               |
|      | Delta:            | 12°48'36"   | Right          |               |
|      | Arc Length:       | 331.06      | '              |               |
|      | Chord Bearing:    | N18°32'44"E |                |               |
|      | Chord Length:     | 330.37      | '              |               |
|      | Middle Ordinate:  | 9.24        | '              |               |
|      | External:         | 9.30        | '              |               |
|      | Deg of Curvature: | 3°52'10"    | Arc Definition |               |
|      | Tangent:          | 166.22      | '              |               |
|      | Curve PI:         |             | 686069.67662   | 1540684.46582 |
| 2506 |                   | 109+26.61   | 686220.39305   | 1540754.57782 |
|      | Center Point:     | 2505        | 686239.37566   | 1540713.77757 |
|      | Radius:           | 45.00       | '              |               |
|      | Delta:            | 85°11'42"   | Left           |               |
|      | Arc Length:       | 66.91       | '              |               |
|      | Chord Bearing:    | N17°38'49"W |                |               |
|      | Chord Length:     | 60.92       | '              |               |
|      | Middle Ordinate:  | 11.87       | '              |               |
|      | External:         | 16.13       | '              |               |
|      | Deg of Curvature: | 127°19'27"  | Arc Definition |               |
|      | Tangent:          | 41.38       | '              |               |
|      | Curve PI:         |             | 686257.89935   | 1540772.03790 |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |               |
|------|-------------------|-------------|----------------|---------------|
| 2504 |                   | 109+93.52   | 686278.44631   | 1540736.10987 |
|      | Center Point:     | 3124        | 686434.71343   | 1540825.44400 |
|      | Radius:           | 180.00      | '              |               |
|      | Delta:            | 92°59'57"   | Right          |               |
|      | Arc Length:       | 292.17      | '              |               |
|      | Chord Bearing:    | N13°44'41"W |                |               |
|      | Chord Length:     | 261.13      | '              |               |
|      | Middle Ordinate:  | 56.10       | '              |               |
|      | External:         | 81.49       | '              |               |
|      | Deg of Curvature: | 31°49'52"   | Arc Definition |               |
|      | Tangent:          | 189.68      | '              |               |
|      | Curve PI:         |             | 686372.57173   | 1540571.44904 |
| 2503 |                   | 112+85.68   | 686532.09858   | 1540674.06632 |
|      | N32°45'17"E       | 150.93      | '              |               |
| 2502 |                   | 114+36.61   | 686659.02987   | 1540755.72606 |
|      | Center Point:     | 3121        | 686859.21607   | 1540444.55812 |
|      | Radius:           | 370.00      | '              |               |
|      | Delta:            | 32°30'12"   | Left           |               |
|      | Arc Length:       | 209.90      | '              |               |
|      | Chord Bearing:    | N16°30'11"E |                |               |
|      | Chord Length:     | 207.09      | '              |               |
|      | Middle Ordinate:  | 14.78       | '              |               |
|      | External:         | 15.40       | '              |               |
|      | Deg of Curvature: | 15°29'07"   | Arc Definition |               |
|      | Tangent:          | 107.86      | '              |               |
|      | Curve PI:         |             | 686749.72384   | 1540814.08642 |
| 2501 |                   | 116+46.51   | 686857.58871   | 1540814.55339 |
|      | N00°15'05"E       | 460.34      | '              |               |
| 2500 |                   | 121+06.85   | 687317.92428   | 1540816.57315 |
|      | Center Point:     | 3118        | 687318.88954   | 1540596.57527 |
|      | Radius:           | 220.00      | '              |               |
|      | Delta:            | 93°21'32"   | Left           |               |
|      | Arc Length:       | 358.47      | '              |               |
|      | Chord Bearing:    | N46°25'41"W |                |               |
|      | Chord Length:     | 320.11      | '              |               |
|      | Middle Ordinate:  | 69.06       | '              |               |
|      | External:         | 100.66      | '              |               |
|      | Deg of Curvature: | 26°02'37"   | Arc Definition |               |
|      | Tangent:          | 233.29      | '              |               |
|      | Curve PI:         |             | 687551.20145   | 1540817.60321 |
| 2499 |                   | 124+65.32   | 687538.56485   | 1540584.65043 |
|      | S86°53'33"W       | 470.14      | '              |               |
| 2492 |                   | 129+35.46   | 687513.07879   | 1540115.20173 |
|      | Center Point:     | 2491        | 687506.08908   | 1540115.58120 |
|      | Radius:           | 7.00        | '              |               |
|      | Delta:            | 87°50'14"   | Left           |               |
|      | Arc Length:       | 10.73       | '              |               |
|      | Chord Bearing:    | S42°58'26"W |                |               |
|      | Chord Length:     | 9.71        | '              |               |
|      | Middle Ordinate:  | 1.96        | '              |               |
|      | External:         | 2.72        | '              |               |
|      | Deg of Curvature: | 818°30'40"  | Arc Definition |               |
|      | Tangent:          | 6.74        | '              |               |
|      | Curve PI:         |             | 687512.70401   | 1540108.47306 |
| 2490 |                   | 129+46.19   | 687505.97433   | 1540108.58276 |
|      | S00°56'41"E       | 2.05        | '              |               |
| 2489 |                   | 129+48.24   | 687503.92461   | 1540108.61656 |
|      | Center Point:     | 2465        | 687511.67386   | 1540578.55267 |
|      | Radius:           | 470.00      | '              |               |
|      | Delta:            | 5°46'21"    | Left           |               |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |              |                |               |  |  |  |
|------|-------------------|--------------|----------------|---------------|--|--|--|
|      | Arc Length:       | 47.35        | '              |               |  |  |  |
|      | Chord Bearing:    | S03°49'51"E  |                |               |  |  |  |
|      | Chord Length:     | 47.33        | '              |               |  |  |  |
|      | Middle Ordinate:  | 0.60         | '              |               |  |  |  |
|      | External:         | 0.60         | '              |               |  |  |  |
|      | Deg of Curvature: | 12°11'26"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 23.70        | '              |               |  |  |  |
|      | Curve PI:         | 687480.22005 | 1540109.00874  |               |  |  |  |
| 2488 |                   | 129+95.60    | 687456.70036   | 1540111.77872 |  |  |  |
|      | S06°43'02"E       | 129.63       | '              |               |  |  |  |
| 2487 |                   | 131+25.23    | 687327.96020   | 1540126.94145 |  |  |  |
|      | Center Point:     | 2468         | 687301.05727   | 1539898.52027 |  |  |  |
|      | Radius:           | 230.00       | '              |               |  |  |  |
|      | Delta:            | 37°30'36"    | Right          |               |  |  |  |
|      | Arc Length:       | 150.57       | '              |               |  |  |  |
|      | Chord Bearing:    | S12°02'16"W  |                |               |  |  |  |
|      | Chord Length:     | 147.90       | '              |               |  |  |  |
|      | Middle Ordinate:  | 12.21        | '              |               |  |  |  |
|      | External:         | 12.90        | '              |               |  |  |  |
|      | Deg of Curvature: | 24°54'40"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 78.10        | '              |               |  |  |  |
|      | Curve PI:         | 687250.38675 | 1540136.07781  |               |  |  |  |
| 2486 |                   | 132+75.80    | 687183.31248   | 1540096.09593 |  |  |  |
|      | Center Point:     | 2470         | 687019.49341   | 1540370.98375 |  |  |  |
|      | Radius:           | 320.00       | '              |               |  |  |  |
|      | Delta:            | 49°37'04"    | Left           |               |  |  |  |
|      | Arc Length:       | 277.12       | '              |               |  |  |  |
|      | Chord Bearing:    | S05°59'02"W  |                |               |  |  |  |
|      | Chord Length:     | 268.54       | '              |               |  |  |  |
|      | Middle Ordinate:  | 29.53        | '              |               |  |  |  |
|      | External:         | 32.53        | '              |               |  |  |  |
|      | Deg of Curvature: | 17°54'18"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 147.92       | '              |               |  |  |  |
|      | Curve PI:         | 687056.23232 | 1540020.37202  |               |  |  |  |
| 2485 |                   | 135+52.92    | 686916.23568   | 1540068.10095 |  |  |  |
|      | Center Point:     | 2472         | 686761.34990   | 1539613.77685 |  |  |  |
|      | Radius:           | 480.00       | '              |               |  |  |  |
|      | Delta:            | 21°36'34"    | Right          |               |  |  |  |
|      | Arc Length:       | 181.04       | '              |               |  |  |  |
|      | Chord Bearing:    | S08°01'13"E  |                |               |  |  |  |
|      | Chord Length:     | 179.96       | '              |               |  |  |  |
|      | Middle Ordinate:  | 8.51         | '              |               |  |  |  |
|      | External:         | 8.66         | '              |               |  |  |  |
|      | Deg of Curvature: | 11°56'12"    | Arc Definition |               |  |  |  |
|      | Tangent:          | 91.61        | '              |               |  |  |  |
|      | Curve PI:         | 686829.51819 | 1540097.66199  |               |  |  |  |
| 2484 |                   | 137+33.95    | 686738.03592   | 1540093.20961 |  |  |  |
|      | S02°47'04"W       | 29.95        | '              |               |  |  |  |
| 2483 |                   | 137+63.90    | 686708.12128   | 1540091.75468 |  |  |  |
|      | Center Point:     | 2482         | 686707.78123   | 1540098.74642 |  |  |  |
|      | Radius:           | 7.00         | '              |               |  |  |  |
|      | Delta:            | 60°00'00"    | Left           |               |  |  |  |
|      | Arc Length:       | 7.33         | '              |               |  |  |  |
|      | Chord Bearing:    | S27°12'56"E  |                |               |  |  |  |
|      | Chord Length:     | 7.00         | '              |               |  |  |  |
|      | Middle Ordinate:  | 0.94         | '              |               |  |  |  |
|      | External:         | 1.08         | '              |               |  |  |  |
|      | Deg of Curvature: | 818°30'40"   | Arc Definition |               |  |  |  |
|      | Tangent:          | 4.04         | '              |               |  |  |  |
|      | Curve PI:         | 686704.07174 | 1540091.56057  |               |  |  |  |

CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |               |
|------|-------------------|-------------|----------------|---------------|
| 2481 |                   | 137+71.23   | 686701.89623   | 1540094.95606 |
|      | Center Point:     | 2477        | 686645.56842   | 1540058.67690 |
|      | Radius:           | 67.00       | '              |               |
|      | Delta:            | 300°00'00"  | Right          |               |
|      | Arc Length:       | 350.81      | '              |               |
|      | Chord Bearing:    | N87°12'56"W |                |               |
|      | Chord Length:     | 67.00       | '              |               |
|      | Middle Ordinate:  | 0.00        | '              |               |
|      | External:         | 0.00        | '              |               |
|      | Deg of Curvature: | 85°30'58"   | Arc Definition |               |
|      | Tangent:          | 0.00        | '              |               |
|      | Curve PI:         |             | 0.00000        | 0.00000       |
| 2476 |                   | 141+22.04   | 686705.15100   | 1540028.03516 |
|      | Center Point:     | 2475        | 686711.37604   | 1540024.83379 |
|      | Radius:           | 7.00        | '              |               |
|      | Delta:            | 60°00'00"   | Left           |               |
|      | Arc Length:       | 7.33        | '              |               |
|      | Chord Bearing:    | N32°47'04"E |                |               |
|      | Chord Length:     | 7.00        | '              |               |
|      | Middle Ordinate:  | 0.94        | '              |               |
|      | External:         | 1.08        | '              |               |
|      | Deg of Curvature: | 818°30'40"  | Arc Definition |               |
|      | Tangent:          | 4.04        | '              |               |
|      | Curve PI:         |             | 686706.98655   | 1540031.63141 |
| 2474 |                   | 141+29.37   | 686711.03599   | 1540031.82552 |
|      | N02°47'04"E       | 29.95       | '              |               |
| 2473 |                   | 141+59.32   | 686740.95063   | 1540033.28045 |
|      | Center Point:     | 2472        | 686761.35364   | 1539613.77632 |
|      | Radius:           | 420.00      | '              |               |
|      | Delta:            | 21°36'34"   | Left           |               |
|      | Arc Length:       | 158.41      | '              |               |
|      | Chord Bearing:    | N08°01'13"W |                |               |
|      | Chord Length:     | 157.47      | '              |               |
|      | Middle Ordinate:  | 7.45        | '              |               |
|      | External:         | 7.58        | '              |               |
|      | Deg of Curvature: | 13°38'31"   | Arc Definition |               |
|      | Tangent:          | 80.16       | '              |               |
|      | Curve PI:         |             | 686820.99574   | 1540037.17655 |
| 2471 |                   | 143+17.72   | 686896.88038   | 1540011.30968 |
|      | Center Point:     | 2470        | 687019.49829   | 1540370.98293 |
|      | Radius:           | 380.00      | '              |               |
|      | Delta:            | 49°37'04"   | Right          |               |
|      | Arc Length:       | 329.08      | '              |               |
|      | Chord Bearing:    | N05°59'02"E |                |               |
|      | Chord Length:     | 318.89      | '              |               |
|      | Middle Ordinate:  | 35.07       | '              |               |
|      | External:         | 38.63       | '              |               |
|      | Deg of Curvature: | 15°04'40"   | Arc Definition |               |
|      | Tangent:          | 175.66      | '              |               |
|      | Curve PI:         |             | 687063.12315   | 1539954.63197 |
| 2469 |                   | 146+46.80   | 687214.03283   | 1540044.55358 |
|      | Center Point:     | 2468        | 687301.06171   | 1539898.51942 |
|      | Radius:           | 170.00      | '              |               |
|      | Delta:            | 37°30'36"   | Left           |               |
|      | Arc Length:       | 111.29      | '              |               |
|      | Chord Bearing:    | N12°02'16"E |                |               |
|      | Chord Length:     | 109.32      | '              |               |
|      | Middle Ordinate:  | 9.03        | '              |               |
|      | External:         | 9.53        | '              |               |
|      | Deg of Curvature: | 33°42'12"   | Arc Definition |               |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|      |                   |             |                |              |               |  |  |
|------|-------------------|-------------|----------------|--------------|---------------|--|--|
|      | Tangent:          | 57.72       | '              |              |               |  |  |
|      | Curve PI:         |             |                | 687263.60180 | 1540074.10667 |  |  |
| 2467 |                   | 147+58.09   |                | 687320.94891 | 1540067.35298 |  |  |
|      | N06°43'02"W       | 129.63      | '              |              |               |  |  |
| 2466 |                   | 148+87.72   |                | 687449.68907 | 1540052.19026 |  |  |
|      | Center Point:     | 2465        |                | 687511.68278 | 1540578.55209 |  |  |
|      | Radius:           | 530.00      | '              |              |               |  |  |
|      | Delta:            | 5°46'21"    | Right          |              |               |  |  |
|      | Arc Length:       | 53.40       | '              |              |               |  |  |
|      | Chord Bearing:    | N03°49'51"W |                |              |               |  |  |
|      | Chord Length:     | 53.37       | '              |              |               |  |  |
|      | Middle Ordinate:  | 0.67        | '              |              |               |  |  |
|      | External:         | 0.67        | '              |              |               |  |  |
|      | Deg of Curvature: | 10°48'38"   | Arc Definition |              |               |  |  |
|      | Tangent:          | 26.72       | '              |              |               |  |  |
|      | Curve PI:         |             |                | 687476.20617 | 1540049.06677 |  |  |
| 2464 |                   | 149+41.12   |                | 687502.93983 | 1540048.62456 |  |  |
|      | N00°56'41"W       | 2.05        | '              |              |               |  |  |
| 2463 |                   | 149+43.17   |                | 687504.98955 | 1540048.59076 |  |  |
|      | Center Point:     | 2462        |                | 687504.87413 | 1540041.59171 |  |  |
|      | Radius:           | 7.00        | '              |              |               |  |  |
|      | Delta:            | 87°44'13"   | Left           |              |               |  |  |
|      | Arc Length:       | 10.72       | '              |              |               |  |  |
|      | Chord Bearing:    | N44°48'48"W |                |              |               |  |  |
|      | Chord Length:     | 9.70        | '              |              |               |  |  |
|      | Middle Ordinate:  | 1.95        | '              |              |               |  |  |
|      | External:         | 2.71        | '              |              |               |  |  |
|      | Deg of Curvature: | 818°30'42"  | Arc Definition |              |               |  |  |
|      | Tangent:          | 6.73        | '              |              |               |  |  |
|      | Curve PI:         |             |                | 687511.70435 | 1540048.48139 |  |  |
| 2461 |                   | 149+53.89   |                | 687511.87079 | 1540041.75421 |  |  |
|      | Center Point:     | 2433        |                | 688441.62462 | 1540063.15093 |  |  |
|      | Radius:           | 930.00      | '              |              |               |  |  |
|      | Delta:            | 18°34'08"   | Right          |              |               |  |  |
|      | Arc Length:       | 301.40      | '              |              |               |  |  |
|      | Chord Bearing:    | N79°23'50"W |                |              |               |  |  |
|      | Chord Length:     | 300.09      | '              |              |               |  |  |
|      | Middle Ordinate:  | 12.18       | '              |              |               |  |  |
|      | External:         | 12.35       | '              |              |               |  |  |
|      | Deg of Curvature: | 6°09'39"    | Arc Definition |              |               |  |  |
|      | Tangent:          | 152.03      | '              |              |               |  |  |
|      | Curve PI:         |             |                | 687515.35702 | 1539889.75995 |  |  |
| 2460 |                   | 152+55.30   |                | 687567.08705 | 1539746.78782 |  |  |
|      | Center Point:     | 2435        |                | 686880.62132 | 1539498.46383 |  |  |
|      | Radius:           | 730.00      | '              |              |               |  |  |
|      | Delta:            | 34°35'59"   | Left           |              |               |  |  |
|      | Arc Length:       | 440.83      | '              |              |               |  |  |
|      | Chord Bearing:    | N87°24'45"W |                |              |               |  |  |
|      | Chord Length:     | 434.16      | '              |              |               |  |  |
|      | Middle Ordinate:  | 33.02       | '              |              |               |  |  |
|      | External:         | 34.59       | '              |              |               |  |  |
|      | Deg of Curvature: | 7°50'55"    | Arc Definition |              |               |  |  |
|      | Tangent:          | 227.37      | '              |              |               |  |  |
|      | Curve PI:         |             |                | 687644.41863 | 1539532.98372 |  |  |
| 2459 |                   | 156+96.13   |                | 687586.68723 | 1539313.07047 |  |  |
|      | Center Point:     | 2458        |                | 687847.83457 | 1539244.49885 |  |  |
|      | Radius:           | 270.00      | '              |              |               |  |  |
|      | Delta:            | 33°56'19"   | Right          |              |               |  |  |
|      | Arc Length:       | 159.93      | '              |              |               |  |  |
|      | Chord Bearing:    | N87°44'35"W |                |              |               |  |  |



CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|                   |              |                            |
|-------------------|--------------|----------------------------|
| Chord Length:     | 157.60       | '                          |
| Middle Ordinate:  | 11.76        | '                          |
| External:         | 12.29        | '                          |
| Deg of Curvature: | 21°13'15"    | Arc Definition             |
| Tangent:          | 82.39        | '                          |
| Curve PI:         | 687565.75020 | 1539233.38309              |
| 2457              | 158+56.06    | 687592.89366 1539155.59272 |
| Center Point:     | 2439         | 687385.16385 1539083.14739 |
| Radius:           | 220.00       | '                          |
| Delta:            | 91°45'53"    | Left                       |
| Arc Length:       | 352.35       | '                          |
| Chord Bearing:    | S63°20'37"W  |                            |
| Chord Length:     | 315.88       | '                          |
| Middle Ordinate:  | 66.85        | '                          |
| External:         | 96.03        | '                          |
| Deg of Curvature: | 26°02'37"    | Arc Definition             |
| Tangent:          | 226.88       | '                          |
| Curve PI:         | 687667.59253 | 1538941.36046              |
| 2456              | 162+08.41    | 687451.17761 1538873.28662 |
| Center Point:     | 2455         | 687662.83907 1538200.40143 |
| Radius:           | 705.39       | '                          |
| Delta:            | 51°08'49"    | Right                      |
| Arc Length:       | 629.69       | '                          |
| Chord Bearing:    | S43°02'05"W  |                            |
| Chord Length:     | 608.99       | '                          |
| Middle Ordinate:  | 69.11        | '                          |
| External:         | 76.61        | '                          |
| Deg of Curvature: | 8°07'21"     | Arc Definition             |
| Tangent:          | 337.57       | '                          |
| Curve PI:         | 687129.15417 | 1538771.99160              |
| 2240              | 168+38.10    | 687006.04230 1538457.68660 |

-----

|                               |   |                     |
|-------------------------------|---|---------------------|
| Closing latitude              | = | 0.01252             |
| Closing departure             | = | 0.00477             |
| Closing bearing               | = | S20°50'31"W         |
| Closing distance              | = | 0.01340             |
| Total traverse length         | = | 16008.20 (16838.10) |
| Total error of closure        | = | 1/1194762           |
| Error of closure in latitude  | = | 1/1278415           |
| Error of closure in departure | = | 1/3358047           |
| Area                          | = | 501194.33 SQ FT     |
| Area                          | = | 11.506 ACRES        |

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:49 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-21

| Point Number | Description          | Sta         | Northing       | Easting       | Elevation |
|--------------|----------------------|-------------|----------------|---------------|-----------|
| Bearing      | Distance             |             |                |               |           |
| 1652         |                      | 0+00.00     | 686365.08856   | 1538451.99860 |           |
|              | N00°30'29"E 640.97 ' |             |                |               |           |
| 2240         |                      | 6+40.97     | 687006.03336   | 1538457.68216 |           |
|              | Center Point:        | 2455        | 687662.82825   | 1538200.39725 |           |
|              | Radius:              | 705.39      | '              |               |           |
|              | Delta:               | 51°08'49"   | Left           |               |           |
|              | Arc Length:          | 629.69      | '              |               |           |
|              | Chord Bearing:       | N43°02'05"E |                |               |           |
|              | Chord Length:        | 608.99      | '              |               |           |
|              | Middle Ordinate:     | 69.11       | '              |               |           |
|              | External:            | 76.61       | '              |               |           |
|              | Deg of Curvature:    | 8°07'21"    | Arc Definition |               |           |
|              | Tangent:             | 337.57      | '              |               |           |
|              | Curve PI:            |             | 687129.15417   | 1538771.99160 |           |
| 2456         |                      | 12+70.66    | 687451.16868   | 1538873.28218 |           |
|              | Center Point:        | 2439        | 687385.15481   | 1539083.14444 |           |
|              | Radius:              | 220.00      | '              |               |           |
|              | Delta:               | 48°45'21"   | Right          |               |           |
|              | Arc Length:          | 187.21      | '              |               |           |
|              | Chord Bearing:       | N41°50'21"E |                |               |           |
|              | Chord Length:        | 181.61      | '              |               |           |
|              | Middle Ordinate:     | 19.61       | '              |               |           |
|              | External:            | 21.53       | '              |               |           |
|              | Deg of Curvature:    | 26°02'37"   | Arc Definition |               |           |
|              | Tangent:             | 99.69       | '              |               |           |
|              | Curve PI:            |             | 687546.26452   | 1538903.19603 |           |
| 2050         |                      | 14+57.87    | 687586.47179   | 1538994.42366 | 0.00      |
|              | S33°54'23"W 118.55 ' |             |                |               |           |
| 2051         |                      | 15+76.42    | 687488.08121   | 1538928.29201 | 0.00      |
|              | S07°12'52"E 156.45 ' |             |                |               |           |
| 2052         |                      | 17+32.86    | 687332.86981   | 1538947.93952 | 0.00      |
|              | S51°32'23"E 281.19 ' |             |                |               |           |
| 2053         |                      | 20+14.05    | 687157.97753   | 1539168.12241 | 0.00      |
|              | S00°30'29"W 792.18 ' |             |                |               |           |
| 2742         |                      | 28+06.24    | 686365.82867   | 1539161.09805 |           |
|              | S89°56'26"W 709.10 ' |             |                |               |           |
| 1652         |                      | 35+15.34    | 686365.09298   | 1538451.99843 |           |

-----

Closing latitude = 0.00442  
 Closing departure = -0.00017  
 Closing bearing = S02°09'59"E  
 Closing distance = 0.00442  
 Total traverse length = 3489.04 (3515.34)  
 Total error of closure = 1/789099  
 Error of closure in latitude = 1/789663  
 Error of closure in departure = 1/20875386

Area = 608319.35 SQ FT  
 Area = 13.965 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-22

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2742         |             | 0+00.00  | 686365.82395 | 1539161.09717 |           |
|              | N00°30'29"E | 792.18   |              |               |           |
| 2053         |             | 7+92.18  | 687157.97280 | 1539168.12153 | 0.00      |
|              | S39°07'03"E | 126.62   |              |               |           |
| 2054         |             | 9+18.80  | 687059.73420 | 1539248.00771 | 0.00      |
|              | S58°50'26"E | 50.85    |              |               |           |
| 2055         |             | 9+69.65  | 687033.42332 | 1539291.52162 | 0.00      |
|              | S80°45'04"E | 104.17   |              |               |           |
| 2056         |             | 10+73.82 | 687016.68076 | 1539394.33736 | 0.00      |
|              | N84°00'57"E | 300.96   |              |               |           |
| 2057         |             | 13+74.78 | 687048.05694 | 1539693.65735 | 0.00      |
|              | S88°21'49"E | 83.99    |              |               |           |
| 2058         |             | 14+58.77 | 687045.65848 | 1539777.61309 | 0.00      |
|              | S15°47'33"E | 232.38   |              |               |           |
| 2059         |             | 16+91.15 | 686822.04998 | 1539840.85631 | 0.00      |
|              | S04°15'08"W | 293.75   |              |               |           |
| 2093         |             | 19+84.90 | 686529.10858 | 1539819.07558 | 0.00      |
|              | S42°27'19"E | 220.19   |              |               |           |
| 2094         |             | 22+05.09 | 686366.65142 | 1539967.70703 | 0.00      |
|              | S89°56'26"W | 806.61   |              |               |           |
| 2742         |             | 30+11.69 | 686365.81456 | 1539161.09746 |           |

Closing latitude = -0.00939  
 Closing departure = 0.00029  
 Closing bearing = N01°44'53"W  
 Closing distance = 0.00939  
 Total traverse length = 3011.70 (3011.69)  
 Total error of closure = 1/320754  
 Error of closure in latitude = 1/320904  
 Error of closure in departure = 1/10515409

Area = 457268.82 SQ FT  
 Area = 10.497 ACRES

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-23

| Point Number | Description | Sta      | Northing     | Easting       | Elevation |
|--------------|-------------|----------|--------------|---------------|-----------|
| Bearing      | Distance    |          |              |               |           |
| 2744         |             | 0+00.00  | 686365.59520 | 1538940.53114 |           |
| S89°56'26"W  | 488.53 '    |          |              |               |           |
| 1652         |             | 4+88.53  | 686365.08835 | 1538452.00140 |           |
| S00°30'29"W  | 299.89 '    |          |              |               |           |
| 1651         |             | 7+88.42  | 686065.21014 | 1538449.34224 |           |
| N87°33'17"E  | 159.47 '    |          |              |               |           |
| 1323         |             | 9+47.90  | 686072.01396 | 1538608.66703 |           |
| S00°00'04"W  | 1017.90 '   |          |              |               |           |
| 1654         |             | 19+65.79 | 685054.11396 | 1538608.64729 |           |
| S89°35'34"E  | 322.55 '    |          |              |               |           |
| 2745         |             | 22+88.35 | 685051.82150 | 1538931.18915 |           |
| N00°24'26"E  | 1313.80 '   |          |              |               |           |
| 2744         |             | 36+02.15 | 686365.58832 | 1538940.52673 |           |

Closing latitude = -0.00689  
Closing departure = -0.00441  
Closing bearing = N32°38'55"E  
Closing distance = 0.00818  
Total traverse length = 3602.14 (3602.15)  
Total error of closure = 1/440368  
Error of closure in latitude = 1/523006  
Error of closure in departure = 1/816272

Area = 476292.38 SQ FT  
Area = 10.934 ACRES

CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-25

| Point Number | Description           | Sta                      | Northing     | Easting       | Elevation |
|--------------|-----------------------|--------------------------|--------------|---------------|-----------|
| Bearing      | Distance              |                          |              |               |           |
| 2746         |                       | 0+00.00                  | 685049.65696 | 1539236.33260 |           |
|              | S00°24'26"W 1117.75 ' |                          |              |               |           |
| 2560         |                       | 11+17.75                 | 683931.93519 | 1539228.38841 |           |
|              | Center Point:         | 2561                     | 683841.24011 | 1539108.91288 |           |
|              | Radius:               | 150.00'                  |              |               |           |
|              | Delta:                | 29°06'21" Left           |              |               |           |
|              | Arc Length:           | 76.20'                   |              |               |           |
|              | Chord Bearing:        | N51°45'19"W              |              |               |           |
|              | Chord Length:         | 75.38'                   |              |               |           |
|              | Middle Ordinate:      | 4.81'                    |              |               |           |
|              | External:             | 4.97'                    |              |               |           |
|              | Deg of Curvature:     | 38°11'50" Arc Definition |              |               |           |
|              | Tangent:              | 38.94'                   |              |               |           |
|              | Curve PI:             |                          | 683962.94961 | 1539204.84469 |           |
| 2562         |                       | 11+93.95                 | 683978.59704 | 1539169.18692 |           |
|              | N66°18'30"W 447.93 '  |                          |              |               |           |
| 2563         |                       | 16+41.88                 | 684158.58185 | 1538759.00799 |           |
|              | Center Point:         | 2564                     | 684021.22370 | 1538698.73580 |           |
|              | Radius:               | 150.00'                  |              |               |           |
|              | Delta:                | 56°43'12" Left           |              |               |           |
|              | Arc Length:           | 148.49'                  |              |               |           |
|              | Chord Bearing:        | S85°19'54"W              |              |               |           |
|              | Chord Length:         | 142.50'                  |              |               |           |
|              | Middle Ordinate:      | 18.00'                   |              |               |           |
|              | External:             | 20.46'                   |              |               |           |
|              | Deg of Curvature:     | 38°11'50" Arc Definition |              |               |           |
|              | Tangent:              | 80.97'                   |              |               |           |
|              | Curve PI:             |                          | 684191.11685 | 1538684.86025 |           |
| 2565         |                       | 17+90.38                 | 684146.98411 | 1538616.98073 |           |
|              | S56°58'18"W 87.78 '   |                          |              |               |           |
| 2362         |                       | 18+78.16                 | 684099.13930 | 1538543.38588 |           |
|              | N09°16'41"W 587.18 '  |                          |              |               |           |
| 2363         |                       | 24+65.34                 | 684678.63754 | 1538448.71729 |           |
|              | S89°59'56"E 159.93 '  |                          |              |               |           |
| 1324         |                       | 26+25.27                 | 684678.63444 | 1538608.64729 |           |
|              | N00°00'04"E 375.48 '  |                          |              |               |           |
| 1654         |                       | 30+00.75                 | 685054.11444 | 1538608.65457 |           |
|              | S89°35'34"E 627.70 '  |                          |              |               |           |
| 2746         |                       | 36+28.45                 | 685049.65318 | 1539236.33872 |           |

Closing latitude = -0.00378  
 Closing departure = 0.00612  
 Closing bearing = N58°15'38"W  
 Closing distance = 0.00719  
 Total traverse length = 3621.63 (3628.45)  
 Total error of closure = 1/503531  
 Error of closure in latitude = 1/957180  
 Error of closure in departure = 1/592077

Area = 669862.61 SQ FT  
 Area = 15.378 ACRES



CONTOUR ENGINEERING, LLC  
 3309 56TH STREET NW  
 GIG HARBOR, WA. 98335  
 253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance, or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT OS-26

| Point Number | Description          | Sta      | Northing     | Easting       | Elevation |
|--------------|----------------------|----------|--------------|---------------|-----------|
| Bearing      | Distance             |          |              |               |           |
| 2746         |                      | 0+00.00  | 685049.65696 | 1539236.33260 |           |
|              | S89°35'34"E 1123.97' |          |              |               |           |
| 2743         |                      | 11+23.97 | 685041.66856 | 1540360.27421 |           |
|              | S32°49'43"E 109.95'  |          |              |               |           |
| 2106         |                      | 12+33.92 | 684949.27802 | 1540419.88117 | 0.00      |
|              | S81°50'08"E 132.78'  |          |              |               |           |
| 2107         |                      | 13+66.70 | 684930.42131 | 1540551.31539 | 0.00      |
|              | S70°08'39"W 61.06'   |          |              |               |           |
| 2108         |                      | 14+27.76 | 684909.68200 | 1540493.88539 | 0.00      |
|              | S58°07'25"W 44.77'   |          |              |               |           |
| 2109         |                      | 14+72.53 | 684886.03948 | 1540455.86718 | 0.00      |
|              | N82°32'22"W 21.16'   |          |              |               |           |
| 2110         |                      | 14+93.69 | 684888.78697 | 1540434.88631 | 0.00      |
|              | S41°38'45"W 30.22'   |          |              |               |           |
| 2111         |                      | 15+23.91 | 684866.20457 | 1540414.80439 | 0.00      |
|              | S48°29'51"W 67.18'   |          |              |               |           |
| 2144         |                      | 15+91.09 | 684821.68756 | 1540364.49149 | 0.00      |
|              | S10°08'21"W 82.59'   |          |              |               |           |
| 2145         |                      | 16+73.68 | 684740.38736 | 1540349.95237 | 0.00      |
|              | S07°51'57"W 97.38'   |          |              |               |           |
| 2146         |                      | 17+71.05 | 684643.92358 | 1540336.62554 | 0.00      |
|              | S30°34'24"W 98.15'   |          |              |               |           |
| 2147         |                      | 18+69.20 | 684559.41851 | 1540286.70245 | 0.00      |
|              | S26°49'03"W 11.50'   |          |              |               |           |
| 2148         |                      | 18+80.70 | 684549.15535 | 1540281.51423 | 0.00      |
|              | S58°09'33"W 96.13'   |          |              |               |           |
| 2149         |                      | 19+76.83 | 684498.44088 | 1540199.85016 | 0.00      |
|              | S11°12'28"W 69.42'   |          |              |               |           |
| 2150         |                      | 20+46.26 | 684430.34481 | 1540186.35717 | 0.00      |
|              | S03°08'22"E 45.82'   |          |              |               |           |
| 2151         |                      | 20+92.07 | 684384.59357 | 1540188.86656 | 0.00      |
|              | S58°30'02"E 60.77'   |          |              |               |           |
| 2152         |                      | 21+52.84 | 684352.84184 | 1540240.68181 | 0.00      |
|              | S16°39'38"E 59.88'   |          |              |               |           |
| 2153         |                      | 22+12.72 | 684295.47559 | 1540257.84947 | 0.00      |
|              | S04°50'08"W 54.68'   |          |              |               |           |
| 2154         |                      | 22+67.39 | 684240.99021 | 1540253.24015 | 0.00      |
|              | S42°14'45"W 106.48'  |          |              |               |           |
| 2155         |                      | 23+73.87 | 684162.16658 | 1540181.65227 | 0.00      |
|              | S03°44'03"W 36.57'   |          |              |               |           |
| 2156         |                      | 24+10.44 | 684125.67422 | 1540179.27056 | 0.00      |
|              | S08°46'25"E 33.56'   |          |              |               |           |
| 2157         |                      | 24+44.00 | 684092.50691 | 1540184.38949 | 0.00      |
|              | S11°01'45"W 57.72'   |          |              |               |           |
| 2158         |                      | 25+01.72 | 684035.85301 | 1540173.34715 | 0.00      |
|              | S12°55'21"W 165.77'  |          |              |               |           |
| 2159         |                      | 26+67.49 | 683874.28139 | 1540136.27553 | 0.00      |
|              | S24°37'17"W 161.67'  |          |              |               |           |
| 2160         |                      | 28+29.16 | 683727.31032 | 1540068.92054 | 0.00      |
|              | N89°34'25"W 604.23'  |          |              |               |           |
| 2552         |                      | 34+33.39 | 683731.80689 | 1539464.70727 |           |
|              | Center Point:        | 2553     | 683667.40948 | 1539329.23413 |           |

CONTOUR ENGINEERING, LLC  
3309 56TH STREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

-----

|                   |             |                |              |                            |
|-------------------|-------------|----------------|--------------|----------------------------|
| Radius:           | 150.00      | '              |              |                            |
| Delta:            | 41°05'43"   | Left           |              |                            |
| Arc Length:       | 107.59      | '              |              |                            |
| Chord Bearing:    | N45°58'19"W |                |              |                            |
| Chord Length:     | 105.30      | '              |              |                            |
| Middle Ordinate:  | 9.54        | '              |              |                            |
| External:         | 10.19       | '              |              |                            |
| Deg of Curvature: | 38°11'50"   | Arc Definition |              |                            |
| Tangent:          | 56.22       | '              |              |                            |
| Curve PI:         |             |                | 683782.60755 | 1539440.57338              |
| 2554              |             |                | 35+40.98     | 683804.99150 1539388.99662 |
| N66°31'10"W       | 51.52       | '              |              |                            |
| 2555              |             |                | 35+92.50     | 683825.51902 1539341.74272 |
| Center Point:     | 2556        |                | 683908.06660 | 1539377.60212              |
| Radius:           | 90.00       | '              |              |                            |
| Delta:            | 18°30'47"   | Right          |              |                            |
| Arc Length:       | 29.08       | '              |              |                            |
| Chord Bearing:    | N57°15'47"W |                |              |                            |
| Chord Length:     | 28.95       | '              |              |                            |
| Middle Ordinate:  | 1.17        | '              |              |                            |
| External:         | 1.19        | '              |              |                            |
| Deg of Curvature: | 63°39'43"   | Arc Definition |              |                            |
| Tangent:          | 14.67       | '              |              |                            |
| Curve PI:         |             |                | 683831.38210 | 1539328.29500              |
| 2557              |             |                | 36+21.58     | 683841.17468 1539317.39107 |
| N48°00'24"W       | 76.15       | '              |              |                            |
| 2558              |             |                | 36+97.73     | 683892.12239 1539260.79466 |
| N42°36'16"W       | 18.64       | '              |              |                            |
| 2559              |             |                | 37+16.37     | 683905.84226 1539248.17663 |
| N37°12'09"W       | 32.73       | '              |              |                            |
| 2560              |             |                | 37+49.10     | 683931.91182 1539228.38696 |
| N00°24'26"E       | 1117.75     | '              |              |                            |
| 2746              |             |                | 48+66.86     | 685049.63359 1539236.33116 |

-----

|                               |   |                   |
|-------------------------------|---|-------------------|
| Closing latitude              | = | -0.02337          |
| Closing departure             | = | -0.00144          |
| Closing bearing               | = | N03°32'08"E       |
| Closing distance              | = | 0.02342           |
| Total traverse length         | = | 4864.45 (4866.86) |
| Total error of closure        | = | 1/207743          |
| Error of closure in latitude  | = | 1/208139          |
| Error of closure in departure | = | 1/3368687         |
| Area                          | = | 1321916.51 SQ FT  |
| Area                          | = | 30.347 ACRES      |



CONTOUR ENGINEERING, LLC  
3309 56TH sTREET NW  
GIG HARBOR, WA. 98335  
253-324-6449

Thursday, September 1, 2022 9:30:50 AM

PROJECT: svr\shared\PROJECT FILES\21-088 Skyline Ridge East\21-088B\21-088B.pro

CLOSURE REPORT

Coordinate values shown are computed based on the rounded bearing and distance,  
or chord bearing and chord lengths as indicated herein.

Boundary Name: TRACT S-4

| Point Number | Description | Sta     | Northing     | Easting       | Elevation |
|--------------|-------------|---------|--------------|---------------|-----------|
| Bearing      | Distance    |         |              |               |           |
| 2098         |             | 0+00.00 | 685711.24345 | 1539989.51491 | 0.00      |
|              | S77°14'39"E |         |              |               |           |
| 2099         | 145.85 '    | 1+45.85 | 685679.04024 | 1540131.76531 | 0.00      |
|              | S12°45'21"W |         |              |               |           |
| 2194         | 170.81 '    | 3+16.65 | 685512.44586 | 1540094.05102 |           |
|              | S03°36'55"W |         |              |               |           |
| 2100         | 68.59 '     | 3+85.24 | 685443.99236 | 1540089.72597 | 0.00      |
|              | S48°54'05"W |         |              |               |           |
| 2101         | 80.49 '     | 4+65.73 | 685391.08170 | 1540029.07037 | 0.00      |
|              | N46°21'03"W |         |              |               |           |
| 2752         | 122.24 '    | 5+87.97 | 685475.45672 | 1539940.61997 | 0.00      |
|              | N00°02'37"E |         |              |               |           |
| 2751         | 143.33 '    | 7+31.30 | 685618.78668 | 1539940.72907 | 0.00      |
|              | N27°49'21"E |         |              |               |           |
| 2098         | 104.54 '    | 8+35.84 | 685711.24162 | 1539989.52144 | 0.00      |

Closing latitude = -0.00183  
Closing departure = 0.00652  
Closing bearing = N74°21'19"W  
Closing distance = 0.00678  
Total traverse length = 835.85 (835.84)  
Total error of closure = 1/123367  
Error of closure in latitude = 1/457473  
Error of closure in departure = 1/128114

Area = 43201.52 SQ FT  
Area = 0.992 ACRES