

Chelsea Benner

From: Mau, Russell E (DOH) <Russell.Mau@DOH.WA.GOV>
Sent: Thursday, July 19, 2018 1:07 PM
To: Chelsea Benner; Holly Erdman; Tristen Lamb; Smits, Brenda M (DOH)
Subject: RE: Notice Of Application for PF-18-00001

Follow Up Flag: Follow up
Flag Status: Flagged

All:

I missed this one to be able to respond by July 3, 2018; however, my comment still holds – not for purposes of either supporting or denying the application, but for requirements if the application is approved and there is follow-through.

For the site, with the facilities as described in the “Proposal” (pdf file attached to email below) – office space and possibly equipment repair facilities – this site would need drinking water and would be classified as “Public”. Thus, for the new site, Kittitas County Public Works would need to submit an application for a public water system – Group A or Group B would depend on population being served.

Thanks,

Russell E. Mau, PhD, PE
Regional Engineer
Office of Drinking Water
Environmental Public Health
Washington State Department of Health
Russell.Mau@doh.wa.gov
509-329-2116 | www.doh.wa.gov

From: Chelsea Benner [<mailto:chelsea.benner@co.kittitas.wa.us>]
Sent: Monday, June 18, 2018 10:38 AM
To: Taylor Gustafson <taylor.gustafson@co.kittitas.wa.us>; Tristen Lamb <tristen.lamb@co.kittitas.wa.us>; Holly Erdman <Holly.erdman@co.kittitas.wa.us>; Lindsey Ozbolt <lindsey.ozbolt@co.kittitas.wa.us>; Candie Leader <candie.leader@co.kittitas.wa.us>; ECY RE SEPA REGISTER <separegister@ecy.wa.gov>; Clear, Gwen (ECY) <GCLE461@ECY.WA.GOV>; White, Lori (ECY) <lowh461@ECY.WA.GOV>; Gilbert, Michelle (ECY) <migi461@ECY.WA.GOV>; Downes, Scott G (DFW) <Scott.Downes@dfw.wa.gov>; Nelson, Jennifer L (DFW) <Jennifer.Nelson@dfw.wa.gov>; Mau, Russell E (DOH) <Russell.Mau@DOH.WA.GOV>; Ben Serrurier <ben.serrurier@ccrenew.com>; Kennedy, Becky (DNR) <Becky.Kennedy@dnr.wa.gov>; PRESTON, CINDY (DNR) <CINDY.PRESTON@dnr.wa.gov>; DNR RE AQ LEASING RIVERS <DNRREAQLEASINGRIVERS@dnr.wa.gov>; Gary Wargo <wargog@cersd.org>; 'montgomeryr@cersd.org' <montgomeryr@cersd.org>; 'office@kcf7.com' <office@kcf7.com>; Eric Trygstad <eric.trygstad@co.kittitas.wa.us>; 'roslyn@inlandnet.com' <roslyn@inlandnet.com>; Robert Omans <robert@cityofcleelum.com>; Kathi Swanson <kswanson@cityofcleelum.com>; Lucy Temple <lucy@cityofcleelum.com>; Harmon, Lynn (PARKS) <Lynn.Harmon@PARKS.WA.GOV>; 'PrilucJ@wsdot.wa.gov' <PrilucJ@wsdot.wa.gov>; 'kaiserm@wsdot.wa.gov' <kaiserm@wsdot.wa.gov>; Jacob Prilucik <SCPlanning@wsdot.wa.gov>; John Marvin <jmarvin@yakama.com>; 'jessica@yakama.com' <jessica@yakama.com>; 'johnson@yakama.com' <johnson@yakama.com>; 'enviroreview@yakama.com' <enviroreview@yakama.com>; Patti Johnson <patti.johnson@co.kittitas.wa.us>; Lisa Lawrence <lisa.lawrence@co.kittitas.wa.us>; 'klarned@fs.fed.us'

<klarned@fs.fed.us>; 'Mrivera1@bpa.gov' <Mrivera1@bpa.gov>

Subject: Notice Of Application for PF-18-00001

Hello,

Please review the Public Facilities application for Kittitas County Public Works' new proposed Rad Maintenance Operations Facilities. Comments for this application are due by July 3rd at 5pm. Feel free to contact me with any questions you may have.

[Internal PF-18-00001](#)

[External PF-18-00001](#)

Thank you,

Chelsea Benner

Planner I

Kittitas County Community Development Services

411 N Ruby Street, Suite 2 Ellensburg, WA 98926

(p) 509-962-7506 (f) 509-962-7682

chelsea.benner@co.kittitas.wa.us

Notice: Email sent to Kittitas County may be subject to public disclosure as required by law.
message id: 38eb45916c6dcbdac24bb8719d004a14