

**PROJECT NAME: Black Horse at Whiskey Creek Rezone & Plat -
Final PUD Plan (RZ-06-00015 & LP-06-00022)**

Completed for: **BOCC Closed Record Hearing 1/20/15 [hearing date]**

PDF Pg #	Index #	Document Name
1	67	Agenda Staff Report – Final PUD closed record hearing – 1/20/15
3	66	FPUD review matrix – 1/15/15
11	65	Email between applicant & KC CDS - 1/9/15
16	64	Email from agency departments re: agreement with site plans and staging plan - 1/8/15
25	63	Corrected Revised Site Plans - 12/19/14
27	62	Email from applicant re: corrected road name on site plans - 12/19/14
30	61	Staging/Phasing Plan - 12/19/14
32	60	Revised Phased Site Plans - 12/19/14
34	59	Email from applicant re: revised site plan & staging plan - 12/19/14
36	58	Email between applicant & KC PW - 12/19/14
39	57	Email between applicant & KC CDS - 12/19/14
41	56	FPUD matrix updated - 12/18/14 1:30pm
50	55	Emails between agency departments re: scheduling a meeting with applicant - 12/17/14
91	54	Email between applicant & KC CDS - 12/15/14
95	53	Phased Site Plans - 12/10/14
97	52	Staging Letter - 12/10/14
99	51	Email between applicant & KC CDS - 12/10/14
107	50	Email between applicant & KC CDS - 12/6/14
115	49	Email between applicant & KC PW - 12/4/14
116	48	Email between applicant & KC CDS - 11/26/14

127	47	Email between applicant & KC CDS - 10/31/14
131	46	FPUD matrix updated - 10/31/14
138	45	Email to KC PW - 10/21/14
141	44	Letter to DR. Horton from KC CDS re: status and requirements with attachments - 10/9/14
152	43	Memo from KC PW - 10/2/14
154	42	Watershed Science & Engineering - Blackhorse Development Flood Review
161	41	Email between applicant & KC CDS - 9/29/14
169	40	Email from applicant with Bender Road cross-section attachment - 9/17/14
172	39	Email chain re: rescheduling a meeting with KC, Eburg, & applicant with attorneys - 9/15/14
185	38	Email chain re: rescheduling a meeting with KC, Eburg, & applicant with attorneys - 9/2/14
195	37	FPUD matrix 8/7/14
204	36	URS Tech Memo in response to WSE flood review - provided for and by Mr. Woods - 8/7/14
221	35	Email between KC CDS & applicant - 8/6/14
225	34	Email between Van Ness & KC CDS with attachment - 7/31/14
234	33	Email between applicant & KC CDS - 7/17/14
236	32	Email between KC CDS staff - 7/17/14
237	31	Email between applicant, KC CDS, & KC DPW - 6/26/14
241	30	Email from Cruse & Associates - 6/25/14
242	29	Email between applicant & KC CDS - 1/14/14
243	28	Final Development Plan Submittal Packet - 12/12/13
443	27	Civil Plans – 12/12/13
570	26	Email between applicant & agency departments re: scheduling a meeting - 12/2/13
572	25	Email between KC CDS staff - 9/30/13
573	24	Email from KC PW - 8/1/13
574	23	Email between applicant & agency departments re: scheduling a meeting - 7/30/13
580	22	Email between applicant & KC PW with WSE memo attached - 7/24/13

592	21	Email between applicant & agency departments re: scheduling a meeting - 7/22/13
594	20	ESM response to Kittitas County flood issues second review - 7/8/13
607	19	Watershed Science & Engineering Memo re: flood risk to KC PW - 6/26/13
612	18	DR Horton letter response with attachments to KC PW comments - 6/24/13
638	17	Email between KC PW & applicant re: photos of water on-site - 5/31/13
644	16	Email from KC PW to KC CDS re: photos of Road access on Bender - 5/31/13
649	15	Email between KC CDS & KC PW - 5/29/13
650	14	Email KC PW comments re: additional info needed - 5/24/13
652	13	Email re: new address for DR Horton - 5/13/13
653	12	Email between Eburg & KC -3/28/13
654	11	Email between KC staff - 2/5/13
660	10	Letter from KC PW re: flood plain management - 1/28/13
663	9	Email between KC staff - 1/14/13
666	8	Email from applicant to agency departments re: landscaping - 12/14/12
674	7	ESM Memo to KC CDS re: response to SEPA conditions - 11/19/12
702	6	Email between KC staff - 12/13/12
706	5	Email between KC staff from D. Hansen - 12/10/12
724	4	Email between KC staff from J. Ollivier- 12/10/12
728	3	Draft final mylars – 12/6/12
742	2	Email from applicant to KC CDS - 11/28/12
743	1A	KCC 17.36 vested code
745	1	Ord. No. 2007-06 Black Horse Rezone and Preliminary Plat Approval