KITTITAS COUNTY COMMUNITY DEVELOPMENT SERVICES



"Building Partnerships - Building Communities"

411 N. Ruby St., Suite 2, Ellensburg, WA 98926 CDS@CO.KITTITAS.WA.US Office (509) 962-7506 Fax (509) 962-7682

July 9, 2018

BCSCBN, INC. 21828 87th Ave SE, Ste 200 Woodinville, WA 98072

ESM Consulting 33400 8th Ave S, Ste 205 Federal Way, WA 98003

Subject: Final Development Plan for the Vantage Bay PUD (File Z-06-00025 & LP-06-00026) - Staff Review and Request for Additional Information

Dear Applicant,

This letter is to provide you initial comments and a request for additional information on your project. Kittitas County Community Development Services (CDS) received your Vantage Bay PUD (Z-06-00025) Final Development Plan (FDP) submittal on September 22, 2017. On December 28, 2017, staff provided a letter updating you of the status of rewiew of the FDP. Staff has now completed the review of your Final Development Plan. As provided below, staff has the following comments, requirements, and/or revisions for your submittal that need to be addressed prior to final approval of your Final Development Plan. Please respond to each issue/item listed below.

Community Development- Planning (Review Matrix Attached):

- Pursuant to KCC 17.36.040 (existing at the time of application), a map or maps of the site drawn at a scale no smaller than one hundred feet to one inch showing the following:
 - Public utilities; note review matrix section 1.b.i comments
 - Typical lot layout; note review matrix section 1.b.ii comments
 - Please provide driveway information; note review matrix section 1.b.y comments
 - Please provide open space locations, note review matrix section 1.b.vii
 - Please provide fire protection locations, note review matrix section 1.b.viii

Please provide updated mapping either with a key or identification on each building/area regarding the type/use.

Pursuant to KCC 17.36.040 (existing at the time of application), a statement of intent including estimated
cost for landscaping and restoration of natural areas despoiled by construction including tree planting,
shall be submitted prior to the final plan approval; note review matrix section 1.e comments

Please provide contours to assist in review of the proposal for feasibility purposes. Final grading plan shall be addressed prior to final plat submittal.

• Pursuant to Ordinance No. 2006-60, (signed December 5, 2006), any proposed lighting should be shaded and directed down towards the site and away from I-90; note review matrix section 2.h comments

Please update the project narrative to include the required information as required by Ordinance No. 2006-60.

Pursuant to Ordinance No. 2006-60, (signed December 5, 2006), a minimum 80 foot buffer shall be

maintained from the wetlands. Currently, the preliminary plat depicts a buffer that is over 120 feet from the wetlands. According to the preliminary approval condition, "Proper signage shall be incorporated and maintained on-site to encourage the maintenance of the buffer and natural condition of the shoreline and wetlands. The signage shall be interpretive in matter, and explains about the buffer integrity requirements and educates about the importance of the area for wildlife, etc. the applicant shall work with the Department of Ecology and County to design and establish the signage and a buffer restoration plan." Wetlands locations and buffer boundaries shall be delineated on the final mylar. A plat note shall be included on the final mylar stating that All development will need to comply with KCC 17A: Critical Areas; note review matrix section 2.j comments

Please update the project narrative to include the required information as required by Ordinance No. 2006-60.

 Pursuant to Ordinance No. 2006-60, (signed December 5, 2006), all development shall comply with Kittitas County Shoreline Master Plan; note review matrix section 2.k comments

Please either submit a Shoreline Substantial Development Permit application for review as required by ordinance No. 2006-60 or redesign project outside of the shoreline jurisdiction

Pursuant to Ordinance No. 2006-60, (signed December 5, 2006), fencing and/or signage delineating private
and public property on the easterly boundary shall be placed in order to prevent encroachment and
minimize ground disturbance and vegetation between the properties; note review matrix section 2.t
comments

Please update the project narrative to include the required information as required by Ordinance No. 2006-60.

Pursuant to Ordinance No. 2006-60, (signed December 5, 2006), Prior to development of Phase 2, the
proponent shall submit detailed PUD development drawings for review and approvals to Kittitas County;
note review matrix section 2.u comments

Please update the project phasing plan with the required information as required by Ordinance No. 2006-60.

- Pursuant to Ordinance No. 2006-60, (signed December 5, 2006), the following conditions shall apply for the Phase 1 Preliminary plat:
 - o viii. Lot sizes and parking- With the proposed size of the lots and type of expected recreational activities, the applicant shall address parking issues that are likely to occur. Final PUD drawings and site plans should consider whether there is room for adequate driveway lengths to accommodate trucks and larger vehicles associated with recreational activities. Appropriate planning should be done to ensure that vehicles are not going to impede normal traffic flow of extend beyond the driveway parking areas. Provisions may be needed to accommodate these types of uses such as wider turning radiuses or limiting on street parking, designation of parking areas for boats, RVs, etc.; note review matrix section 2.cc(viii) comments

Please update the project narrative with the required information as required by Ordinance No. 2006-60.

Public Works (see attached Public Works memo):

Per comments received on June 15, 2018; Public works has no requirements at this stage. Additional
information will be required prior to final plat approval.

Environmental Health (see attached Environmental Health email):

• The project proposed a Group A water system approved by the DOH in Spokane; Kittitas County Public

Health Department must perform a well site inspection to approve to location of the well prior to drilling. This requirement does not need to be complete prior to approval of the Final Development Plan.

Once the requested updated information has been submitted to Kittitas County Community Development Services, staff will continue review and processing of the Vantage Bay Final Development Plan. Please do not hesitate to contact me should you have any questions or if you would like to schedule a meeting discuss the necessary resubmittal information and timing for Board review.

Sincerely,

Lindsey Ozbolt Planning Official

Community Development Services

Kittitas County 509-962-7046

lindsey.ozbolt@co.kittitas.wa.us

Enclosures:

- Draft Project Review Matrix
- Public Works Memo
- Environmental Health Email

CC:

Chelsea Benner, Community Development Services Planner Mark Cook, Public Works Director Holly Erdman, Public Health Environmental Health Specialist 2

via email via email via email

Vantage Bay PUD Compliance Review

INTRODUCTION

A. Project Overview

The original Vantage Bay Rezone and Preliminary Plat were approved on December 5th, 2006 through authorizing ordinance number 2006-60. The rezone changed the project location from Forest and Range to PUD. The original project proposed two phases of development with phase one including a total of 315 lots on approximately 58.2 acres, and phase two including 17.4 acres reserved for future development.

The current revised proposal reduces the number of residential lots to 144, and adds a clubhouse to be developed as phase 1; and adds a 40 unit hotel, restaurant, winery, and vineyard as phase 2.

B. Timing of Construction Activity

The current proposal suggests a completion of phase 1 by June 2021, and completion of phase 2 by June 2022.

FINAL PLANNED UNIT DEVELOPMENT (FPUD)

PW will assess the viability ring plan is submitted. Satisfied Plats: Satisfied Satisfied	viii. PW comments submitted June 15, 2018 PW will assess the viability of stormwater plan at the time the civil engineering plan is submitted. Information provided in Appendix E of FDP FDP states that this will be included in CCnRs The following will be required as plat notes on all final plats:	viii. Proposed storm drainage plan; c. Certification from state and local health authorities that water and sewer systems are available to accommodate the development; d. Provisions to assure permanence and maintenance of common open spaces;
ability	viii. PW comments submitted June 15, 2018 F of stormwater plan at the time the civil engineeri Information provided in Appendix E of FDP	viii. Proposed storm drainage plan; c. Certification from state and local health authorities that water and sewer systems are available to accommodate the development;
PW will assess the viability ring plan is submitted.	of storr	viii. Proposed storm drainage plan;
		vii. Proposed location of fire protection facilities;
	vii. Please provide locations and labels on site plan	vi. The location and total area of common open spaces;
	vi. Please	v. The location and dimensions of roads and driveways including type and estimated cost of surfacing and road maintenance plans.
	v. Please provide driveway information	 iv. Location and number of off-street parking areas including type and estimated cost of surfacing;
	iv. Requirement is addressed on provided site plan	iii. Preliminary building plans including floor plans and exterior design and/or elevation views;
es, hotel, and single family cessary requirement	iii. Sample plans of the townhouse/duplex structures, hotel, and single family residences have been provided and meet the necessary requirement	ii. Arrangement of all buildings which shall be identified by type;
xd, still need typical lot	 ii. All Commercial buildings are shown and labeled, still need typical lot layout information 	 i. Preliminary engineering plans including site grading, road improvements, drainage and public utilities extensions;
ent will be on private well Not Satisfied	 Potential retention ponds are shown, development will be on private well and septic system. Need to show power 	b. A map or maps of the site drawn at a scale no smaller than one hundred feet to one inch showing the following:
nis requirement. However Satisfied to not be date specific.	A staging has been provided in the FDP that satisfies this requirement. However staff suggests that the plan be reevaluated and changed to not be date specific.	a. A stagging plan describing the timing or sequence of construction for all the elements of the plan. Subdivision lot sales may precede other elements of the development upon final plat approval
		Following approval of the preliminary development plan by the county and before lot sales or building construction commences, the developer (owner) shall submit a final development plan for approval by the board of county commissioners which shall include all of the following:
N/A	N/A	Final Development Plan (KCC 17.36.040 Existing at the time of application, last update Ord. 96-19)
FINDING	ANALYSIS	1. RELEVANT CODE SECTIONS

Not Satisfied	FDP approval requires a Shoreline Substantial Development Permit. As this project has already completed a pre-application meeting, the Planning Official waives the SSDP requirement for a pre-application meeting.	k. All development shall comply with Kittitas County Shoreline Master Plan. Lots adjacent to wetland and shoreline areas shall be large enough to accommodate a building envelope which will not intrude into buffer areas or require a variance for build-out. Per Kittitas County Shoreline Master Program, all
Not Satisfied	This needs to be address in the FDP, however the Buffer restoration plan will be required prior to final plat. Condition will be addressed at time of final plan.	j. A minimum 80 foot buffer shall be maintained from the wetlands. Currently, the preliminary plat depicts a buffer that is over 120 feet from the wetlands. Proper signage shall be incorporated and maintained on-site to encourage the maintenance of the buffer and natural condition of the shoreline and wetlands. The signage shall be interpretive in matter, and explains about the buffer integrity requirements and educates about the importance of the area for wildlife, etc. the applicant shall work with the Department of Ecology and County to design and establish the signage and a buffer restoration plan. Wetlands bountons and buffer boundaries shall be delineated on the linal mytur. A plat note shall be included on the final mytar stating that all development will need to comply with
Satisfied	Condition will be addressed at time of final plat	 Withdrawals of groundwater on the subject property shall be subject to the rules and regulations adopted and administrated by the Washington State Department of Ecology
Not Satisfied	This is acknowledged but not sufficiently. Please further address in narrative	h. Any proposed lighting should be shaded and directed down towards the site and away from I-90
Satisfied	Noted	g. Mail routes shall be approved by the postmaster. The postmaster shall also approve mailbox locations. Mailbox locations shall not create sight obstructions
Satisfied	Condition will be addressed at time of final plat	f. Site grading shall be designed so as not to reduce flood storage or conveyance capacity
Satisfied	Condition shall be enforced through the counties' building permit process if structures require a permit	c. Any outdoor advertising or motorist signage for this project shall comply with state criteria. The applicant shall contact the WSDOT South Central Regional office for requirements
Satisfied	Condition will be addressed at time of final plat with a plat note	d. It is the developers responsibility to dampen or deflect any I-90 traffic noise for the development
Satisfied	Condition will be addressed at time of final plat with a plat note	 The North side of track F abuts WSDOT property on the North side. Access from the plat area to or across said WSDOT property shall be prohibited
Satisfied	Condition will be addressed at time of final plat with a plat note	b. No direct access to I-90 or within the limited access boundaries of Huntzinger Road will be allowed per WSDOT requirements
Satisfied	Condition will be addressed at time of final plat with a plat note	 a. The applicant shall adhere to all applicable regulations as set forth in the current Kittitas County Road Standards
FINDING	ANALYSIS	2. PRELIMINARY APPROVAL CONDTIONS (Ord. No.2006-60)

		1. Shorelines of the State- there is an inlet to the east of the property. Per the report conducted by the
Satisfied	Noted	b.An fol
Satisfied	Condition will be addressed at time of final plat	aa. The applicant shall coordinate with the local school district to provide for a safe location and passageway for a school bus stop. This shall be delineated on the final mylar
Satisfied	Condition will be addressed at time of final plat	z. Water supplies and apparatus for fire suppression shall comply with the IFC and NFPA, and shall be reviewed by Kittitas County and local jurisdictions
Satisfied	Condition will be addressed at time of final plat	y. The subject property shall conform to the minimum requirements for fire apparatus access
Satisfied	Noted, will be plat note	x. The plat shall comply with International Fife Code and appendices
Satisfied	Condition will be addressed at time of final plat	w. Per the Kittitas County Shoreline Master Plan, there shall be a minimum setback of 100 feet from the Ordinary High Water Mark for all on-site sewage treatment systems
Satisfied	Condition will be addressed at time of final plat	v. A class A water system and wastewater management system shall be developed to serve the site in conformance with local and state health regulations
Not Satisfied	Needs to be addressed in the phasing plan, drawings will be required prior to phase two final plat	 Prior to development of Phase 2, the proponent shall submit detailed PUD development drawings for review and approvals to Kittitas County
Not Satisfied	Please address in FDP	t. Fencing and/or signage delineating private and public property on the easterly boundary shall be placed in order to prevent encroachment and minimize ground disturbance and vegetation between the properties
Satisfied	Noted	s. All proposals of the applicant as contained in their application that are not in conflict with these mitigations shall be conditions of approval and shall be considered as mitigations
Satisfied	This condition is satisfied with this submittal	r. A final development plan pursuant to Kittitas County Code 17.36.040 shall be submitted for approval by the Board of County Commissioners
Satisfied	Noted, will be plat note	q. Construction activities shall comply with KCC 7.45 Noise
Satisfied	Noted, will be plat note	p. All county noise ordinances shall apply to the project
Satisfied	Noted	 On-site drainage features associated with construction shall be designed such that wetlands are not dewatered of impacted
Satisfied	Addressed at time of building permit	n. All development shall comply with Kittitas County Flood Code Title 14.08
Satisfied	Condition will be addressed at time of final plat	m. The project shall meet the requirements for a NPDES Construction Storm Water Permit
Satisfied	Condition will be addressed at time of final plat	 The project shall comply with all requirements of the Department of Ecology Storm water Manual for Eastern Washington standards for storm water and shall be collected, retained, and disposed of on-site
		structures shall be setback a minimum of 100' from the OHWM of all shorelines.

vi. Road right of way- The road right of way note states that 30' road right of way is typical for all roads in this development. However the road right of way shows a total of 60' on the plat (30' on each side of centerline). This note shall be changed to reflect a 60' right of way. The applicant should be aware that	Contour lines- Contour lines are required on the preliminary plat. The applicant shall show contour lines on the preliminary plat	iv. Receiving numbers- Receiving numbers are required on each sheet to the plat	iii. Legal Description- There appears to be a spelling error in the legal description as it appears on the face of the plat. Phase II Paragraph 2, line 9, should read marking not making. This shall be corrected	Proof of potable water must be shown prior to final plat approval	On-site sewage- soil logs need to be scheduled and dug at a mutually convenient time. The developer/owner shall provide soil logs as per WAC 246-272 or as amended. The information obtained will be recorded and placed in the project plat file for future reference. The information obtained from these soil logs is for plat approval purposed only and do not constitute a site evaluation in conjunction with the issuance of a permit for any specific lot	cc. The following conditions shall apply for the Phase 1 Preliminary plat:	100-year floodplain- A small portion of the southeast corner of the proposed site is located within the 100-year floodplain. All development will need to comply with the requirements of KCC 14.08 Flood Damage Prevention and KCC 17A Critical Areal	Wetlands- Wetlands are located within 200 feet of the proposed development's footprint to the east. There is and inlet east of the property. Per the report conducted by the Environmental Assessment Services, the wetland was typed a Category II wetland. A minimum 80 feet buffer shall be maintained from the wetlands. Currently, the preliminary plat depicts a buffer that is over 120 feet from the wetlands. Proper signage shall be incorporated and maintained on-site to encourage the maintenance of the buffer and natural condition of the shoreline and wetlands. The signage shall be interpretive in matter, and explains about buffer integrity requirements and educates about the importance of the area for wildlife, etc. The applicant shall work with the Department of Ecology and County to design and establish the signage and a buffer restoration plan. Wetland locations and bugger boundaries shall be delineated on the final mylar. A plat note shall be included on the final mylar stating the All development will need to comply with KCC 17A Critical Areas.	environmental assessments services, this has been described as a small back water slough that is connected to the Wanapum pool of the Columbia River and likely provided waterfowl, amphibian, and fish habitat. The project's storm water design may allow for percolation of the water into the slough resulting in the slough's water temperatures possibly being affected. It is recommended that a baseline evaluation and subsequent semi-annual monitoring of water quality and of the benthic community for a period of 3 years to document possible changes in the slough due to storm water practices for the proposed project. All development will need to comply with Kittitas County Master Plan and KCC 17A.
All conditions excluding (viii) shall be addressed at final plat. viii. Please provide driveway requirements that address this issue.						ין			
						Not Satisfied			

- by dedicating these right of ways to the use of the public that they would not have the ability to limit access to the general public. The applicant should consider establishing private easements if the applicant has any plans for gated entrances of any other means of restricting or excluding use.
- vii. Plat notes for air strip- This development is within close proximity of an airstrip as shown on the plat submittal, a plat note shall be included that states this. The plat note shall state; this property is located within close proximity of an airstrip in which a variety of airport aviation activities may occur. Such airport aviation activities may impact the use of your property
- viii. Lot sizes and parking- With the proposed size of the lots and type of expected recreational activities, the applicant shall address parking issues that are likely to occur. Final PUD drawings and site plans should consider whether there is room for adequate driveway lengths to accommodate trucks and larger vehicles associated with recreational activities. Appropriate planning should be done to ensure that vehicles are not going to impede normal traffic flow of extend beyond the driveway parking areas. Provisions may be needed to accommodate these types of uses such as wider turning radiuses or limiting on street parking, designation of parking areas for boats, RVs, etc.
- ix. Adjacent property owners- The preliminary plat shall show all adjacent property owners and their lot lines
- x. Additional information- The applicant shall contact the Public Works department to discuss the specifics of the civil site design. Road design, curb gutter, sidewalks, storm water, utilities, and infrastructure shall be discussed in more detail per final development requirements for the PUD
- xi. The project shall provide adequate road access to the site and will conform to all Kittitas County road standards
- xii. The project shall comply with the requirements of Kittitas County code 16.18 irrigation and sprinkling
- xiii. Both sheets shall reflect: Vantage Bay PUD phase 1, P-06-26
- Full years taxes must be paid on applicable tax parcels per Kittitas County Treasurer's requirements
- xv. Pursuant to Kittitas County code 17.74.060A, a plat note regarding the right to farm ordinance is required. The note shall read as follows: The subject property is within of near land used for agriculture on which a variety of commercial activities may occur that are not compatible with residential development for periods of varying duration. Commercial natural resource activities performed in accordance with county, state, and federal laws are not subject to legal action as public nuisances (RCW 7.48.305)
- xvi. All mitigations contained as part of the issued SEPA MDNS shall be conditions of approval



KITTITAS COUNTY **DEPARTMENT OF PUBLIC WORKS**

TO: Chelsea Benner, Planner I

COPY: Taylor Gustafson, Planner III

Sara Folk, PE, Engineering Services Manager

Lindsey Ozbolt, Planning Official

DATE: June 15, 2018

FROM: Mark R. Cook, Director/Acting County Engineer

RE: Vantage Bay Final Development Plan

We have evaluated the materials submitted supporting the submittal of the final development plan for Vantage Bay PUD and Preliminary Plat. Our comments appear below for your consideration.

- 1. The conditions imposed by the Department of Public Works pursuant to an approved road standards variance request granted to Mr. William Cowin (BCSCBN LLC) on 11/15/17 will be evaluated at the time of final plat submittal.
- 2. All preliminary plat and rezone conditions noted in Ordinance No. 2006-60 will be evaluated at the time of final plat submittal.
- 3. Transportation concurrency requirements will be applied at the time of final plat review.
- 4. Parking requirements will be evaluated at the time of final plat submittal. Public Works utilizes International Transportation Engineers "Trip Generation Manual" (current edition) assigning daily and peak hour trip generations by land use code.
- 5. All stormwater treatment and flow control devices will be evaluated for compliance at the time of final plat submittal.
- 6. All retaining walls greater than four feet in height will provide engineering designs as appropriate for Public Works review.
- 7. Portions of the proposed development appear to abut steep slopes (river bank). Public Works will evaluate structure placement relative to bank height during our review of final plat and notice of any bank stability concerns.

Lindsey Ozbolt

From:

Holly Duncan

Monday, December 18, 2017 2:06 PM Sent:

To: Dan Carlson Cc: Tristen Lamb

Subject: RE: RZ-06-00025 & LP-06-00026 Vantage Bay PUD Final Development Plan

Follow Up Flag: Follow up Flag Status: Flagged

Hello Dan,

Thank you for the opportunity to comment on the above referenced project.

This PUD will be served by a Large On Site Sewage system (LOSS) approved by the Washington State Department of Health.

The project proposes a Group A water system approved by the DOH in Spokane. Kittitas County Public Health Department must perform a well site inspection to approve the location of the well prior to drilling.

Thank you again,

Holly Duncan

From: Dan Carlson

Sent: Friday, December 08, 2017 10:35 AM

To: Mark Cook; Lucas Huck; Erin Moore; Holly Duncan; Tristen Lamb

Subject: RZ-06-00025 & LP-06-00026 Vantage Bay PUD Final Development Plan

Hello all,

The approve-referenced planned unit development received preliminary approval in 2006. According to KCC 17.36.090(7), a final development plan is required. The applicant has submitted the final development plan and it is located at T:\CDS\Projects\Rezones\RZ 2006\RZ-06-00025 Vantage Bay\Final Development Plan. In order to receive final approval, the development plan must be consistent with the conditions imposed in the preliminary approval. The signed ordinance containing the conditions is included in the development plan.

Please review the final development plan for consistency with conditions included in the approval ordinance, and provide your comments by December 22, 2017. Thank you, and please let me know if you have any questions.

Dan Carlson, AICP **Community Development Services Director** Kittitas County 411 N Ruby ST, Suite 2 Ellensburg WA 98926 (509) 933-8244 dan.carlson@co.kittitas.wa.us