r.

| PRELIMINARY APPROVAL CONDITIONS | APPLICANT RESPONSE | STAFF REVIEW |
|--|---|--|
| 1) BOTH SHEETS OF THE FINAL MYLARS SHALL REFLECT SHORT PLAT NUMBER SP- 07-00007 AND AN ACCURATE LEGAL DESCRIPTION SHALL BE SHOWN ON THE FACE OF THE FINAL PLAT. ENGINEERS AND SURVEYORS NEED TO BE COGNIZANT OF ALL OF THE REQUIREMENTS RELATED TO FINAL PLATS (KCC 16.20) AND SURVEY DATA AND DEDICATIONS (KCC 16.24). THE FINAL PLAT MUST BE SUBMITTED IN FULL CONFORMANCE WITH THESE CHAPTERS OF KITTITAS COUNTY CODE: <u>NON- COMPLIANT MYLARS WILL BE REJECTED</u> AND RETURNED TO THE APPLICANT. | SHORT PLAT NUMBER HAS BEEN ADDED TO FINAL SHORT PLAT. SHORT PLAT IS IN FULL CONFORMANCE WITH COUNTY CODE. | |
| 2) ENVIRONMENTAL AND STATUTORY REVIEW MAY BE REQUIRED FOR ALL CURRENT AND FUTURE DEVELOPMENT, CONSTRUCTION, AND IMPROVEMENTS. THE APPLICANT AND/OR ALL FUTURE OWNERS OF ANY LOT OR LOTS WITHIN THIS SUBDIVISION ARE RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL RULES, REQUIREMENTS, CODES, AND REGULATIONS. IT IS INCUMBENT UPON SAID APPLICANTS AND FUTURE OWNERS TO INVESTIGATE FOR, AND OBTAIN FROM THE APPROPRIATE AGENCY OR THEIR REPRESENTATIVE, ALL REQUIRED PERMITS, LICENSES, AND APPROVALS FOR ANY DEVELOPMENT, CONSTRUCTION, AND/OR IMPROVEMENTS THAT OCCUR WITHIN THE BOUNDARIES OF THIS SUBDIVISION. | NOTED | RECEIVED SER 17 2018 Kittitas County CDS |
| 3) ALL WATER PROPOSED TO BE USED MUST BE OBTAINED FROM A WATER BUDGET NEUTRAL SOURCE AND MEET CONDITIONS OF KCC 13.35. | SEE MITIGATION WATER ALLOCATION DOCUMENT AFN# 201805180082 (COPY OF DOCUMENT WILL BE INCLUDED WITH THE SUBMITTAL OF THIS COMPLIANCE DOCUMENT) | |
| 4) THE CURRENT YEAR'S TAXES MUST BE PAID IN FULL ON ALL TAX PARCELS INVOLVED IN THIS LAND USE ACTION AS REQUIRED BY WASHINGTON STATE LAW (RCWS 84.40-042 & 84.56.345). | TAXES WILL BE PAID IN FULL FOR 2018 | |
| 5) THE FOLLOWING PLAT NOTES SHALL BE RECORDED ON THE FINAL MYLAR DRAWINGS: | | |
| A) ALL DEVELOPMENT MUST COMPLY WITH INTERNATIONAL FIRE CODE. | OK – SEE NOTE 11 ON SHEET 2 OF 3 OF FINAL SHORT PLAT. | |
| B) ALL WATER PROPOSED TO BE USED MUST BE OBTAINED FROM A WATER BUDGET NEUTRAL SOURCE AND MEET CONDITIONS OF KCC 13.35. | OK - SEE NOTE 12 ON SHEET 2 OF 3 OF FINAL SHORT PLAT. | |

a.

.

| C) ENVIRONMENTAL AND STATUTORY REVIEW MAY BE REQUIRED FOR ALL CURRENT AND FUTURE DEVELOPMENT, CONSTRUCTION, AND IMPROVEMENTS. THE APPLICANT AND/OR ALL FUTURE OWNERS OF ANY LOT OR LOTS WITHIN THE SUBDIVISION ARE RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL RULES, REQUIREMENTS, CODES, AND REGULATIONS. IT IS INCUMBENT UPON SAID APPLICANTS AND FUTURE OWNERS TO INVESTIGATE FOR, AND OBTAIN FROM THE APPROPRIATE AGENCY OR THEIR REPRESENTATIVE, ALL REQUIRED PERMITS, LICENSES, AND APPROVALS FOR ANY DEVELOPMENT, CONSTRUCTION, AND IMPROVEMENTS THAT OCCUR WITHIN THE BOUNDARIES OF THIS SUBDIVISION. | OK – SEE NOTE 13 ON SHEET 2 OF 3 OF FINAL SHORT PLAT | |
|--|---|--|
| 6) SHOULD GROUND DISTURBING OR OTHER ACTIVITIES RELATED TO THE PROPOSED SHORT PLAT RESULT IN THE INADVERTENT DISCOVERY OF CULTURAL OR ARCHAEOLOGICAL MATERIALS, WORK SHALL BE STOPPED IN THE IMMEDIATE AREA AND CONTACT BE MADE WITH THE WASHINGTON STATE DAHP. WORK SHALL REMAIN SUSPENDED UNTIL THE FIND IS ASSESSED AND APPROPRIATE CONSULTATION IS CONDUCTED. SHOULD HUMAN REMAINS BE INADVERTENTLY DISCOVERED, AS DICTATED BY WASHINGTON STATE RCW 27.44.055, WORK SHALL BE IMMEDIATELY HALTED IN THE AREA AND CONTACT MADE WITH THE CORONER AND LOCAL LAW ENFORCEMENT IN THE MOST EXPEDITIOUS MANNER POSSIBLE. | NOTED | |
| 7) REQUIREMENTS SUBMITTED BY KITTITAS COUNTY PUBLIC WORKS: A) TIMING OF IMPROVEMENTS: THIS APPLICATION IS SUBJECT TO THE KITTITAS COUNTY ROAD STANDARDS, DATED 9/6/05. THE FOLLOWING CONDITIONS APPLY AND MUST BE COMPLETED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT FOR ANY OF THE STRUCTURES WITHIN THE PLAT. A PERFORMANCE BOND OR ACCEPTABLE FINANCIAL GUARANTEE MAY BE USED, IN LIEU OF THE REQUIRED IMPROVEMENTS, PER THE CONDITIONS OUTLINED IN THE CURRENT KITTITAS COUNTY ROAD STANDARDS. | NOTED | |

4

| B) PRIVATE ROAD CERTIFICATION: PRIVATE ROADS SERVING ANY OF THE LOTS WITHIN THIS DEVELOPMENT SHALL BE INSPECTED AND CERTIFIED BY A LICENSED PROFESSIONAL ENGINEER FOR CONFORMANCE WITH KITTITAS COUNTY ROAD STANDARDS, 9/6/05 EDITION. KITTITAS COUNTY PUBLIC WORKS SHALL REQUIRE THIS ROAD CERTIFICATION TO BE COMPLETED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT FOR ANY OF THE STRUCTURES WITHIN THE PROPOSED PLAT. | NOTED | |
|--|--|--|
| C) ROAD VARIANCE: THIS SHORT PLAT IS SUBJECT TO THE CONDITIONS OF ROAD VARIANCE 14-09, WHICH ALLOWS A REDUCED ROAD AND EASEMENT WIDTH BUT REQUIRES A REVISED AGREEMENT FROM USBR PRIOR TO FINAL APPROVAL. | NOTED | |
| D) FINAL PLAT: THE FOLLOWING ITEMS MUST BE SHOWN ON THE FINAL PLAT: | | |
| i) 100-YEAR FLOODPLAIN ii) SHORELINE JURISDICTION iii) BIG CREEK iv) KRD LATERAL BOUNDARIES v) EASEMENT AND DRIVEWAY SERVING PARCEL 616536 | i) SEE SHEET 1 OF 3 ii) SEE SHEET 1 OF 3 iii) SEE SHEET 1 OF 3 iv) SEE SHEET 1 OF 3 v) SEE SHEET 1 OF 3 & SEE NOTE 14 ON SHEET 2 OF 3 | |
| E) FLOODPLAIN: A BUILDING SITE MUST BE DESIGNATED OUTSIDE OF THE 100-YEAR FLOODPLAIN. IF ANY CONSTRUCTION OF RESIDENTIAL OR NON-RESIDENTIAL BUILDINGS TAKES PLACE WITHIN THE 100- YEAR FLOODPLAIN, BASE FLOOD ELEVATIONS MUST BE DETERMINED FOR THE ENTIRE SUBDIVISION. | NOTED | |
| F) PRIVATE ROAD IMPROVEMENTS: WITHIN THE PLAT, ACCESS SHALL BE CONSTRUCTED AS A LOW-DENSITY PRIVATE ROAD. SEE KITTITAS COUNTY ROAD STANDARDS, 9/6/05 EDITION. | NOTED | |
| i) ACCESS EASEMENTS SHALL BE A MINIMUM OF 60' WIDE. THE ROADWAY SHALL HAVE A MINIMUM WIDTH OF 20', WITH 1' SHOULDERS, FOR A TOTAL WIDTH OF 22'. | | |
| ii) MINIMUM CENTERLINE RADIUS WILL BE 60'. | | |
| iii) THE SURFACE REQUIREMENT IS FOR A MINIMUM GRAVEL SURFACE DEPTH OF 6". | | |
| iv) MAXIMUM GRADE IS 12%. | | |
| v) STOPPING SITE DISTANCE, REFERENCE AASHTO. | | |
| vi) ENTERING SITE DISTANCE, REFERENCE AASHTO. | | |
| vii) MAINTENANCE OF DRIVEWAY APPROACHES SHALL BE THE RESPONSIBILITY OF THE OWNER WHOSE | | |

5

| wiij ANY FURTHER SUBDIVISION OR LOTS TO BE SERVED BY PROPOSED ACCESS MAY RESULT IN FURTHER ACCESS RESULT IN FURTHER ACCESS RESULT IN FURTHER ACCESS RESULT ON FURTHER ACCESS RESULT ON FURTHER ACCESS RESULT ON FURTHER ACCESS RESULT OF CURRENT OR LOUNTY ROAD STANDARDS UNLESS ANY OTHER MAINTENANCE AGREEMENTS, FOREST SERVICE ROAD EASEMENTS OR STATE EASEMENTS REQUIRE HIGHER ROAD STANDARDS. THE HIGHER OF THE ROAD STANDARDS. THE HIGHER OF THE ROAD STANDARDS THE HIGHER OF AT AND THE COUNTY ROAD. NOTED xi) A PAVED APRON SHALL BE CONSTRUCTED AT THE INTERSECTION OF COUNTY ROAD. NOTED xi) A PAVED ATRON SHALL BE CONSTRUCTED TO THER ROAD STANDARDS ON THERESECTION OF COUNTY ROAD. NOTED xi) A PAVED APRON SHALL BE CONSTRUCTED TO THERESECTION OF COUNTY ROAD. NOTED xi) A PAVED ATRON SHALL BE CONSTRUCTED TO THE INTERSECTION OF COUNTY ROAD CONSTRUCTED AT THE CLOSED OF NAME INTERSECTION AND THE COUNTY ROAD REGISTION- AROUND HAVING AN OUTSIDE RIGHT-OF- WAY OR EASEMENT DAMETER OF AT LEAST 110 FEET SHALL BE CONSTRUCTED AT THE CLOSE DEND OF ALL DEAD-END ROAD SERVING 3 OR MORE LOTS. THE PROVING SUMPACE SHALL BE CANSTRUCTED AT THE CLOSE DRIVERMENTS SECIFIED BY THE 2009 INTERNATIONAL LISE CONFORM TO THE REMERANAL REGOADING ANY ADDITIONAL CLU-DE-SACC REQUIREMENTS. NOTED 1) JOINT-USE DRIVEWAY: A JOINT-USE REGOADING ANY ADDITIONAL CLU-DE-SACC REQUIREMENTS. NOTED 1) JOINT-USE DRIVEWAY: A JOINT-USE REGOADING ANY ADDITIONAL CLU-DE-SACC REQUIREMENTS. NOTED | PROPERTY THEY SERVE. THE COUNTY WILL NOT MAINTAIN ACCESSES. | | |
|---|--|-------|--|
| DEVELOPMENT OR ROADS THAT PROVIDE ACCESS TO THIS DEVELOPMENT SHALL BE CONSTRUCTED TO CURRENT COUNTY ROAD STANDARDS UNLESS ANY OTHER MAINTENANCE AGREEMENTS, FOREST SERVICE ROAD EASEMENTS OR STATE EASEMENTS REQUIRE HIGHER ROAD STANDARDS SHALL PROVIDE FOR AASHTO RADIUS AT THE INTERSECTION OF COUNTY ROAD. xi) A PAVED APRON SHALL BE CONSTRUCTED AT THE INTERSECTION OF THE PROPOSED PRIVATE INTERSECTION OF THE PROPOSED PRIVATE INTERSECTION AND THE COUNTY ROAD RIGHT OF WAY. G) CULDESAC: A CULDE-SAC TURN AROUND HAVING AN OUTSIDE RIGHT-OF- WAY OR EASEMENT DIAMETER OF AT LEAST 110 FEET SHALL BE CONSTRUCTED AT THE CLOSED END OF ALL DEAD-END ROADS SERVING 3 OR MORE LOTS. THE DRIVING SURFACE SHALL BE AT LEAST 96 FEET IN DIAMETER. CUL-DE-SAC TWEN ALSO CONFORM TO THE REQUIREMENTS SPECIFIED BY THE 2009 INTERNATIONAL HIRE CODE. CONTACT THE FIRE MARSHAL REGARDING ANY ADDITIONAL CUL-DE-SAC REQUIREMENTS. SPECIFIED BY THE ZOOS INTERNATIONAL HIRE CODE. CONTACT THE FIRE MARSHAL REGARDING ANY ADDITIONAL CUL-DE-SAC REQUIREMENTS. I) JOINT VES DRIVEWAY: A JOINT-USE ACCESS SHALL SERVE NO MORE THAN TWO TAX PARCELS. SEE KITTIAS COUNTY ROAD STANDARDS, 9/6/05 EDITION. | TO BE SERVED BY PROPOSED ACCESS MAY RESULT IN FURTHER ACCESS | NOTED | |
| AASHTO RADIUS AT THE INTERSECTION OF COUNTY ROAD. xi) A PAVED APRON SHALL BE CONSTRUCTED AT THE INTERSECTION OF THE PROPOSED PRIVATE INTERSECTION AND THE COUNTY ROAD RIGHT OF WAY. G) CULDE-SAC: A CUL-DE-SAC TURN- AROUND HAVING AN OUTSIDE RIGHT-OF- WAY OR EASEMENT DIAMETER OF AT LEAST 110 FEET SHALL BE CONSTRUCTED AT THE CLOSED END OF ALL DEAD-END ROADS SERVING 3 OR MORE LOTS. THE DRIVING SURFACE SHALL BE AT LEAST 96 FEET IN DIAMETER. CUL-DE-SAC SMUST ALSO CONFORM TO THE REQUIREMENTS SPECIFIED BY THE 2009 INTERNATIONAL FIRE CODE. CONTACT THE FIRE MARSHAL REGARDING ANY ADDITIONAL CUL-DE-SAC REQUIREMENTS. H) JOINT-USE DRIVEWAY: A JOINT-USE ACCESS SHALL SERVE NO MORE THAN TWO TAX PARCELS. SEE KITTITAS COUNTY ROAD STANDARDS, 9/6/05 EDITION. i) ACCESS EASEMENTS SHALL BE A MINIMUM OF 20' WIDE. THE ROADWAY | DEVELOPMENT OR ROADS THAT PROVIDE ACCESS TO THIS DEVELOPMENT SHALL BE CONSTRUCTED TO CURRENT COUNTY ROAD STANDARDS UNLESS ANY OTHER MAINTENANCE AGREEMENTS, FOREST SERVICE ROAD EASEMENTS OR STATE EASEMENTS REQUIRE HIGHER ROAD TANDARDS. THE HIGHER OF THE ROAD | | |
| CONSTRUCTED AT THE INTERSECTION OF THE PROPOSED PRIVATE INTERSECTION AND THE COUNTY ROAD RIGHT OF WAY.NOTEDG) CUL-DE-SAC: A CUL-DE-SAC TURN- AROUND HAVING AN OUTSIDE RIGHT-OF- WAY OR EASEMENT DIAMETER OF AT LEAST 110 FEET SHALL BE CONSTRUCTED AT THE CLOSED END OF ALL DEAD-END ROADS SERVING 3 OR MORE LOTS. THE DRIVING SURFACE SHALL BE AT LEAST 96 FEET IN DIAMETER. CUL-DE-SACS MUST ALSO CONFORM TO THE REQUIREMENTS SPECIFIED BY THE 2009 INTERNATIONAL FIRE CODE. CONTACT THE FIRE MARSHAL REGARDING ANY ADDITIONAL CUL-DE-SAC REQUIREMENTS.NOTEDH) JOINT-USE DRIVEWAY: A JOINT-USE ACCESS SHALL SERVE NO MORE THAN TWO TAX PARCELS. SEE KITTITAS COUNTY ROAD STANDARDS, 9/6/05 EDITION.NOTEDi) ACCESS EASEMENTS SHALL BE A MINIMUM OF 20' WIDE. THE ROADWAYNOTED | ASHTO RADIUS AT THE INTERSECTION OF | | |
| AROUND HAVING AN OUTSIDE RIGHT-OF- WAY OR EASEMENT DIAMETER OF AT LEAST 110 FEET SHALL BE CONSTRUCTED AT THE CLOSED END OF ALL DEAD-END ROADS SERVING 3 OR MORE LOTS. THE DRIVING SURFACE SHALL BE AT LEAST 96 FEET IN DIAMETER. CUL-DE-SACS MUST ALSO CONFORM TO THE REQUIREMENTS SPECIFIED BY THE 2009 INTERNATIONAL FIRE CODE. CONTACT THE FIRE MARSHAL REGARDING ANY ADDITIONAL CUL-DE-SAC REQUIREMENTS. H) JOINT-USE DRIVEWAY: A JOINT-USE ACCESS SHALL SERVE NO MORE THAN TWO TAX PARCELS. SEE KITTITAS COUNTY ROAD STANDARDS, 9/6/05 EDITION. i) ACCESS EASEMENTS SHALL BE A MINIMUM OF 20' WIDE. THE ROADWAY | CONSTRUCTED AT THE INTERSECTION OF THE PROPOSED PRIVATE INTERSECTION | | |
| ACCESS SHALL SERVE NO MORE THAN TWO TAX PARCELS. SEE KITTITAS COUNTY ROAD STANDARDS, 9/6/05 EDITION. i) ACCESS EASEMENTS SHALL BE A MINIMUM OF 20' WIDE. THE ROADWAY | ROUND HAVING AN OUTSIDE RIGHT-OF- VAY OR EASEMENT DIAMETER OF AT EAST 110 FEET SHALL BE CONSTRUCTED IT THE CLOSED END OF ALL DEAD-END COADS SERVING 3 OR MORE LOTS. THE DRIVING SURFACE SHALL BE AT LEAST 96 EET IN DIAMETER. CUL-DE-SACS MUST ILSO CONFORM TO THE REQUIREMENTS PECIFIED BY THE 2009 INTERNATIONAL IRE CODE. CONTACT THE FIRE MARSHAL EGARDING ANY ADDITIONAL CUL-DE-SAC | NOTED | |
| MINIMUM OF 20' WIDE. THE ROADWAY | CCESS SHALL SERVE NO MORE THAN WO TAX PARCELS. SEE KITTITAS COUNTY | NOTED | |
| OF 12'. | MINIMUM OF 20' WIDE. THE ROADWAY | | |
| ii) THE SURFACE REQUIREMENT IS FOR A MINIMUM GRAVEL SURFACE DEPTH OF 6". | | | |
| iii) MAINTENANCE OF DRIVEWAY APPROACHES SHALL BE THE RESPONSIBILITY OF THE OWNER WHOSE PROPERTY THEY SERVE. THE COUNTY WILL NOT MAINTAIN ACCESSES. | PPROACHES SHALL BE THE ESPONSIBILITY OF THE OWNER WHOSE ROPERTY THEY SERVE. THE COUNTY WILL | | |
| iv) ANY FURTHER SUBDIVISION OR LOTS TO BE SERVED BY PROPOSED ACCESS MAY RESULT IN FURTHER ACCESS REQUIREMENTS. | O BE SERVED BY PROPOSED ACCESS MAY ESULT IN FURTHER ACCESS | | |

i.

| I) SINGLE-USE DRIVEWAY: A SINGLE-USE | NOTED | |
|--|------------------------------------|--|
| ACCESS SHALL SERVE NO MORE THAN ONE | | |
| LOT. SEE KITTITAS COUNTY ROAD | | |
| STANDARDS, 9/6/05 EDITION. | | |
| i) THE ROADWAY SHALL BE A MINIMUM | | |
| OF 8' WIDE WITH GRAVEL SURFACE. | | |
| | | |
| ii) MAINTENANCE OF DRIVEWAY | | |
| APPROACHES SHALL BE THE | | |
| RESPONSIBILITY OF THE OWNER WHOSE | | |
| PROPERTY THEY SERVE. THE COUNTY WILL | | |
| NOT MAINTAIN ACCESSES. | | |
| | | |
| iii) ANY FURTHER SUBDIVISION OR LOTS | | |
| TO BE SERVED BY PROPOSED ACCESS MAY | | |
| RESULT IN FURTHER ACCESS | | |
| REQUIREMENTS. J. PRIVATE ROAD MAINTENANCE | NOTED | |
| AGREEMENT: THE APPLICANT SHALL MEET | NOTED | |
| ALL APPLICABLE CONDITIONS OF ANY PRE- | | |
| ESTABLISHED OR REQUIRED PRIVATE | | |
| ROAD MAINTENANCE AGREEMENTS. | | |
| K. LOT CLOSURE: IT IS THE RESPONSIBILITY | TO BE SUBMITTED WITH THIS DOCUMENT | |
| OF THE PROFESSIONAL LICENSED | 1 | |
| SURVEYOR (PLS) TO ENSURE THE LOT | | |
| CLOSURES ARE CORRECT AND ACCURATE. | | |
| L. ACCESS PERMIT: AN APPROVED ACCESS | NOTED | |
| PERMIT SHALL BE REQUIRED FROM THE | | |
| DEPARTMENT OF PUBLIC WORKS PRIOR | | |
| TO CREATING ANY NEW DRIVEWAY | | |
| ACCESS OR PERFORMING WORK WITHIN | | |
| THE COUNTY ROAD RIGHT OF WAY. | | |
| M. ADDRESSING: CONTACT THE KITTITAS | NOTED | |
| COUNTY RURAL ADDRESSING | | |
| COORDINATOR AT (509) 962-7523 TO | | |
| OBTAIN ADDRESSES PRIOR TO OBTAINING | | |
| A BUILDING PERMIT. A PARCEL CANNOT RECEIVE A BUILDING PERMIT OR UTILITIES | | |
| UNTIL SUCH PARCEL IS IDENTIFIED WITH A | | |
| 911 ADDRESS. | | |
| N. FIRE PROTECTION: CONTACT THE | NOTED | |
| KITTITAS COUNTY FIRE MARSHAL | | |
| REGARDING ANY ADDITIONAL ACCESS | | |
| REQUIREMENTS FOR EMERGENCY | | |
| RESPONSE. | | |
| 0. MAILBOX PLACEMENT: THE U.S. POSTAL | NOTED | |
| SERVICE REQUIRES THAT PRIVATE ROADS | | |
| WITH 6 OR MORE RESIDENCES INSTALL | | |
| USPS APPROVED CLUSTER BOX UNITS | | |
| (CBUS) AT A SAFE LOCATION AT THE | | |
| MOUTH OF THE PRIVATE ROAD. CONTACT | | |
| YOUR LOCAL POST OFFICE FOR LOCATION | | |
| AND ADDITIONAL DESIGN REQUIREMENTS | | |
| BEFORE BEGINNING CONSTRUCTION. | | |