



To Protect and Promote the Health and the Environment of the People of Kittitas County

November 5th 2009

Jeff Watson, Staff Planner
Community Development Services
411 N Ruby Street, Suite 2
Ellensburg, WA 98926

RE: B. Proctor Short Plat SP-08-00058

Dear Mr. Watson,

Thank you for the opportunity to comment on the B. Proctor Short Plat, SP-08-00058. All residential well connections serving the proposed lots shall be required to have meters installed. Metering results shall be recorded in a manner consistent with Kittitas County and the State of Washington, Department of Ecology requirements. This requirement to meter only applies if you rely upon the RCW 90.44.050 exemption from permitting through ecology.

The final plat notes shall include the following two statements:

"The approval of this division of land includes no guarantee that there is a legal right to withdraw groundwater within the land division. The approval of this division of land provides no guarantee that use of water under the ground water exemption (RCW 90.44.050) for this plat or any portion thereof will not be subject to curtailment by the Department of Ecology or a court of law. "


AND

"Metering will be required on all new residential well connections and metering results shall be recorded in a manner consistent with Kittitas County and Washington State Department of Ecology requirements."

The Public Health Department's recommendation shall state that Final approval be conditioned upon the developer/owner of the plat providing proof of water availability. Water availability can be provided through several different ways depending on the source of water proposed.

If a Group A Public Water System is proposed for the plat, a signed letter from the water purveyor and a current copy of the Operating Permit from the State of Washington Department of Health showing green status will meet the water availability requirement for plat approval.

**Kittitas County
Public Health Department**
507 N. Nanum Street, Suite 102
Ellensburg, WA 98926
T: 509.962.7515
F:509.962.7581



www.co.kittitas.wa.us/health/

**Environmental
Health Services**
507 N. Nanum Street, Suite 102
Ellensburg, WA 98926
T: 509.962.7515
F:509.962.7581



To Protect and Promote the Health and the Environment of the People of Kittitas County

If individual wells are proposed for the parcels and there is an existing well located on the plat, a well log from the State of Washington, Department of Ecology and a passing bacteriological test will meet the water availability requirement. If there is not an existing well on the plat, then a **water availability report** with documentation and evidence to support the claim regarding adequate availability of groundwater for the proposed number of potable water wells must be submitted for review.

Soil logs must be performed prior to the Public Health Department recommending preliminary approval of the plat. The Public Health Department's approval of the soil logs will meet the septic availability requirement for recommending preliminary plat approval.

At this time the application does not contain sufficient information to make a determination of adequate water availability or soil assessment to determine the land area is suitable for onsite sewage systems. The above mentioned items need to be submitted to the Public Health Department in order for the plat application to be recommended for approval.


If you should have any questions or comments, please feel free to contact me at (509) 962-7515.

Sincerely,

James Rivard

James Rivard,
Environmental Health Supervisor
Kittitas County Public Health

**Kittitas County
Public Health Department**
507 N. Nanum Street, Suite 102
Ellensburg, WA 98926
T: 509.962.7515
F: 509.962.7581



www.co.kittitas.wa.us/health/

**Environmental
Health Services**
507 N. Nanum Street, Suite 102
Ellensburg, WA 98926
T: 509.962.7515
F: 509.962.7581