From: **Chace Pedersen**

"Adam Osbekoff"; Public Health Inspectors; Kim Shilley; "AviationLandUse@wsdot.wa.gov"; "Connor Armi"; To:

"DAHP SEPA (DAHP)"; "kaiserm@wsdot.wa.gov"; "Jacob.Prilucik@wsdot.wa.gov"; Kelee Hodges; Candie Leader; Tate Mahre; "Nelson, Jennifer L (DFW)"; "scott.chambers@dnr.wa.gov"; "Mau, Russell E (DOH)"; "Nickie Darling"; "kelly braithwaite"; "JT Rarden"; "DTR Homes: Daron Rarden"

Cc: Jamey Ayling

Subject: SE-23-00009 Nelson View - Notice of SEPA Action

Date: Thursday, June 29, 2023 8:25:00 AM

Attachments: SE-23-00009 Nelson View - Notice of SEPA Action Memo.pdf

SE-23-00009 Nelson View - SEPA MDNS.pdf SE-23-00009 Nelson View SEPA Checklist.pdf

Good morning,

Please see the attached correspondence regarding SEPA application SE-23-00009 Nelson View

- Notice of SEPA Action
- SEPA MDNS
- Nelson View SEPA Checklist

All documents can be found here: <u>SE-23-00009 Nelson View</u>

Any action to set aside, enjoin, review, or otherwise challenge such action on the grounds of noncompliance with the provisions of Chapter 43.21C RCW (State Environmental Policy Act) and pursuant to Chapter 15A.07.010 KCC, may be appealed by submitting specific factual objections in writing with a fee of \$1670.00 to Kittitas County Community Development Services, 411 North Ruby Street, Suite 2, Ellensburg, WA 98926. Timely appeals must be received no later than 5:00pm, July 14, 2023.

Please contact me directly with any questions.

Thanks.

Chace Pedersen

Planner I

Kittitas County Community Development Services

411 N. Ruby Street, Ste 2 Ellensburg, WA 98926 Office: (509) 962-7637

chace.pedersen@co.kittitas.wa.us

The information transmitted by this email is intended only for the person or entity to which it is addressed. This email may contain confidential and/or privileged material. If you are not the intended recipient of this message, be aware that any use, review, retransmission, distribution, or reproduction is strictly prohibited. If you received this in error, please contact the sender immediately and delete the material from all devices.