



Railing Material

- 4 pcs. 2" x 8" - 10'-0" Fir lbr. Const. grade w/ 10% syd.
- 4 " " " 18'-0" " " " " " " " " " " " "
- 8 " 6" x 8" 5'-0" " " " " " " " " " " " "
- 40 Bolts 3/8" x 8" galv. mach. with 2 washers & nuts.



SECTION THRU OUTSIDE SLAB
Scale 1" = 1'-0"



PLAN
Scale 1" = 4'-0"

NOTE

- Slab supplier to furnish all bolts.
1. 8 3/4" galv. bolts with embedded anchors.
 2. 8 3/4" x 1/2" galv. bolts with nuts & washers
 3. Inter-connecting bolts, black

Concrete slab angles are uniform on all 4 corners.

Cut concrete back wall & wing wall off to elev. of seat on all 4 corners.

MAP AND PROFILE
 COUNTY ROAD PROJECT NO. 1-64-K
 WILSON CREEK ROAD ROAD
 COUNTY ENGINEER KITTITAS COUNTY, WASH.
 ELLENSBURG, WASHINGTON
 BRIDGE NO. 89321
 SHEET 1 OF 5 SHEETS
 AUGUST, 1964
 D. E. AKINS
 COUNTY ROAD ENGINEER