

Ecology Approved Kittitas County Shoreline Master Program

Ecology Effective Date September 14, 2021

Ecology Grant No: SEASMP-1921-KCCDS-00091

Board of County Commissioners

Cory Wright, District #1
Laura Osiadacz, District #2
Brett Wachsmith, District #3

Prepared by:



This document should be cited as: Kittitas County Shoreline Master Program. September 14, 2021. Kittitas County Shoreline Master Program Update.

Kittitas County

Shoreline Master Program

Table of Contents

1.	. Fram	nework, purpose, principles and applicability	9
	1.1	The Shoreline Management Act	9
	1.2	Scope and jurisdiction of the Shoreline Master Program	9
	1.3	Purpose and intent	. 10
	1.4	Title and references	. 12
	1.5	Public involvement process, advisory committee and agency coordination	. 12
	1.6	Relationship to other plans	. 13
	1.7	Applicability	. 13
	1.8	Governing principles	. 14
	1.9	Severability	. 16
	1.10	Effective date	. 16
2.	. Defir	nitions	17
3.	Goal	s and objectives	31
	3.1	Conservation element	. 31
	3.2	Shoreline use element	. 32
	3.3	Economic development element	. 32
	3.4	Public access element	. 33
	3.5	Recreation element	34
	3.6	Circulation element	34
	3.7	Historical/cultural element	. 35
	3.8	Flood hazard prevention element	. 36

4.	Envir	onment designations and management policies	37
	4.1	Purpose and intent	. 37
	4.2	Evaluation	. 37
	4.3	Environment designations	. 37
	4.4	Natural environment	. 37
	4.5	Rural conservancy environment	. 39
	4.6	Urban conservancy environment	. 40
	4.7	Shoreline residential environment	. 41
	4.8	Aquatic environment	. 42
	4.9	Shoreline use and modification	. 43
5.	Gene	eral policies and regulations	
	5.1	Archaeological and historical resources	. 47
	5.2	Environmental protection and critical areas	. 51
	5.3	Flood hazard reduction	. 85
	5.4	Public access	. 88
	5.5	Shoreline buffers and vegetation conservation	. 92
	5.6	Water quality, stormwater, and nonpoint pollution	. 97
6.	Shor	eline use and modification policies and regulations	99
	6.1	General shoreline use policies	. 99
	6.2	General shoreline modification policies	100
	6.3	Agriculture	100
	6.4	Aquaculture	101
	6.5	Boating facilities, marinas, piers, and docks	102
	6.6	Commercial development	105
	6.7	Dredging and dredge material disposal	106
	6.8	Filling, grading, and excavation	108

	6.9	Forest practices	. 110
	6.10	Industrial and port development	. 112
	6.11	In-stream structures	. 113
	6.12	Mining	. 115
	6.13	Recreation	. 117
	6.14	Residential development	. 120
	6.15	Shoreline stabilization	. 121
	6.16	Shoreline restoration and habitat enhancement	. 126
	6.17	Signs	. 128
	6.18	Transportation	. 128
	6.19	Utilities	. 130
	6.20	Shoreline bulk and dimensional standards	. 133
	6.21	Shoreline Bulk and Dimensional Standards Table	. 136
7	. Admi	inistration and procedures	.137
	7.1	Purpose	. 137
	7.2	Applicability	. 137
	7.3	Permit exemptions	. 139
	7.4	Types of permits	. 148
	7.5	Review authority	. 148
	7.6	Review criteria	. 149
	7.7	Review procedures	. 151
	7.8	Appeals	. 154
	7.9	Timing	. 154
	7.10	Revisions	. 155
	7.11	Liberal construction	. 157

7.12	Enforcement	157
7.13	Amendments to master program	157
Acronyn	n List	159

Appendices

Appendix A:	Shoreline Environment Designation Maps	157
Appendix B:	Shoreline Environment Designation Descriptions	158
	List of Tables	
Table 4.9-1.	Shoreline Use and Modification Table	44
Table 5.2-1.	Wetland Buffers for Wetlands in Shoreline Jurisdiction	61
Table 5.2-2.	Wetland Mitigation Ratios for Unavoidable Wetland Impacts in Shoreline Jurisdiction	66
Table 5.2-3.	Aquatic Habitat Conservation Area Buffers for Type F, Np, and Ns Waters	68
Table 5.5-1.	Standard Shoreline Buffers (Type S Waters)	92
Table 6.21-1	. Shoreline Bulk and Dimensional Standards	134

Supporting Documents

Community Visioning Report	October 2012
Shoreline Inventory and Characterization Report	May 2013; January 2014 Addendum
Cumulative Impacts Analysis	January 2014
Shoreline Restoration Plan	April 2014
No Net Loss Report	July 2014

8

1. Framework, purpose, principles and applicability

Sections

- **1.1** The Shoreline Management Act
- **1.2** Scope and jurisdiction of the Shoreline Master Program
- **1.3** Purpose and intent of the Shoreline Master Program
- **1.4** Title and reference
- **1.5** Public involvement process, advisory committee and agency coordination
- **1.6** Relationship to other plans
- **1.7** Applicability
- 1.8 Governing principles
- **1.9** Severability
- 1.10 Effective date

1.1 The Shoreline Management Act

The Washington State Shoreline Management Act (also referred to in this document as SMA or the Act) was passed by the legislature in 1971 and adopted by a vote of Washington's citizens in a 1972 referendum (RCW 90.58). The goal of the Shoreline Management Act is "to prevent the inherent harm in an uncoordinated and piecemeal development of the state's shorelines." The Act also recognizes that "shorelines are among the most valuable and fragile" of the state's resources.

The Act provides for the management and protection of the state's shoreline resources by requiring planning for their reasonable and appropriate use. The area regulated under the Act includes lands within two hundred (200) feet of designated shorelines as well as certain wetlands, river deltas, floodways and floodplains associated with such shorelines.

The SMA establishes a balance of authority between local and state governments. Cities and counties have the primary review responsibility for development along their shorelines, and the state (through the Washington State Department of Ecology) has authority to review local master programs and local shoreline development permit decisions.

1.2 Scope and jurisdiction of the Shoreline Master Program

The Shoreline Management Act (SMA) applies to all 39 counties and more than 200 cities in Washington State that have "shorelines of the state" (RCW 90.58.030(2)) within their jurisdictional boundaries. Shorelines of the state include:

- All marine waters:
- Streams with greater than twenty cubic feet per second (20 cfs) mean annual flow;
- Lakes twenty (20) acres or larger;
- Upland areas called shorelands that extend two hundred (200) feet landward, in all directions on a horizontal plane, from the edge of the ordinary high water mark

(OHWM) of these waters; and

- The following areas when they are associated with one of the above:
 - Wetlands and river deltas; and
 - Floodways and contiguous floodplain areas landward two hundred (200) feet from such floodways.

The Act recognizes that certain waters are so important to citizens that they necessitate a special status for classification and protection. These are "shorelines of statewide significance." The Act lists the following criteria for defining "shorelines of statewide significance" in Eastern Washington:

Any [natural rivers or segments thereof] east of the crest of the Cascade range downstream of a point where the annual flow is measured at two hundred cubic feet per second or more, or those portions of rivers east of the crest of the Cascade range downstream from the first three hundred square miles of drainage area, whichever is longer. (RCW 90.58.030(2)(f)(v)(B))

All or portions of the following water bodies in Kittitas County are shorelines of statewide significance:

- Cle Elum River
- Columbia River
- Kachess River
- Little Naches River
- Teanaway River
- Yakima River
- Priest Rapids Dam Reservoir
- Wanapum Dam Reservoir
- Cle Elum Lake
- Keechelus Lake
- Kachess Lake

In Kittitas County, shoreline jurisdiction includes: all shorelines of the state; upland areas (shorelands) within two hundred (200) feet of the ordinary high water mark of those waters; associated wetlands and river deltas; and floodways and contiguous floodplain areas landward two hundred (200) feet from such floodways. A set of shoreline environment designation maps depicting the updated jurisdictional areas are included as Appendix A to this SMP. Shoreline environment designation descriptions are included in Appendix B. Depictions of the shoreline jurisdiction boundaries are for information purposes only and need to be confirmed in the field.

1.3 Purpose and intent

The purpose and intent of this SMP is to:

1. To promote the public health, safety and general welfare of the community by providing long range, comprehensive policies and effective, reasonable regulations

for development and use of shorelines within Kittitas County;

- 2. To manage shorelines in a positive, effective and equitable manner;
- 3. To assume and carry out the County's responsibilities established by the Act; and
- 4. To implement RCW 90.58.020 for shorelines of the state:

It is the policy of the state to provide for the management of the shorelines of the state by planning for and fostering all reasonable and appropriate uses. This policy is designed to insure the development of these shorelines in a manner which, while allowing for limited reduction of rights of the public in the navigable waters, will promote and enhance the public interest. This policy contemplates protecting against adverse effects to the public health, the land and its vegetation and wildlife, and the waters of the state and their aquatic life, while protecting generally public rights of navigation and corollary rights incidental thereto.

The legislature declares that the interest of all of the people shall be paramount in the management of shorelines of statewide significance. The department, in adopting guidelines for shorelines of statewide significance, and local government, in developing master programs for shorelines of statewide significance, shall give preference to uses in the following order of preference which:

- (1) Recognize and protect the statewide interest over local interest;
- (2) Preserve the natural character of the shoreline;
- (3) Result in long term over short term benefit;
- (4) Protect the resources and ecology of the shoreline;
- (5) Increase public access to publicly owned areas of the shorelines;
- (6) Increase recreational opportunities for the public in the shoreline;
- (7) Provide for any other element as defined in RCW 90.58.100 deemed appropriate or necessary.

In the implementation of this policy the public's opportunity to enjoy the physical and aesthetic qualities of natural shorelines of the state shall be preserved to the greatest extent feasible consistent with the overall best interest of the state and the people generally. To this end uses shall be preferred which are consistent with control of pollution and prevention of damage to the natural environment or are unique to or dependent upon use of the state's shoreline. Alterations of the natural condition of the shorelines of the state, in those limited instances when authorized, shall be given priority for single family residences, ports, shoreline recreational uses including but not limited to parks, marinas, piers, and other improvements facilitating public access to shorelines of the state, industrial and commercial developments which are particularly dependent on their location on or use of the shorelines of the state, and other development that will provide an opportunity for substantial numbers of the people to enjoy the shorelines of the state.

Permitted uses in the shorelines of the state shall be designed and conducted

in a manner to minimize, insofar as practical, any resultant damage to the ecology and environment of the shoreline area and any interference with the public's use the water.

1.4 Title and references

This Document shall be known and may be cited as the "Kittitas County Shoreline Master Program." This document may be referred to herein as the "Program," "Master Program," "Shoreline Master Program," or "SMP." Definitions referenced from WAC 173-26-020 are provided in Chapter 2, including "may", "must", "shall", and "should" which have specific meaning for implementation of the Shoreline Management Act.

1.5 Public involvement process, advisory committee and agency coordination

1. Public information and outreach

Kittitas County conducted the periodic review process consistent with the requirements of RCW 90.58.080 and WAC 173-26-090. Kittitas County prepared a public participation plan that identified specific objectives, key stakeholders, and timelines for public participation activities.

2. Regional Shoreline Master Program website

A web page was developed and hosted on the Kittitas County website to share information about the regional SMP update process and to provide opportunities for the public to submit comments and input.

The webpage contained a range of information and documentation related to the development of the SMP update process including:

- background materials
- public participation plan and process timeline
- frequently asked questions
- information on how to participate in the process
- community visioning questionnaire
- information on advisory committees
- meeting materials and summaries
- key contacts

The webpage was kept current and maintained throughout the duration of the update.

3. Public Participation Opportunities

1.6 Due to Covid-19 social distancing requirements, Kittitas County was unable to host traditional open houses and public forums. In lieu of these public participation opportunities, Kittitas County used the SMP website to distribute information regarding draft versions of the SMP, background information related

to the SMP update, and comment period timelines. Kittitas County accepted comments throughout the entire SMP update process, and also provided three distinct comment periods. Kittitas County published notices out for the SEPA Environmental Determination of Non-Significance, a joint public hearing held with the Department of Ecology, and a Board of County Commissioner public hearing before final adoption. These notices were sent to all RSS registered email addresses with Kittitas County and stakeholders. Kittitas County also sent out four press releases to news media, all RSS registered email addresses with Kittitas County, and stakeholders. The notices and press releases were also added to the SMP website. Relationship to other plans

The Growth Management Act (GMA) defines shoreline master program policies as a part of the local comprehensive plan:

For shorelines of the state, the goals and policies of the shoreline management act as set forth in RCW 90.58.020 are added as one of the goals of this chapter as set forth in RCW 36.70A 020. . . . The goals and policies of a shoreline master program for a county or city approved under RCW Chapter 90.58 shall be considered an element of the county or city's comprehensive plan. All other portions of the shoreline master program for a county or city adopted under RCW Chapter 90.58, including use regulations, shall be considered a part of the county or city's development regulations. (RCW 36. 70A.480 (1))

Counties and cities that plan under the GMA are required, under RCW 36.70A, to ensure that there is internal consistency between the comprehensive plan elements, future land use plan, and implementing development regulations (including master programs.

The GMA also calls for coordination and consistency of comprehensive plans among local jurisdictions:

The comprehensive plan of each county or city that is adopted pursuant to RCW 36.70A.040 shall be coordinated with, and consistent with, the comprehensive plans adopted pursuant to RCW 36.70A.040 of other counties or cities with which the county or city has, in part, common borders or related regional issues. (RCW 36.70A.100)

This SMP update has been developed to comply with the GMA requirements for internal consistency with each jurisdiction's comprehensive plan and implementing regulations as well as to ensure coordination and consistency between the County, Cities and Town.

1.7 Applicability

1. Unless specifically exempted below, all proposed uses and development occurring within shoreline jurisdiction must conform to the intent and requirements of RCW Chapter 90.58, the Shoreline Management Act, and this Program whether or not a

permit or other form of authorization is required. See Section 1.2 for the definition of shoreline jurisdiction; Chapter 7 for permit procedures; and Chapter 2 for definitions of uses, activities, and development.

- 2. The following activities are not considered "development" for the purpose of this SMP:
 - a. Interior building improvements that do not change the use or occupancy;
 - b. Exterior building maintenance activities, including painting and roofing, that do not expand the existing footprint of the structure;
 - c. Routine landscape maintenance of established, ornamental landscaping, such as lawn mowing, pruning and weeding; and
 - Maintenance of the following existing facilities that does not expand the affected area: septic tanks (routine cleaning), wells, and individual utility service connections.
- 3. Development on non-federal land is subject to this SMP and must obtain a shoreline permit, even if it is leased, rented, etc. to the federal government, unless the state has ceded regulatory authority by statute.
- 4. Federal lands include, but are not limited to, national forests, national parks, national wilderness areas, and lands owned by the Federal Bureau of Land Management (BLM). The following subsections shall guide the determination of SMP applicability on federal lands:
 - a. Federal development on federally owned land is not required to obtain a shoreline permit, unless otherwise required by law, but shall be consistent to the maximum extent practicable with this master program;
 - b. Non-federal activities, uses and development on federally owned land are subject to this SMP and must obtain a shoreline permit;
- 5. As recognized by RCW 90.58.350, the provisions of this SMP shall not affect treaty rights of Indian Nations or tribes.

1.8 Governing principles

The following principles, in conjunction with the policy statements of RCW 90.58.020, establish the foundation for the goals, policies and regulations of this Program:

- 1. Any inconsistencies between this Program and the Act must be resolved in accordance with the Act.
- 2. The policies of this Program may be achieved by diverse means including, but not limited to: regulation of development; acquisition of lands and/or easements by purchase or gift; public facility and park planning; watershed planning; voluntary salmon recovery projects; and incentive programs.

- Regulation of private property to implement Program goals must be consistent with all relevant constitutional and other legal limitations including, but not limited to: civil rights guaranteed by the U.S. and state constitutions, recent federal and state case law, and state statutes.
- Regulatory or administrative actions contained herein must not unconstitutionally infringe on private property rights or result in an unconstitutional taking of private property.
- 5. The waters of the state are owned by the citizens of the state. The property rights accrued to the citizens of the state must not be infringed upon by activities that denigrate the value of this ownership interest.
- 6. The regulatory provisions of this Program are limited to shorelines of the state, whereas the planning functions of this Program may extend beyond the designated shoreline boundaries.
- 7. The policies and regulations established by the Shoreline Master Program must be integrated and coordinated with those policies and rules of the comprehensive plans and development regulations adopted by the participating jurisdictions under the GMA.
- 8. Protecting the shoreline environment is an essential statewide policy goal, consistent with other policy goals. Permitted and/or exempt development, actions taken prior to the Act's adoption, and/or unregulated activities can impair shoreline ecological processes and functions. This Program protects the shoreline ecology from such impairments in the following ways:
 - a. By using a process that identifies, inventories, and ensures meaningful understanding of current and potential ecological functions provided by affected shorelines.
 - b. By including policies, regulations, and incentives designed to ensure all development, including permit-exempt development, will not cause a net loss of shoreline ecological function.
 - c. By including regulations and incentives designed to restore impaired ecological functions where such functions have been identified, consistent with the Restoration Plan dated April 2014.
 - d. By including policies and regulations to address cumulative impacts, including the cumulative effect of exempt development, and by fairly allocating the burden of addressing such impacts among development opportunities.
 - e. By including policies and regulations that coordinate shoreline management while protecting private property rights, consistent with the public interest.
- 9. In light of other relevant local, state, and federal regulatory and non-regulatory programs, the County will balance the policy goals of this Program to the extent consistent with the policies of the Act and these governing principles, and modify this Program to reflect changing circumstances.

1.9 Severability

Shall any chapter, section, subsection, paragraph, sentence, clause or phrase of this Program be declared unconstitutional or invalid for any reason, such decision shall not affect the validity of the remaining portions of this Program.

1.10 Effective date

This Program and all amendments thereto shall become effective 14 days after final approval by Ecology.

2. Definitions

The terms used throughout this Program shall be defined and interpreted as indicated below. When consistent with the context, words used in the present tense shall include the future; the singular shall include the plural, and the plural the singular. Definitions established by WAC 173 have been incorporated herein; and should these definitions in the WAC be amended, the most current WAC definition shall apply.

- 1. "Act" means the Washington State Shoreline Management Act, RCW Chapter 90.58.
- 2. "Administrator" means the director of the Kittitas County Community Development Services or designee.
- 3. "Agricultural activities" means agricultural uses and practices including, but not limited to: Producing, breeding, or increasing agricultural products; rotating and changing agricultural crops; allowing land used for agricultural activities to lie fallow in which it is plowed and tilled but left unseeded; allowing land used for agricultural activities to lie dormant as a result of adverse agricultural market conditions; allowing land used for agricultural activities to lie dormant because the land is enrolled in a local, state, or federal conservation program, or the land is subject to a conservation easement; conducting agricultural operations; maintaining, repairing, and replacing agricultural equipment; maintaining, repairing, and replacing agricultural facilities, provided that the replacement facility is no closer to the shoreline than the original facility; and maintaining agricultural lands under production or cultivation.
- 4. "Agricultural products" includes, but is not limited to, horticultural, viticultural, floricultural, vegetable, fruit, berry, grain, hops, hay, straw, turf, sod, seed, and apiary products; feed or forage for livestock; Christmas trees; hybrid cottonwood and similar hardwood trees grown as crops and harvested within twenty (20) years of planting; and livestock including both the animals themselves and animal products including, but not limited to, meat, upland finfish, poultry and poultry products, and dairy products.
- 5. "Agricultural equipment" and "agricultural facilities" includes, but is not limited to:
 - 1. The following used in agricultural operations: Equipment; machinery; constructed shelters; buildings and ponds; fences; upland finfish rearing facilities; water diversion, withdrawal, conveyance, and use equipment and facilities including, but not limited to, pumps, pipes, tapes, canals, ditches, and drains;
 - Corridors and facilities for transporting personnel, livestock, and equipment to, from, and within agricultural lands;
 - 3. Farm residences and associated equipment, lands, and facilities; and
 - 4. Roadside stands and on-farm markets for marketing fruit or vegetables.
- 6. "Agricultural land" means those specific land areas on which agricultural activities are conducted as of the date of adoption of a local master program pursuant to

these guidelines as evidenced by aerial photography or other documentation. After the effective date of the master program, land converted to agricultural use is subject to compliance with the requirements of the master program.

- 7. "Alluvial fan" or "Alluvial fan hazard area" is a low, outspread, relatively flat-to-gentle sloping features deposited by a stream at the transitional area between valley floodplains and steep mountain slopes. Channel pattern is highly variable, often dependent on substrate size and age of the landform. Channels may change course frequently, resulting in a multi-branched stream network. Channels can also be deeply incised within highly erodible alluvial material.
- 8. "Amendment" means a revision, update, addition, deletion, and/or reenactment to an existing shoreline master program.
- 9. "Approval" means an official action by a local government legislative body agreeing to submit a proposed shoreline master program or amendments to the Washington State Department of Ecology for review and official action pursuant to this chapter; or an official action by the Washington State Department of Ecology to make a local government shoreline master program effective, thereby incorporating the approved shoreline master program or amendment into the state master program.
- 10. "Aquaculture" means the culture or farming of fish, shellfish, or other aquatic plants and animals. Aquaculture does not include the harvest of wild geoduck associated with the state managed wildstock geoduck fishery.
- 11. "Archaeological object" means an object that comprises the physical evidence of an indigenous and subsequent culture, including material remains of past human life, including monuments, symbols, tools, facilities, and technological by-products.
- 12. "Archaeological site" means a geographic locality that contains archaeological objects.
- 13. "Archaeological survey" means a formal archaeological study completed by a professional archaeologist that conforms to, and is reported consistent with, DAHP's then-current archaeological survey and reporting standards; and which at a minimum includes background research and a field investigation that includes appropriate sub-surface methodology.
- 14. "Average grade level" means the average of the natural or existing topography of the portion of the lot, parcel, or tract of real property which will be directly under the proposed building or structure. In the case of structures to be built over-water, average grade level shall be the elevation of the ordinary high water mark (OHWM). Calculation of the average grade level shall be made by averaging the ground elevations at the midpoint of all exterior walls of the proposed building or structure.

- 15. "Avulsion" means a sudden cutting off or separation of land by a flood breaking through a meander or by a sudden change in current whereby the stream deserts its old channel for a new one.
- 16. "Boat launch ramp" means a graded slope, slab, pad, plank or rail used for launching boats by means of a trailer, hand, or mechanical device.
- 17. "Boat launch ramp, primitive" means a boat launch ramp designed to facilitate hand launching of small crafts provided the materials and design are compatible with the site.
- 18. "Boat launch ramp, public or community" means a boat launch ramp owned or operated by a public entity or privately owned or operated and open to the public or community group (e.g., homeowner's association).
- 19. "Bulkhead" means a wall-like, shoreline armoring structure such as a revetment that is placed parallel to the shoreline (at or near the OHWM) primarily for retaining uplands, stabilizing shoreline and fills, and prone to sliding or sheet erosion and to protect uplands and fills from erosion by waves or currents.
- 20. "Channel migration zone (CMZ)" means the area along a river within which the channel(s) can be reasonably predicted to migrate over time as a result of natural and normally occurring hydrological and related processes when considered with the characteristics of the river and its surroundings.
- 21. "Conditional use" means a use, development, or substantial development which is classified as a conditional use or is not classified within the master program.
- 22. "Comprehensive master program update" means a master program that fully achieves the procedural and substantive requirements of the Washington State Department of Ecology's shoreline master program guidelines effective January 17, 2004, as now or hereafter amended.
- 23. "Comprehensive plan" means the current comprehensive plan of the County, adopted by the Board pursuant to State law.
- 24. "Critical areas" includes the following areas and ecosystems: (a) Wetlands; (b) areas with a critical recharging effect on aquifers used for potable water; (c) fish and wildlife habitat conservation areas; (d) frequently flooded areas; and (e) geologically hazardous areas. "Fish and wildlife habitat conservation areas" do not include such artificial features or constructs as irrigation delivery systems, irrigation infrastructure, irrigation canals, or drainage ditches that lie within the boundaries of and are maintained by a port district or an irrigation district or company. Natural watercourses such as streams and rivers that carry irrigation water are not considered to be an artificial feature.

- 25. "Critical aquifer recharge area (CARA)" means an area designated by WAC 365-190-100 that is determined to have a critical recharging effect on aquifers (i.e., maintain the quality and quantity of water) used for potable water as defined by WAC 365-190-030(3).
- 26. "Critical facility" means a facility for which even a slight chance of flooding, inundation, or impact from a hazard event might be too great. Critical facilities include, but are not limited to, schools, nursing homes, hospitals, police, fire and emergency response installations, and installations that produce, use, or store hazardous materials or hazardous waste.
- 27. "Cultural resources" means archaeological and historic sites and artifacts, as well as those traditional food, medicine, fibers, and objects that sustain the religious, ceremonial, and social activities of affected Native American tribes.
- 28. "Dam" means a barrier or controlling and appurtenant works across a stream or river that does or can confine, impound or regulate flow or raise water levels for purposes such as flood or irrigation water storage, erosion control, power generation, or collection of sediment or debris.
- 29. "**Degradation**" as it pertains to riverine morphology means the lowering of a streambed due to such factors as increased scouring.
- 30. "Development" means a use consisting of the construction or exterior alteration of structures, dredging, drilling, dumping, filling; removal of any sand, gravel or minerals; bulkheading; driving of pilings; placing of obstructions; interior building improvements that do not change the use or occupancy; or any project of a permanent or temporary nature that interferes with the normal public use of the surface of the waters overlying lands subject to the Shoreline Management Act at any stage state of water level. Residential development includes single-family development, multi-family development, and the creation of new residential lots through subdivision. "Development" does not include dismantling or removing structures if there is no other associated development or redevelopment.
- 31. "Development regulations" means the controls placed on development or land uses by a county or city, including, but not limited to, zoning ordinances, critical areas ordinances, all portions of a shoreline master program other than goals and policies approved or adopted under RCW Chapter 90.58, planned unit development ordinances, subdivision ordinances, and binding site plan ordinances, together with any amendments thereto.
- 32. "Ecological functions" or "shoreline functions" means the work performed or role played by the physical, chemical, and biological processes that contribute to the maintenance of the aquatic and terrestrial environments that constitute the shoreline's natural ecosystem. See WAC 173-26-201(2)(c).
- 33. "Ecological restoration" see definition for "restore."

- 34. "Ecologically intact shorelines" means those shoreline areas that retain the majority of their natural shoreline functions, as evidenced by the shoreline configuration and the presence of native vegetation, and provide valuable functions for the larger aquatic and terrestrial environments which could be lost or significantly reduced by human development. Ecologically intact shoreline areas range from larger reaches that may include multiple properties to small areas located within a single property and are generally free of structural shoreline modifications, structures, and intensive human uses.
- 35. "Ecosystem-wide processes" means the suite of naturally occurring physical and geologic processes of erosion, transport, and deposition; and specific chemical processes that shape landforms within a specific shoreline ecosystem and determine both the types of habitat and the associated ecological functions.
- 36. "Enhancement" means actions performed within an existing degraded shoreline, critical area, and/or buffer to intentionally increase or augment one or more ecological functions or values of the existing area. Enhancement actions include, but are not limited to, increasing plant diversity and cover; increasing wildlife habitat and structural complexity (snags, woody debris); installing environmentally compatible erosion controls; removing non-indigenous plant or animal species; or removing human-made structures or fill that are degrading ecological functions or values.
- 37. "Environmental designation" means a categorical classification of a land parcel that reflects the biological and physical character of the shoreline, as well as the type of development that has or should take place in a given area.
- 38. "Exempt" developments are those set forth in WAC 173-27-040 and RCW 90.58.030(3)(e), 90.58.140(9), and 90.58.515 which are not required to obtain a substantial development permit but which must otherwise comply with applicable provisions of the act and the local master program.
- 39. "Fair market value" of a development is the open market bid price for conducting the work, using the equipment and facilities, and purchase of the goods, services and materials necessary to accomplish the development. This would normally equate to the cost of hiring a contractor to undertake the development from start to finish, including the cost of labor, materials, equipment and facility usage, transportation and contractor overhead and profit. The fair market value of the development shall include the fair market value of any donated, contributed or found labor, equipment or materials.
- 40. "Feasible" means, for the purpose of this chapter, that an action, such as a development project, mitigation, or preservation requirement, meets all of the following conditions:
 - The action can be accomplished with technologies and methods that have been used in the past in similar circumstances, or studies or tests have demonstrated in similar circumstances that such approaches are currently available and likely to achieve the intended results;

- 2. The action provides a reasonable likelihood of achieving its intended purpose;
- The action does not physically preclude achieving the project's primary intended legal use; and
- 4. In cases where these guidelines require certain actions unless they are infeasible, the burden of proving infeasibility is on the applicant. In determining an action's infeasibility, the reviewing agency may weigh the action's relative public costs and public benefits, considered in the short- and long-term time frames.
- 41. "Feedlot" means the use of structures or pens for the concentrated feeding or holding of animals or poultry including, but not limited to, horses, cattle, sheep or swine. This definition includes dairy confinement areas, slaughterhouses, shipping terminal holding pens, poultry and/or egg production facilities and fur farms, but does not include animal husbandry and normal farming practices.
- 42. "Fill" means any solid or semi-solid material that when placed, changes the grade or elevation of the receiving site, including the addition of soil, sand, rock, gravel, sediment, earth retaining structure, or other material to an area waterward of the ordinary high water mark (OHWM), in wetlands, or on shorelands in a manner that raises the elevation or creates dry land.
- 43. "Fish and wildlife habitat conservation area" means Fish and Wildlife Habitat Conservation Areas (FWHCA) that serve a critical role in sustaining needed habitats and species for the functional integrity of the ecosystem, and which, if altered, may reduce the likelihood that the species will persist over the long term. These areas may include, but are not limited to, rare or vulnerable ecological systems; communities; and habitat or habitat elements including seasonal ranges, breeding habitat, winter range, and movement corridors; and areas with high relative population density or species richness. These areas do not include such artificial features or constructs as irrigation delivery systems, irrigation infrastructure, irrigation canals, or drainage ditches that lie within the boundaries of and are maintained by a port district or an irrigation district or company. Natural watercourses such as streams and rivers that carry irrigation water are not considered to be an artificial feature.
- 44. "Floodplain" is synonymous with one hundred-(100)-year floodplain and means that land area susceptible to inundation with a one percent (1%) chance of being equaled or exceeded in any given year. The limit of this area shall be based upon flood ordinance regulation maps or a reasonable method which meets the objectives of the act.
- 45. "Floodway" means the area, as identified in a master program, that either:
 - Has been established in federal emergency management agency flood insurance rate maps or floodway maps (defined as the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood (one hundred-(100)-year flood) without cumulatively

- increasing water surface elevation more than a designated height of one (1) foot); or
- 2. Consists of those portions of a river valley lying streamward from the outer limits of a watercourse upon which flood waters are carried during periods of flooding that occur with reasonable regularity, although not necessarily annually; said floodway being identified, under normal condition, by changes in surface soil conditions or changes in types or quality of vegetative ground cover condition, topography, or other indicators of flooding that occur with reasonable regularity, although not necessarily annually. Regardless of the method used to identify the floodway, the floodway shall not include those lands that can reasonably be expected to be protected from flood waters by flood control devices maintained by or maintained under license from the federal government, the state, or a political subdivision of the state.
- 46. "Frequently flooded areas" means lands in the floodplain subject to a one percent (1%) or greater chance of flooding in any given year, or within areas subject to flooding due to high groundwater and those lands that provide important flood storage, conveyance, and attenuation functions. These areas include, but are not limited to, streams, rivers, lakes, wetlands, and areas where high groundwater forms ponds on the ground surface. As designated and classified determined by a local government in accordance with WAC 365-190-110. Classifications of frequently flooded areas include, at a minimum, the one hundred-(100)-year floodplain designations of the Federal Emergency Management Agency and the National Flood Insurance Program.
- 47. "Geotechnical analysis" or "geotechnical report" means a scientific study or evaluation conducted by a qualified expert that includes a description of the ground and surface hydrology and geology, the affected land form and its susceptibility to mass wasting, erosion, and other geologic hazards or processes, conclusions and recommendations regarding the effect of the proposed development on geologic conditions, the adequacy of the site to be developed, the impacts of the proposed development, alternative approaches to the proposed development, and measures to mitigate potential site-specific and cumulative geological and hydrological impacts of the proposed development, including the potential adverse impacts to adjacent and down-current properties. Geotechnical reports shall conform to accepted technical standards and must be prepared by qualified professional engineers or geologists who have professional expertise about the regional and local shoreline geology and processes.
- 48. "**Grading**" means the movement or redistribution of the soil, sand, rock, gravel, sediment, or other material on a site in a manner that alters the natural contour of the land.
- 49. "**Groundwater**" means all the water that exists beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water, whatever may be the geological formation or structure in which such water stands or flows, percolates or otherwise moves.

- 50. "Height" is measured from average grade level to the highest point of a structure: provided, that television antennas, chimneys, and similar appurtenances shall not be used in calculating height, except where such appurtenances obstruct the view of the shoreline of a substantial number of residences on areas adjoining such shorelines, or the applicable master program specifically requires that such appurtenances be included; provided further, that temporary construction equipment is excluded in this calculation.
- 51. "High intensity agricultural activities" means dairies, animal feed lots, nurseries, greenhouses, and like uses which are commercially operated.
- 52. "Historic resources" or "Historic site" means those properties which are listed in or eligible for listing in the Washington State register of historic places (RCW 27.34.220) or the national register of historic places as defined in the national historic preservation act of 1966 (Title 1, Sec. 101, Public Law 89-665; 80 Stat. 915; 16 U.S.C. Sec. 470) as now or hereafter amended.
- 53. "Hobby farm" means a primary residence with an associated small farm, operated for pleasure or supplemental income, where the resident(s) and/or property owner(s) conduct agricultural activities similar to high intensity agricultural activities.
- 54. "Hydraulic Project Approval (HPA)" means a construction permit issued by the Washington Department of Fish and Wildlife for work that will use, divert, obstruct, or change the natural flow or bed any of any of the salt or fresh waters of the state.
- 55. "Hyporheic zone" is the region beneath and alongside a stream bed, where there is mixing of shallow groundwater and surface water.
- 56. "In-stream structure" is a structure, other than a pier or dock, which is placed waterward of the ordinary high water mark and either causes or has the potential to cause water impoundment or the diversion, obstruction, or modification of water flow. In-stream structures include natural materials that are installed or repositioned by humans, such as root wads and log jams, for purposes of stream restoration or shoreline stabilization.
- 57. "Lake" means a body of standing water in a depression of land or expanded part of a stream, of twenty (20) acres or greater in total surface area, including reservoirs. A lake is bounded by the ordinary high water mark (OHWM), or where a stream enters the lake, the extension of the lake's OHWM within the stream.
- 58. "Limited master program amendment" means a master program amendment that addresses specific procedural and/or substantive topics and which is not intended to meet the complete requirements of a comprehensive master program update.
- 59. "Local government" means any county, incorporated city or town which contains within its boundaries shorelines of the state subject to RCW Chapter 90.58.

- 60. "Marine" means pertaining to tidally influenced waters, including oceans, sounds, straits, marine channels, and estuaries, including the Pacific Ocean, Puget Sound, Straits of Georgia and Juan de Fuca, and the bays, estuaries, and inlets associated therewith.
- 61. "Master program" or "Shoreline master program" or "Program" means the comprehensive use plan for a described area, the use regulations together with maps, diagrams, charts, or other descriptive material and text, a statement of desired goals, and standards developed in accordance with the policies enunciated in RCW 90.58.020 and the applicable guidelines. As provided in RCW 36.70A.480, the goals and policies of a shoreline master program approved under RCW Chapter 90.58 shall be considered an element of the county's comprehensive plan. All other portions of the county's shoreline master program adopted under RCW Chapter 90.58, including use regulations, shall be considered a part of the county's development regulations.
- 62. **"May"** means the action is acceptable, provided it conforms to the provisions of this chapter.
- 63. "Mineral prospecting" means to excavate, process, or classify aggregate using hand-held mineral prospecting tools and mineral prospecting equipment, conducted according to the provisions of WAC 220-660-300..
- 64. "Mining" means the removal of sand, gravel, soil, minerals, and other earth materials for commercial and other uses. Mining does not include mineral prospecting conducted according to WAC 220-110-200 through 220-110-206.
- 65. "Must" means a mandate; the action is required.
- 66. "Natural or existing topography" means the topography of the lot, parcel, or tract of real property immediately prior to any site preparation or grading, including excavation or filling.
- 67. "Nonconforming structure" means a structure within the shoreline jurisdiction that was lawfully established prior to the effective date of this master program, or through the variance process, which does not conform to present setbacks, buffers, bulk, height or other development standards.
- 68. "Nonconforming use" means a use which was lawfully established prior to the effective date of this master program, or amendments thereto, but which does not conform to present regulations or standards of this program, including procedural requirements such as those requiring certain uses to obtain conditional use permit approval.
- 69. "Non-water-oriented uses" means those uses that are not water-dependent, water-related, or water-enjoyment.

- 70. "Ordinary high water mark (OHWM)" on all lakes, streams, and tidal water means that mark that will be found by examining the bed and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by a local government or the Washington State Department of Ecology; provided that in any area where the OHWM cannot be found, the OHWM salt water shall be the line of mean higher high tide and the OHWM adjoining freshwater shall be the line of mean high water.
- 71. "Permit" means any substantial development, variance, conditional use permit, or revision authorized under RCW Chapter 90.58.
- 72. "Priority habitat" means a habitat type with a unique or significant value to one (1) or more species. An area classified and mapped as priority habitat must have one (1) or more of the following attributes: comparatively high fish or wildlife densities; comparatively high fish or wildlife species diversity; fish spawning habitat; important wildlife habitat; important fish or wildlife seasonal range; important fish or wildlife movement corridors; rearing and foraging habitat; refuge; limited availability; high vulnerability to habitat alteration; unique or dependent species; or shellfish beds. A priority habitat may be described by its unique vegetation type or by a dominant plant species that is of primary importance to fish and wildlife (such as oak woodlands or eelgrass meadows). A priority habitat may also be described by a successional stage (such as old growth and mature forests). Alternatively, a priority habitat may consist of a specific habitat element (such as talus slopes, caves, snags) of key value to fish and wildlife. A priority habitat may contain priority and/or non-priority fish and wildlife (WAC 173-26-020(28)).
- 73. "Priority species" means species requiring protective measures and/or management guidelines to ensure their persistence at genetically viable population levels. Priority species are those that meet any of the criteria listed in WAC 173-26-020(29).
- 74. "Professional archaeologist" means an archaeologist who meets the requirements set forth in RCW 27.53.030(11), and has at least a master's degree in Anthropology or a related field and two years professional experience in archaeological fieldwork.
- 75. "Program" see definition for "Master program."
- 76. "**Project area**" means any and all areas that may be affected by a project's construction and operation. Both temporary and permanent effects must be considered.
- 77. "**Provisions**" means policies, regulations, standards, guideline criteria or environment designations.

- 78. "Public interest" means the interest shared by the citizens of the state or community at large in the affairs of government, or some interest by which their rights or liabilities are affected including, but not limited to, an effect on public property or on health, safety, or general welfare resulting from a use or development.
- 79. "Qualified professional" means a person with experience and training with expertise appropriate for the relevant subject. A qualified professional must have obtained a B.S. or B.A. degree or have appropriate education and experience in biology, soil science, engineering, environmental studies, fisheries, geology, geomorphology, or related field.
- 80. "Rehabilitation" means a type of restoration action intended to repair natural or historic functions and processes. Activities could involve breaching a dike to reconnect wetlands to a floodplain or other activities that restore the natural water regime.
- 81. "Restore," "restoration" or "ecological restoration" means the re-establishment or upgrading of impaired ecological shoreline processes or functions. This may be accomplished through measures including, but not limited to, re-vegetation, removal of intrusive shoreline structures and removal or treatment of toxic materials. Restoration does not imply a requirement for returning the shoreline area to aboriginal or pre-European settlement conditions.
- 82. "Riverine erosion hazard areas" are located within the lateral extent of likely watercourse channel movement due to bank destabilization and erosion, rapid incision, and shifts in location of watercourse channels. Riverine erosion hazard areas are also referred to as channel migration zones (CMZs).
- 83. "**Setback**" means the distance a building or structure is placed behind a specified limit such as a lot line or shoreline buffer.
- 84. "Shall" means a mandate; the action must be done.
- 85. "Shorelands" or "shoreland areas" means those lands extending landward for two hundred (200) feet in all directions as measured on a horizontal plane from the OHWM; floodways and contiguous floodplain areas landward two hundred (200) feet from such floodways; and all wetlands and river deltas associated with the streams, lakes, and tidal waters which are subject to the provisions of this chapter; the same to be designated as to location by the Washington State Department of Ecology.
 - 1. Any county or city may determine that portion of a one hundred-(100)-year-floodplain to be included in its master program as long as such portion includes, as a minimum, the floodway and the adjacent land extending landward two hundred (200) feet therefrom.
 - Any city or county may also include in its master program land necessary for buffers for critical areas, as defined in RCW Chapter 36.70A, that occur within shorelines of the state, provided that forest practices regulated under RCW

Chapter 76.09, except conversions to non-forest land use, on lands subject to the provisions of RCW 90.58.030(2)(d)(ii) are not subject to additional regulations under this chapter.

- 86. "Shoreline areas" and "shoreline jurisdiction" means all "shorelines of the state" and "shorelands" as defined in RCW 90.58.030.
- 87. "Shoreline functions" see definition for "ecological functions."
- 88. "Shoreline master program" see definition for "master program."
- 89. "Shoreline modifications" means any human activity that changes the structure, hydrology, habitat, and/or functions of a shoreline. Bulkheads, piers, docks, shoreline stabilization systems, clearing and grading, application of chemicals, berms or significant vegetation removal, and dikes are all examples of shoreline modifications.
- 90. "Shorelines" means all of the water areas of the state, including reservoirs, and their associated shorelands, together with the lands underlying them; except (i) shorelines of statewide significance; (ii) shorelines on segments of streams upstream of a point where the mean annual flow is twenty cubic feet per second (20 cfs) or less and the wetlands associated with such upstream segments; and (iii) shorelines on lakes less than twenty (20) acres in size and wetlands associated with such small lakes.
- 91. "Shorelines of statewide significance" means the shorelines identified in RCW 90.58.030 which because of their elevated status require the optimum implementation of the Shoreline Management Act's policies. This includes all rivers with a mean annual flow of greater than two hundred cubic feet per second (200 cfs) and lakes with surface areas of one thousand (1,000) acres or more.
- 92. "Shorelines of the state" are the total of all "shorelines" and "shorelines of statewide significance" within the state.
- 93. **"Should"** means that the particular action is required unless there is a demonstrated, compelling reason, based on policy of the Shoreline Management Act and this chapter, against taking the action.
- 94. "Significant vegetation removal" means the removal or alteration of trees, shrubs, and/or groundcover by clearing, grading, cutting, burning, chemical means, or other activity that causes significant ecological impacts to functions provided by such vegetation. The removal of invasive or noxious weeds does not constitute significant vegetation removal. Tree pruning, not including tree topping where it does not affect ecological functions, does not constitute significant vegetation removal.
- 95. "State master program" means the cumulative total of all shoreline master programs and amendments thereto approved or adopted by rule by the Washington

State Department of Ecology.

- 96. "Structure" means a permanent or temporary edifice or building, or any piece of work artificially built or composed of parts joined together in some definite manner, whether installed on, above, or below the surface of the ground or water, except for vessels.
- 97. "Structure, in-stream" see definition for "In-stream Structure."
- 98. "Substantial development" as defined by RCW 90.58.030(3)(e).
- 99. "Transmit" means to send from one (1) person or place to another by mail or hand delivery. The date of transmittal for mailed items is the date that the document is certified for mailing or, for hand-delivered items, is the date of receipt at the destination.
- 100. "Type F water" means streams and waterbodies that are known to be used by fish, or meet the physical criteria to be potentially used by fish. Fish streams may or may not have flowing water all year; they may be perennial or seasonal.
- 101. "**Type Np water**" means streams that have flow year round and may have spatially intermittent dry reaches downstream of perennial flow. Type Np streams do not meet the physical criteria of a Type F stream.
- 102. "Type Ns water" means stream that do not have surface flow during at least some portion of the year, and do not meet the physical criteria of a Type F water.
- 103. "Type S water" means streams and waterbodies that are designated as "shorelines of the state."
- 104. **"Water-dependent use"** means a use or portion of a use which cannot exist in a location that is not adjacent to the water and which is dependent on the water by reason of the intrinsic nature of its operations.
- 105. "Water-enjoyment use" means a recreational use or other use that facilitates public access to the shoreline as a primary characteristic of the use; or a use that provides for recreational use or aesthetic enjoyment of the shoreline for a substantial number of people as a general characteristic of the use and which through location, design, and operation ensures the public's ability to enjoy the physical and aesthetic qualities of the shoreline. In order to qualify as a water-enjoyment use, the use must be open to the general public and the shoreline-oriented space within the project must be devoted to the specific aspects of the use that fosters shoreline enjoyment.
- 106. **"Water-oriented use"** means a use that is water-dependent, water-related, or water-enjoyment, or a combination of such uses.
- 107. **"Water quality"** means the physical characteristics of water within shoreline jurisdiction, including water quantity, hydrological, physical, chemical, aesthetic,

recreation-related, and biological characteristics. Where used in this chapter, the term "water quantity" refers only to development and uses regulated under this chapter and affecting water quantity, such as impermeable surfaces and stormwater handling practices. Water quantity, for purposes of this chapter, does not mean the withdrawal of groundwater or diversion of surface water pursuant to RCW 90.03.250 through 90.03.340.

- 108. **"Water-related use"** means a use or portion of a use which is not intrinsically dependent on a waterfront location but whose economic viability is dependent upon a waterfront location because:
 - 1. The use has a functional requirement for a waterfront location such as the arrival or shipment of materials by water or the need for large quantities of water; or
 - 2. The use provides a necessary service supportive of the water-dependent uses and the proximity of the use to its customers makes its services less expensive and/or more convenient.
- 109. "Water system" means any system providing water intended for, or used for, human consumption, domestic uses, or commercial businesses. It includes, but is not limited to, the source, purification, storage, transmission, pumping, and distribution facilities.
- 110. "Wetland creation" means construction of a wetland in an area that was historically non-wetland.
- 111. "Wetland restoration" means restoration of original wetland hydrology, vegetation, and functions at sites where wetlands existed previously, but where they have been impacted by prior or surrounding land uses.
- 112. "Wetlands" means areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. Wetlands do not include those artificial wetlands intentionally created from non-wetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds, and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. Wetlands may include those artificial wetlands intentionally created from non-wetland areas to mitigate the conversion of wetlands.
- 113. **"Variance"** is a means to grant relief from the specific bulk, dimensional or performance standards set forth in the applicable master program and not a means to vary a use of a shoreline.
- 114. "Vessel" includes ships, boats, barges, or any other floating craft which are designed and used for navigation and do not interfere with the normal public use of the water.

3. Goals and objectives

Sections

- **3.1** Conservation element
- **3.2** Shoreline use element
- **3.3** Economic development element
- **3.4** Public access element
- **3.5** Recreation element
- **3.6** Circulation element
- 3.7 Historical/cultural element
- **3.8** Flood hazard prevention element

3.1 Conservation element

A. Goals

- 1. Develop and implement management practices that will conserve and sustain shoreline resources and important natural features.
- 2. Protect the ecological functions and values of the shoreline areas to ensure no net loss.
- 3. Protect fragile natural areas and resources.
- 4. Promote restoration of shoreline ecological functions and processes.

B. Objectives

- 1. Preserve unique, rare, and fragile natural features, habitats and native shoreline vegetation.
- 2. Avoid and minimize adverse impacts to natural systems and quality of the shoreline environment.
- 3. Preserve the scenic and aesthetic quality of shorelines and vistas to the greatest extent feasible.
- 4. Locate and design new uses and development to avoid impacts to shoreline resources. Where there is no feasible alternative, require that adverse impacts be mitigated to achieve no net loss of shoreline ecological functions.
- 5. Follow best management practices (BMPs) that protect water quality.
- 6. Integrate critical area standards in the Shoreline Master Program with the policies and regulations of the local jurisdiction.

3.2 Shoreline use element

A. Goals

- 1. Consider the use and development of shorelines and adjacent land areas for public and private land uses in relation to the natural environment.
- 2. Ensure no net loss of ecological function.

B. Objectives

- 1. Give shoreline use preference to single-family residential uses, ports, shoreline recreational uses, and water-dependent commercial or industrial developments that are consistent with preservation of shoreline ecological functions and processes.
- 2. Give secondary preference to water-related and water-enjoyment uses.
- 3. Allow non-water-oriented uses only when substantial public benefit is provided with respect to the goals of the Act for public access and ecological restoration.
- 4. Locate, design, and manage shoreline uses to prevent a net loss of shoreline ecological functions and processes over time. Where adverse impacts are unavoidable, require mitigation to ensure no net loss of shoreline ecological functions.
- 5. Ensure proposed residential developments are compatible with or enhance the aesthetic quality of the shoreline area.
- 6. Design and locate residential development to preserve the natural landscape and shoreline ecology and minimize conflicts with present and planned land uses.
- 7. Encourage mixed use developments that include and support water-oriented uses and provide a substantial public benefit consistent with the public access and ecological restoration goals and policies of the Act.
- 8. Locate new high intensity uses in areas that are not susceptible to erosion and flooding and where impacts to ecological functions can be avoided.
- 9. Plan for and control stormwater runoff from new developments and redevelopment projects. When required, provide treatment consistent with state and local standards.

3.3 Economic development element

A. Goals

1. Recognize the role of shorelines, recreational opportunities, and agriculture and forest products industry in attracting people to the region as residents, business owners, tourists, and second home owners.

2. Support uses that contribute to the region's economy while maintaining the qualities and functions of the shorelines, flood prone areas and channel migration zones.

B. Objectives

- 1. Protect existing agricultural and commercial forest land uses and provide for new environmentally sensitive resource-based development.
- Develop the recreational industry along shorelines in a manner that will enhance public enjoyment of the shorelines and provide an economic benefit to the community.
- 3. Ensure that any economic activity taking place in the shoreline environment operates in a manner that protects shoreline ecological functions and processes. Minimize and mitigate unavoidable impacts.
- 4. Encourage appropriate new water-dependent, water-related, or water-enjoyment activities along shorelines not prone to flooding.

3.4 Public access element

A. Goals

- Develop and maintain a network of safe, convenient and diversified access opportunities for the public to enjoy the physical and aesthetic qualities of the shorelines of Kittitas County.
- 2. Recognize the rights of private property owners.

B. Objectives

- 1. Promote and enhance the public interest with regard to rights to access waters held in public trust by the state, while protecting private property rights and public safety.
- Encourage incorporation of shoreline access into private and public shoreline use and development proposals. Allow private access developed for residential development to be limited to owners within that development.
- 3. Encourage the acquisition of suitable upland shoreline properties to provide public access to publicly-owned shorelines. Prioritize shoreline reaches with limited access opportunities, where public access is compatible with the shoreline environment.
- 4. Encourage the development of additional public access to the shoreline on lands owned by the county, state, and federal government and through public easements.
- 5. Consider the diverse needs of residents and visitors in acquisition and design of public access facilities.

- 6. Locate, design, develop, manage and maintain public access in a manner that protects shoreline ecological functions and processes and minimizes impacts to surrounding properties.
- 7. Provide, protect, and enhance physical and visual access to shorelines.
- 8. Design and maintain public access so that negative impacts to surrounding properties (e.g., trespass and litter) are eliminated or reduced.

3.5 Recreation element

A. Goal

1. Provide opportunities and space for diverse forms of water-oriented recreation.

B. Objectives

- 1. Prioritize water-oriented shoreline recreational development that is primarily related to access, enjoyment, and use of the water and shorelines of the state.
- 2. Locate, design, develop, manage, and maintain recreational areas in a manner that protects shoreline ecological functions and processes.
- 3. Recognize and protect the public interest by providing increased recreational opportunities within shorelines of statewide significance.
- 4. Provide diverse choices of regional water-oriented public recreational opportunities.
- 5. Consider measures necessary to establish a high level of compatibility with other uses and activities and avoid negative impacts to the shoreline environment when locating, designing and operating recreational developments.
- 6. Encourage private investment in water-oriented recreational facilities that are open to the public.
- 7. Encourage federal, state, and local governments to develop existing sites and evaluate opportunities to acquire additional shoreline property for public recreational use.
- 8. Encourage development of non-motorized multi-use trails that provide recreation and transportation opportunities where compatible with shoreline ecological functions.

3.6 Circulation element

A. Goal

1. Create and maintain a comprehensive circulation system which provides for the

safe, convenient, economic, and diversified movement of people, goods, and services, with minimum disruption to the shoreline area and environment.

B. Objectives

- Locate and design new circulation systems for alternative modes of transportation where the natural landscape can be preserved, ecological function maintained, and land use conflicts minimized.
- 2. Locate, design, develop, manage, and maintain transportation systems in a manner that protects shoreline ecological functions and processes. Minimize and mitigate unavoidable impacts.
- 3. Encourage the use of waterborne transportation for recreational uses.
- 4. Locate new road corridors for motorized vehicles outside of shoreline jurisdiction unless there is no reasonably feasible location.

3.7 Historical/cultural element

A. Goal

1. Identify, protect, preserve and restore sites that contain resources of cultural, archaeological, historic, educational, or scientific value or significance.

B. Objectives

- 1. Protect cultural, archaeological, and historic resources in collaboration with appropriate tribal, state, federal, and local governments.
- 2. Engage in and encourage cooperation between public agencies and private parties in the identification, protection, and management of cultural, archaeological, and historic resources.
- 3. Consult with the Washington State Department of Archaeology and Historic Preservation ("DAHP") and affected Native American tribes when developing local policies and regulations for identifying, protecting, and preserving cultural, archaeological, and historic resources
- 4. Where appropriate, restore unique resources that have cultural, archaeological, historic, educational, or scientific value or significance to further enhance the value of the shorelines.
- 5. Where appropriate, provide access to cultural, archaeological, and historic resources in a manner that is culturally sensitive and does not degrade the resource or impact the quality of the environment.

Incorporate opportunities for education related to cultural, archaeological, and historic resources into public and private programs and development, where appropriate.

3.8 Flood hazard prevention element

A. Goal

1. Prevent and minimize flood damage potential.

B. Objectives

- 1. Comply with the requirements of the National Flood Insurance Program.
- 2. Ensure conformance with applicable flood prevention codes and hazard management and mitigation plans.
- 3. Design, locate, and maintain flood hazard reduction measures to avoid a net loss of shoreline ecological functions.
- 4. Encourage bio-stabilization methods for erosion damage repair whenever possible.
- 5. Recognize that flooding is a natural process and that floodplains are integral to functioning river ecosystems.

4. Environment designations and management policies

Sections

- **4.1** Purpose and intent
- **4.2** Evaluation
- **4.3** Environment designations
- **4.4** Natural environment
- **4.5** Rural conservancy environment
- **4.6** Urban conservancy environment
- **4.7** Shoreline residential environment
- **4.8** Aquatic environment
- 4.9 Shoreline use and modification table

4.1 Purpose and intent

This chapter is intended to meet the requirements in WAC 173-26-211(2)(a), which states:

Master programs shall contain a system to classify shoreline areas into specific environment designations. This classification system shall be based on the existing use pattern, the biological and physical character of the shoreline, and the goals and aspirations of the community as expressed through comprehensive plans as well as the criteria in this Section. Each master program's classification system shall be consistent with that described in WAC 173-26-211 (4) and (5) unless the alternative proposed provides equal or better implementation of the act.

4.2 Evaluation

Environment designations were created by evaluating the existing use patterns, biological and physical characteristics, zoning designations, and comprehensive plan designations. The inventory and characterization data, depicted on maps and described in text, was used to determine the extent of shoreline alterations.

4.3 Environment designations

The shoreline environment designation system includes five (5) environments: natural, rural conservancy, urban conservancy, shoreline residential, and aquatic. Each environment designation contains a purpose statement, management policies and designation criteria.

For all areas not specifically designated, the environment designation will be rural conservancy in rural areas, and urban conservancy in urban growth areas.

4.4 Natural environment

A. Purpose

The purpose of the natural shoreline environment designation is to protect or restore

shoreline areas that are relatively free of human influence or include intact or minimally degraded shoreline functions intolerant of human use. The natural shoreline environment designation maintains the ecological functions and ecosystem-wide processes of such areas by limiting future uses to low intensity uses that are compatible with the natural characteristics that make these areas unique and valuable.

B. Management policies

Shoreline use and development within this designation must be consistent with the following policies:

- 1. Prioritize preservation of the area's ecological functions, natural features and overall character over other potential uses.
- 2. Prohibit land uses and development that would substantially degrade the ecological functions or natural character of the shoreline area, including:
 - a. Commercial uses;
 - b. Industrial uses;
 - c. Non-water-oriented recreation; and
 - d. Subdivision of property in a configuration that will require significant vegetation removal or shoreline modification to support the intended use or development.
- 3. Discourage roads, utility corridors, and parking areas that can be located outside of natural shoreline environment designation.
- 4. Allow the following as conditional uses when they are developed and operated in a manner consistent with the purpose of this environment designation:
 - a. Single-family residential development, provided the density and intensity is limited to protect ecological functions; and
 - b. Commercial forestry provided it meets the conditions of the State Forest Practices Act.
- 5. Allow uses developed and operated in a manner consistent with the purpose of this environment designation that will not result in significant ecological impacts, such as:
 - a. Agriculture uses of a very low intensity nature;
 - b. Scientific, historical, cultural, and educational research uses; and
 - c. Low-intensity water-oriented recreational access.

C. <u>Designation criteria</u>

- 1. A natural environment designation should be assigned to shoreline areas if any of the following characteristics apply:
 - The shoreline is ecologically intact and therefore, currently performing an important, irreplaceable function or ecosystem-wide process that would be damaged by human activity;

- b. The shoreline is considered to represent ecosystems or geologic types that are of particular scientific and educational interest;
- c. The shoreline is unable to support new uses or development without significant adverse impacts to ecological functions or risk to human safety; or
- d. The shoreline includes largely undisturbed portions of shoreline areas such as wetlands, alkaline lakes, unstable bluffs, and ecologically intact shoreline habitats.
- 2. Areas with significant existing agriculture lands should not be included in the natural designation, except where the existing agricultural operations involve very low intensity uses where there is no significant impact on natural ecological functions, and where the intensity or impacts associated with such agriculture activities is unlikely to expand in a manner inconsistent with the natural designation.

4.5 Rural conservancy environment

A. Purpose

The purpose of the rural conservancy environment is to protect ecological functions, natural resources, and valuable historic and cultural areas in order to provide for sustained resource use, natural flood plain processes, and recreational opportunities.

B. Management policies

Shoreline uses and development within this designation must be consistent with the following policies:

- Limit permanent uses in the rural conservancy environment to those that sustain the shoreline area's physical and biological resources. Examples of appropriate uses include, but are not limited to: low impact outdoor recreation uses, agricultural uses, aquaculture, low intensity residential development, and other natural resource based low intensity uses.
- 2. Restrict temporary uses to those that do not substantially degrade ecological functions or the rural or natural character of the shoreline area.
- 3. Prohibit commercial and industrial uses, except:
 - a. Agriculture and aquaculture consistent with provisions of this program;
 - b. Low intensity, water-oriented commercial and industrial uses in the limited instances where those uses have located in the past or at unique sites in rural communities that possess shoreline conditions and services to support the use or development.
- 4. Encourage water-dependent and water-enjoyment recreation such as boating facilities, angling, hunting, wildlife viewing trails, and swimming beaches as preferred uses, provided significant adverse impacts to the shoreline are mitigated and the uses and development do not deplete the resource over time.

- 5. Recognize mining is a unique use that may be appropriate within the rural conservancy environment when conducted in a manner consistent with the environment policies and the provisions of WAC 173-26-241(3)(h) and located consistent with mineral resource lands designation criteria.
- 6. Allow construction of new structural shoreline stabilization and flood control works only where there is a documented need to protect an existing structure or ecological functions and mitigation is applied, consistent with WAC 173-26-231. New uses and development should be designed and located to preclude the need for such work.
- Apply residential development standards that preserve the existing character of the shoreline consistent with the purpose of the environment and ensure no net loss of shoreline ecological functions.
- 8. New shoreline stabilization, flood control measures, vegetation removal, and other shoreline modifications should be designed and managed to ensure protection of natural shoreline functions and consistency with planned restoration.
- 9. Developments and uses that would substantially degrade or permanently deplete the biological resources of the area should not be allowed.

C. Designation criteria

- A rural conservancy environment designation should be assigned to shoreline areas outside incorporated municipalities and outside urban growth areas, as defined by RCW 36.70A.110, if any of the following characteristics apply:
 - The shoreline is currently supporting lesser intensity resource-based uses, such as agriculture, or recreational uses, or is designated agricultural lands pursuant to RCW 36.70A.170;
 - b. The shoreline is currently accommodating residential uses outside urban growth areas and incorporated cities or towns;
 - c. The shoreline is supporting human uses but subject to environmental limitations, such as properties that include or are adjacent to steep banks, feeder bluffs, flood plains, or other flood prone areas;
 - d. The shoreline is of high recreational value or with unique historic or cultural resources; or
 - e. The shoreline has low intensity water-dependent uses.

4.6 Urban conservancy environment

A. Purpose

The purpose of the urban conservancy environment is to protect and restore ecological functions of open space, floodplain and other sensitive lands where they exist in urban and developed settings, while allowing a variety of compatible uses.

B. Management policies

Shoreline use and development within this designation must be consistent with the following policies:

- Allow primarily uses that preserve the natural character of the area or promote
 preservation of open space, floodplain or sensitive lands either directly or over the
 long-term. Allow uses that result in restoration of ecological functions if the use is
 otherwise compatible with the purpose of the environment and the setting.
- 2. Establish standards for shoreline stabilization measures, vegetation conservation, water quality, and shoreline modifications to ensure that new uses and/or development does not result in a net loss of shoreline ecological functions or further degrade other shoreline values.
- 3. Public access and public recreation objectives should be preferred uses and implemented whenever feasible if significant ecological impacts can be mitigated.
- 4. Encourage uses to include restoration of ecological functions in the design of project components.
- 5. Prioritize water-oriented uses over non-water-oriented uses. For shoreline areas adjacent to commercially navigable waters, water-dependent uses should be given highest priority.
- 6. Recognize mining is a unique use that may be an appropriate use within the urban conservancy environment when conducted in a manner consistent with the environment policies and the provisions of WAC 173-26-241(3)(h) and located consistent with mineral resource lands designation criteria.

C. Designation criteria

- 1. Assign an urban conservancy environment designation to shoreline areas appropriate and planned for development that is compatible with maintaining or restoring the ecological functions of the area, that are not generally suitable for water-dependent uses and that lie in incorporated municipalities, urban growth areas, or commercial or industrial "limited areas of more intense development" if any of the following characteristics apply:
 - a. They are suitable for water-related or water-enjoyment uses;
 - b. They are open space, floodplain or other sensitive areas that should not be more intensively developed;
 - c. They have potential for ecological restoration;
 - d. They retain important ecological functions, even though partially developed; or
 - e. They have the potential for development that is compatible with ecological restoration.

4.7 Shoreline residential environment

A. Purpose

The purpose of the shoreline residential environment is to accommodate residential development and accessory structures as well as appropriate public access and recreational uses.

B. Management policies

Shoreline use and development within this designation must be consistent with the following policies:

- 1. Apply development standards that preserve the existing character of the shoreline and ensure no net loss of shoreline ecological functions in a manner consistent with the purpose of the environment and the local comprehensive plan.
- 2. Provide public access and joint use for community recreational facilities associated with multi-family, multi-lot residential and recreational developments.
- 3. Ensure access, utilities, and public services are available and adequate to serve existing needs and planned future development.
- 4. Limit commercial development to water-oriented uses.

C. <u>Designation criteria</u>

Assign a shoreline residential environment designation to shoreline areas inside urban growth areas, as defined in RCW 36.70A.110, incorporated municipalities, "limited areas of more intense rural development," "master planned resorts," as described in RCW 36.70A.360, and in limited rural areas that are developed with or planned and platted for predominantly single-family or multi-family residential development.

4.8 Aquatic environment

A. Purpose

The purpose of the aquatic environment is to protect, restore, and manage the unique characteristics and resources of the areas waterward of the Ordinary High Water Mark (OHWM).

B. Management policies

Shoreline use and development within this designation must be consistent with the following policies:

- 1. Allow new over-water structures only for water-dependent uses, public access, or ecological restoration.
- 2. Limit the size of new over-water structures to the minimum necessary to support the

structure's intended use.

- 3. Encourage multiple uses of over-water facilities.
- 4. Locate and design all uses and developments on navigable waters or their beds to:
 - a. Minimize interference with surface navigation;
 - b. Consider impacts to public views; and
 - c. Allow for the safe, unobstructed passage of fish and wildlife, particularly those species dependent on migration.
- 5. Prohibit uses that adversely impact the ecological functions of critical freshwater habitats except where necessary to achieve the objectives of RCW 90.58.020, and then only when their impacts are mitigated according to the sequence described in Section 5.2.B.2 to assure no net loss of ecological functions.
- 6. Design and manage shoreline uses and modifications to prevent degradation of water quality and alteration of natural hydrographic conditions.

C. Designation criteria

Assign an aquatic environment designation to lands waterward of the OHWM.

4.9 Shoreline use and modification

Shoreline use and modification shall be classified by the Administrator and regulated under one or more of the following applicable sections of this Program.

Table 4.9-1: Shoreline Use and Modification Table

Legend

P: Permitted with a shoreline permit

C: Conditional use permit required

X: Prohibited

S: Refer to upland shoreline environment.

NA: Use is not applicable in this environment

Proposed Land Use	Sh	oreline E	nvironme	nt Design	ation
	Urban Conservancy	Shoreline Residential	Rural Conservancy	Natural	Aquatic
Agriculture					
Grazing	Р	Р	Р	Р	NA
Cultivation/orchards	Р	Р	Р	С	NA
Buildings	Р	Р	Р	С	NA

Proposed Land Use	Sh	oreline E	nvironme	nt Design	ation
	Urban Conservancy	Shoreline Residential	Rural Conservancy	Natural	Aquatic
Feedlot	Х	Х	Х	Х	NA
Manure Lagoon	Х	Х	Х	Х	NA
Aquaculture					
Floating net pens	NA	NA	NA	NA	С
On shore, confined types of facilities and accessory structures	С	С	С	Х	NA
Boating facilities and marinas					
Covered over-water structures	NA	NA	NA	NA	Х
Launch ramps, public or community	Р	Р	С	С	S
Launch ramps, primitive	Р	Р	Р	Р	S
Launch ramps, private	Х	Х	Х	Х	X
Marinas	Р	Р	С	Х	S
Private and joint use docks, piers, and floats	Р	Р	Р	С	S
Commercial					
Water-dependent	Р	Х	Р	Х	S
Water-enjoyment	Р	С	Р	Х	S
Water-related	С	Х	С	Х	S
Non-water-oriented	Х	Х	Х	Х	Х
Dredging					
Dredging and dredge material disposal associated with maintenance of public facilities and approved by WDFW.	Р	Р	Р	Х	S
All other dredging and dredge material disposal	С	С	С	Х	S
Filling, grading, and excavation					
Activities defined in Sections 2.38 and 2.44 Requirements for fill landward of the ordinary high water mark shall be based on corresponding primary land use in Table 4.9-1. Fill waterward of the ordinary high water mark for any use except ecological restoration requires a conditional use permit.	(1)	(1)	(1)	(1)	(1)
Forest Practices					
Non-federal and non-exempt practices	Р	Р	Р	С	S
Industrial					

Proposed Land Use	Sh	oreline E	nvironme	nt Designa	ation
	Urban Conservancy	Shoreline Residential	Rural Conservancy	Natural	Aquatic
Water-oriented industrial development	С	С	С	Х	S
Non-water-oriented industrial development	Х	Х	Х	Х	Х
In-stream structures					
In-stream structures except those specifically listed below.	P	Р	С	С	S
Dams, diversions, and tailrace structures	С	С	С	С	С
Channelization or dams for flood control	С	Р	С	Х	S
Mining					
Mineral prospecting	Р	Р	Р	Р	Р
Mining	С	Х	С	Х	С
Surface oil and gas drilling	Х	Х	Х	Х	Х
Recreational					
Water-dependent	Р	Р	Р	Р	Р
Water-enjoyment	Р	Р	Р	Р	Р
Water-related	Р	Р	Р	С	S
Non-water-oriented	С	С	С	X	Ø
Residential					
Single-family dwelling, including accessory dwelling unit	P	Р	Р	С	Х
Two-family dwelling	Р	Р	Р	Х	Х
Multi-family dwelling	Р	Р	Х	Х	Х
Overwater residence	Х	Х	Х	Х	Х
Shoreline restoration and habitat enhancement					
Shoreline restoration and habitat enhancement activities	Р	Р	Р	Р	S
Shoreline stabilization					
Dikes/levees	С	С	С	Х	С
Breakwaters, groins and jetties	С	С	С	С	С
Bulkheads and revetments	С	С	С	Х	С

Proposed Land Use		Shoreline Environment Designation			
	Urban Conservancy	Shoreline Residential	Rural Conservancy	Natural	Aquatic
Bioengineering approaches	Р	Р	Р	С	С
Signs					
Signage	Р	Р	Р	Р	X
Transportation					
Roads, bridges, and railroads	Р	Р	Р	X	S
Parking accessory to a permitted use	Р	Р	Р	С	X
Parking not accessory to a permitted use	Х	Х	Х	Х	Х
Unclassified Uses					
Uses not otherwise identified in this Table	С	С	С	С	С
Utilities					
Utility facilities accessory to existing uses and/or developments or undergoing shoreline review	N/A	N/A	N/A	N/A	N/A
Water System	Р	Р	Р	С	S
Utility production and processing facilities (see 5.19.B.4)	С	С	С	х	С
Solid waste disposal facilities	Х	Х	Х	Х	Х
Power generating facilities	С	С	С	С	С
Transmission facilities (see 5.19.B.9-10)	С	С	С	С	С
Telecommunication towers	Х	Х	X	X	Х

5. General policies and regulations

Sections

- **5.1** Archaeological and historical resources
- **5.2** Environmental protection and critical areas
 - A. Policies for all critical areas
 - B. General regulations for environmental protection
 - C. General regulations for all critical areas
 - D. Mitigation requirements for all critical areas
 - E. Mitigation mitigation plan contents for all critical areas
 - F. Wetlands designation, mapping, delineation, and categorization
 - G. Wetlands buffers
 - H. Wetlands reporting
 - Wetlands compensatory mitigation
 - J. Aquatic habitat conservation areas designation and mapping
 - K. Aquatic habitat conservation areas buffers
 - L. Aquatic habitat conservation areas reporting
 - M. Wildlife habitat conservation areas designation, classification, mapping, and surveying
 - N. Wildlife habitat conservation areas reporting and mitigation requirements
 - O. Geologically hazardous areas designation, classification, and mapping
 - P. Geologically hazardous areas reporting and protection standards
 - Q. Frequently flooded areas designation and mapping
 - R. Frequently flooded areas protection standards
 - S. Frequently flooded areas reporting
 - T. Frequently flooded areas compensatory mitigation
 - U. Critical aquifer recharge areas designation, mapping, and classification
 - V. Critical aquifer recharge areas protection standards
 - W. Critical aquifer recharge areas reports
- **5.3** Flood hazard reduction
- **5.4** Public access
- **5.5** Shoreline buffers and vegetation conservation
- **5.6** Water quality, stormwater, and nonpoint pollution

5.1 Cultural, archaeological and historical resources

The following policies and regulations apply to cultural, archaeological, and historic resources that are either (a) listed on the national, state, or local registers of historic places; (b) recorded by the Washington State Department of Archaeology and Historic Preservation (DAHP), a Native American tribe, and/or a local jurisdiction; or (c) undiscovered, inadvertently uncovered, or yet unrecorded.

Archaeological sites located both in and outside shoreline jurisdiction are subject to RCW Chapter 27.44 (Indian graves and records) and RCW Chapter 27.53 (Archaeological sites and records). Shoreline uses or development that may impact such sites shall comply with WAC Chapter 25-48 as well as the provisions of this Shoreline Master Program.

Pursuant to RCW 27.53.070, information and documents pertaining to the location of archaeological sites or resources are confidential and not considered public records that require disclosure.

A. Policies

The County shall take, or cause project applicants to take, all required actions to:

- 1. Minimize the risk of disturbing cultural, archeological and historic resources within Kittitas County shorelines.
- 2. Prevent the destruction of or damage to any site having cultural, archaeological, historic, scientific, or educational value as identified by the appropriate authorities, including affected Indian tribes and DAHP.
- 3. Consult with professional archaeologists, DAHP, and affected Native American tribes, before permitting or otherwise approving the use or development of shoreline areas containing cultural, archaeological, or historic resources. This consultation shall be accomplished through the regulations and procedures provided herein.
- 4. Consult with professional archaeologists, DAHP, and affected Native American tribes to establish procedures for salvaging cultural, archaeological, or historic resources, and/or for maintaining such resources in an undisturbed condition.
- 5. Make informed specific land use decisions based upon information provided by DAHP or Native American tribes.
- 6. Ensure the use of the best available information, technology, and techniques in identifying, protecting, preserving, and restoring cultural, archaeological, and historic resources.
- 7. Consult with DAHP and affected Native American tribes as appropriate in implementing the cultural, archaeological, and historic resources goals, objectives, policies, and regulations of this SMP.

B. Regulations

1. *Project Approval Requirements.* Prior to issuing a permit, exemption, or other approval for a proposed project in a shoreline area, the County shall determine

whether or not a cultural resources review or archaeological survey shall be required under this Section 5.1(B)(1).

- a. Exceptions. No cultural resources review or survey shall be required under this Section 5.1(B)(1) where the project applicant can demonstrate one or more of the following conditions is met:
 - i. The project or use does not include any ground disturbance. Projects that require the insertion of structural elements, but which do not require any excavation and create no spoil piles, shall be considered non-ground-disturbing for purposes of this Section (e.g. driving T-posts, planting tree seedlings with a hoedad).
 - ii. The project is limited to the installation of infrastructure entirely within the same area as an existing project or development.
 - iii. The project's entire three-dimensional area of proposed ground-disturbance is located within previous fill or previously disturbed earth.
 - iv. A professional archaeologist has surveyed the entire project area within the last ten (10) years, and the survey report(s) show that no cultural, archaeological, or historic resources were found.
- b. Cultural Resources Review. The County shall provide electronic notice and a fifteen (15) day comment opportunity to DAHP and affected Native American tribes for all proposed projects in shoreline areas which are not excluded under Section 5.1(B)(1)(a) above.
 - i. When applicable, the above notification requirement will be included in the Preliminary Site Analysis process.
 - ii. Where the proposed project is already subject to a comment period through shoreline permitting and/or SEPA review, this comment period shall be run concurrently.
 - iii. For shoreline projects that fall under a shoreline exemption permit and have no notification requirement, if not already completed through the Preliminary Site Analysis process, the above notification and cultural resources review requirements will occur prior to the issuance of an exemption permit.
- c. Archaeological Survey Requirement. A final archeological survey report for the entire project area shall be required prior to the County's issuance of a permit, exemption, or other approval where the proposed project is not excepted under Section 5.1(B)(1)(a) above, and one or more of the following conditions exist:

- i. The project area is located within one quarter (1/4) mile from either a protected Native American pre-contact site recorded with DAHP, or a protected historic site that is listed or eligible, or potentially eligible and unevaluated, in the DAHP inventory.
- ii. DAHP or an affected Native American tribe timely comments through the above cultural resources review process (or concurrent permitting or environmental review process, if applicable), and requests an archaeological survey be completed due to the presence of one or more of the following risk-factors:
 - Documented historic feature(s) on the property or located within one quarter (1/4) mile from the project area;
 - Previous positive archaeological survey results from a survey on the property or within one quarter (1/4) mile from the project area; or
 - A tribally-recorded site located within one quarter (1/4) mile of the project area.
- iii. DAHP and an affected Native American tribe timely comment through the above cultural resources review process (or concurrent permitting or environmental review process, if applicable), and both DAHP and the affected Native American tribe request that an archaeological survey be completed due to a professional archaeologist's determination that the project area is in an area that is at high-risk for the presence of archaeological resources (e.g. in an area with high-risk soil deposit types such as historic high-energy soil deposits, or soils with multiple depositional contexts).
- iv. The County determines that an archaeological survey is otherwise warranted.
- d. Archaeological Survey & Reporting Standards. Archaeological surveys shall be completed by a professional archaeologist. Archaeological survey reports shall conform to DAHP's then-current reporting standards. Both DAHP and affected Native American tribes shall receive copies of completed archaeological survey reports, and have a reasonable opportunity (in no case less than fifteen days) to comment on their sufficiency before such reports shall be considered final. Final archaeological survey reports shall be filed with DAHP prior to the County's issuance of a permit, exemption, or other

) ::44,0004 50

¹ See Washington State Department of Archaeology and Historic Preservation, <u>Washington State Standards for Cultural Resource Reporting</u> (February 2, 2017), available at http://www.dahp.wa.gov/sites/default/files/CR%20Update%20February%202017.pdf (last visited May 23, 2017).

approval where the proposed project is not exempt under Section 5.1(B)(1)(a).

- e. Monitoring Alternative. Despite the requirements of Section 5.1(B)(1)(c), above, an archaeological survey shall not be required where the project proponent, the County, DAHP, and any affected Native American tribes, all approve a written plan for on-site project monitoring by a professional archaeologist throughout all project phases that include ground-disturbing work. This monitoring plan shall be drafted by a professional archaeologist at the applicant's expense.
- f. Project Modification Alternative. Despite the requirements of Section 5.1(B)(1)(c), above, an archaeological survey shall not be required where the project is modified so that it no longer triggers the risk factor(s) under 5.1(B)(1)(c) that would have resulted in the need for an archeological survey under these regulations.
- 2. Inadvertent Discoveries. Developers and property owners shall immediately stop work and notify the local government, DAHP, and affected Native American tribes if archaeological resources are discovered. Construction may recommence pursuant to RCW 27.44.040, RCW 27.53.040 and WAC 25-48-030. A notification stating this requirement shall be included on County shoreline permits, exemptions, and other project approval documents.

Resource Management. If significant cultural, archaeological, or historic resources are identified in the project area, the project proponent shall engage a professional archaeologist (or a historic preservation management professional, where appropriate) to prepare a resource management plan. The resource management plan shall, at a minimum, conform to DAHP's then-current management standards. In addition, a permit or other requirement administered by DAHP pursuant to RCW 27.44 and RCW 27.53 may apply.

5.2 Environmental protection and critical areas

A. Policies

- 1. The beneficial functions of shorelines, critical areas, and critical freshwater habitats, should be protected and potential dangers or public costs associated with the inappropriate use of such areas should be minimized by reasonable regulation of shoreline use and development.
- 2. To implement the policy stated above, it is the intent of this Section to accomplish the following:
 - a. Categorize and designate critical areas that occur within shoreline jurisdiction according to the Shoreline Management Act requirements in RCW 90.58 and regulate critical areas according to WAC 173-26.

- Designate buffer widths to protect shoreline resources, maintain fish and wildlife habitat, and achieve the goal of having no net loss of shoreline ecological functions.
- c. Preserve, protect, manage, or regulate critical areas that have a direct or indirect effect on conservation of fish, wildlife, other natural resources, and values.
- d. Conserve and protect the environmental attributes of Kittitas County that contribute to the quality of life for residents of both Kittitas County and the state of Washington.
- e. Regulate use and development adjacent to shoreline water bodies and within critical areas on adjacent shore lands.
- f. Guide development proposals to the most environmentally suitable and naturally stable portion of a development site.
- g. Protect people and property from hazards associated with floods, landslides, erosion, migrating river channels, and other natural processes or events.
- h. Minimize the costs that the public has to bear to protect properties in hazardous areas or to repair damages associated with floods and other hazards.
- Reduce cumulative adverse environmental impacts to water availability, water quality, wetlands, aquatic and wildlife habitat conservation areas, frequently flooded areas, and geologically hazardous areas.
- j. Maintain and protect both acreage and functions of regulated wetlands in Kittitas County through general protection standards, enhancement, restoration, and creation.
- k. Protect water quality by controlling erosion, providing guidance in the siting of land uses and activities to prevent or reduce the release of chemical or bacterial pollutants into waters of the state, and maintaining stream flows and habitat quality for fish.
- I. Conserve drainage features that function together or independently to collect, store, purify, discharge, and/or convey waters of the state.
- m. Maintain groundwater recharge and prevent the contamination of groundwater resources to ensure water quality and quantity for public and private uses and critical area functions.
- Promote the restoration of degraded critical areas and their buffers in order to regain lost ecological functions and values and improve the economic health and stability of Kittitas County.
- Recognize that the protection of critical areas and their buffers is important for maintaining hyporheic zone functions.
- 3. In protecting and restoring shorelines and critical areas within shoreline jurisdiction, the full spectrum of planning and regulatory measures should be integrated, including the comprehensive plan, interlocal watershed plans, local development regulations, and state, tribal, and federal programs.
- 4. The planning objectives of this SMP for critical areas shall be the protection of existing ecological functions and ecosystem-wide processes and restoration of degraded ecological functions and ecosystem-wide processes. The regulatory

provisions for critical areas shall protect existing ecological functions and ecosystem-wide processes.

- 5. Promote human uses and values that are compatible with the other objectives of this Section, such as public access and aesthetic values, provided that impacts to ecological functions are first avoided, and any unavoidable impacts are mitigated.
- B. Regulations—general regulations for environmental protection

The following provisions apply to any use or development occurring in shoreline jurisdiction whether or not a permit or other authorization is required from Kittitas County.

- 1. Proponents of new shoreline use and development, including preferred uses and uses that are exempt from permit requirements, shall employ all reasonable measures to protect shoreline functions and processes.
- Adverse impacts caused by new shoreline use and development shall be mitigated using the following actions in order of priority (referred to as the mitigation sequence):
 - a. Avoiding the impact altogether by not taking a certain action or parts of an action;
 - Minimizing impacts by limiting the degree or magnitude of the action and its implementation by adhering to the dimensional requirements, performance standards and design criteria in this Program and using other technologies or steps, as needed, to avoid or reduce impacts;
 - c. Rectifying the impact by repairing, rehabilitating, or restoring the affected environment:
 - d. Reducing or eliminating the impact over time by preservation and maintenance operations:
 - e. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and
 - f. Monitoring the impact and the compensation projects and taking appropriate corrective measures.
- 3. Proposals for new shoreline uses and developments shall clearly identify potential shoreline impacts. During initial review of the proposal, the Administrator may require the applicant to submit documentation, prepared by a qualified professional, to assess the degree and extent of potential impacts to shoreline functions. When reviewing proposals for new shoreline use and development, the Administrator shall first determine whether identified shoreline impacts have been avoided and secondly minimized. The Administrator shall require compensatory mitigation, designed by a qualified professional, for development proposals that:
 - a. Do not fully conform to one (1) or more of the dimensional requirements, performance standards, and/or design criteria in this Program; or
 - b. Require a variance or conditional use permit; or

- c. Result in measurable damage, loss and/or displacement of a wetland, aquatic habitat conservation area, wildlife habitat conservation area, flood storage or conveyance area, or critical aquifer recharge area.
- 4. Land divisions: When new lots are created within shoreline jurisdiction they shall meet all of the following conditions:
 - a. All lots shall contain sufficient area outside of the shoreline buffer (see Table 5.5-1), wetland and/or wetland buffer, aquatic habitat conservation area and/or aquatic habitat conservation area buffer, floodway, channel migration zone or landslide hazard area and/or landslide hazard area buffer to accommodate the use and/or development. Land divisions for non-water-dependent and non-water-related developments that create more than four (4) new lots shall adhere to the standard shoreline buffer requirements shown in Table 5.5-1 without buffer averaging or reduction. Buffers that have been averaged or reduced by any prior actions administered by Kittitas County shall not be further averaged or reduced.
 - b. A new lot or parcel may be created in a seismic hazard area as long as there is a note on the face of the plat or other recorded document which indicates the presence of a potential hazard.
 - c. Open space or conservation area lots may be established without a site that is suitable for use and/or development provided there is a note on the face of the plat or other recorded document which indicates the purpose of the lot.
- 5. Compensatory mitigation measures shall occur in the vicinity of the impact or at an alternative location within the same watershed that provides greater and more sustainable ecological benefits. When determining whether offsite mitigation provides greater and more sustainable benefits, the Administrator shall consider limiting factors, critical habitat needs, and other factors identified by the April 2014 Shoreline Restoration Plan, or an approved watershed or comprehensive resource management plan. The Administrator may also approve use of alternative mitigation practices such as in-lieu fee programs, mitigation banks, and other similar approaches when they meet the requirements of 5.2.D.4.
- 6. The Administrator shall prohibit any shoreline use or development that will result in unmitigated cumulative impacts.
- 7. When compensatory mitigation plans for impacts to shoreline resources are required, all of the following shall apply:
 - a. The quality and quantity of the replaced, enhanced, or substituted resources shall be the same or better than the affected resources;
 - b. The mitigation site and associated vegetative planting shall be nurtured and maintained such that healthy native plant communities grow and mature over time:
 - c. The mitigation shall be informed by pertinent scientific and technical studies, including, but not limited to, the May 2013 Shoreline Inventory and

- Characterization Report (ICR), the April 2014 Shoreline Restoration Plan, and other background studies prepared in support of this Program;
- d. The mitigation shall replace the functions as quickly as possible following the impacts;
- e. Mitigation activity shall be monitored and maintained to ensure that it achieves its intended functions and values;
- f. The Administrator shall require the applicant/proponent to post a bond or provide other financial surety equal to one hundred fifty percent (150%) of the estimated cost of the mitigation to ensure the mitigation is carried out successfully. The bond/surety shall be refunded to the applicant/proponent upon completion of the mitigation activity and any required monitoring; and
- g. Compensatory mitigation plans shall be prepared by qualified professionals with education, training and experience in the applicable field.
- 8. The County shall have the authority to require the applicant/proponent to submit special studies, assessment, and analyses as necessary to identify and address impacts including, but not limited to, impacts on fish and wildlife habitat, public access/use, aesthetics, flood and floodplain impacts and other shoreline attributes.

9. Cumulative effects

- a. In review of applications for shoreline permits and exemptions, the County shall consider the cumulative impacts of individual uses and developments, including preferred uses and uses that are exempt from permit requirements, when determining whether a proposed use or development could cause a net loss of ecological functions. The geographic scope of the analysis shall include the shoreline water body potentially affected by the proposal within the bounds of the County's geographic authority, unless the Shoreline Administrator determines that a larger or smaller area of analysis is appropriate.
- b. The County shall have the authority to require the applicant/proponent to prepare special studies, assessments and analyses as necessary to identify and address cumulative impacts including, but not limited to, impacts on fish and wildlife habitat, public access/use, aesthetics, flood and floodplain impacts and other shoreline attributes.
- c. Proponents of shoreline use and development shall take the following factors into account when assessing cumulative impacts:
 - Current ecological functions and human factors influencing shoreline natural processes;
 - ii. Reasonably foreseeable future use and development of the shoreline; and
 - iii. Beneficial effects of any established regulatory programs under other local, state, and federal laws; and
 - iv. Mitigation measures implemented in conjunction with the proposed project to avoid, reduce and/or compensate for adverse impacts.

d. The County shall add conditions as needed to address any adverse cumulative effects, and shall prohibit any use or development that would result in unmitigated adverse cumulative impacts.

C. Regulations—general regulations for all critical areas

The following provisions apply to any use or development occurring in or adjacent to critical areas or their buffers in shoreline jurisdiction whether or not a permit or other authorization is required from Kittitas County. Critical areas outside of the shoreline jurisdiction shall be regulated by Kittitas County Code (KCC) Title 17A.

- Any land, water, or vegetation within the shoreline jurisdiction that meets the critical areas designation criteria under this Section shall be subject to the provisions of this Program and not KCC Title 17A.
- 2. Critical area maps: The County shall make available to the public maps or other databases, as appropriate, which show the general location, extent, and classification of regulated critical areas. These maps are to be used as a general guide to the potential presence and location of known critical areas; there may be other critical areas that are not shown on the maps and the critical areas that are shown may or may not fully meet the designation criteria contained in the Program. The maps are intended to alert the development community, county residents, as well as current and prospective landowners of the possibility of site development constraints which may limit or alter development plans. Any presumption created by the maps may be rebutted by a preponderance of the evidence.
- 3. Proponents of any new shoreline use or development shall provide information concerning the presence, condition, and location of all critical areas and buffers potentially affected by their proposal. The Administrator shall rely on information provided by the proponent as well as other information including, but not limited to, aerial photographs, published reports or studies, visual observations made by qualified professionals, and information provided by resource agencies, tribes, academic institutions and other reliable sources to determine the presence of critical areas and/or required buffers on or adjacent to the subject property.
- 4. Building setback: Except as provided in Section 6.20.B.12., and where otherwise provided, buildings and other structures shall be set back a distance of fifteen (15) feet from the edges of all critical area buffers or from the edges of all critical areas, if no buffers are required. The following are allowed in the building setback area:
 - a. Landscaping;
 - b. Uncovered decks;
 - c. Building overhangs, if such overhangs do not extend more than eighteen (18) inches into the setback area; and
 - d. Impervious ground surfaces, such as driveways and patios.

- 5. Temporary or permanent field identification: Prior to use and/or development within or adjacent to a critical area, the County should require temporary or permanent field markers delineating the critical area boundary and associated buffer. The type of field markers to be used will be agreed to by the project proponent and the Administrator depending on site conditions and inspection requirements. Field markers shall be spaced at a minimum of every fifty (50) feet, unless alternative placement or spacing is authorized by the Administrator. The location of field stakes must be shown on all site plans and final plats associated with the development proposal. Field markers shall remain in place until any required final inspections are completed and approved. Field markers may be waived by the Administrator if an alternative to field staking achieves the same objective, or if the development and construction activity(ies) is located at a sufficient distance so that impacts to the critical area are unlikely to occur. The Administrator may require permanent fencing and/or signage if necessary to protect a critical area and its buffer from adjacent land uses.
- 6. Notice on title: Any property on which a development proposal is submitted shall have filed with the Kittitas County Auditor:
 - a. A notice on title of the presence and location of the critical area and/or buffer;
 - b. A statement as to the applicability of this Program to the property; and
 - c. A statement describing possible limitations on action in or affecting critical areas or buffer as approved by the Administrator. The County shall record such documents and will provide a copy of the recorded notice to the property owner of record. Development proposals which are defined as normal repair and maintenance of existing structures or development, including, but not limited to, roof repair, interior remodeling, wood stove permits, and on-site sewage disposal systems repairs, are exempt from this requirement.
- 7. Request for technical assistance: The Administrator may engage technical consultants to review and interpret critical areas data and findings submitted by or on behalf of the proponent, in instances where County staff lack the resources or expertise to review these materials. A project proponent may be required to pay for or reimburse the County for the review costs incurred.
- 8. Pre-Qualification of consultants: The Administrator shall prepare and maintain a list of qualified technical consultants and firms that meet the qualified professional standards detailed in this Section. Any proposed consultant whose name is not on the list may submit a statement of qualifications including information on experience in the preparation of critical area studies. Upon approval of the submitted qualifications, the Administrator shall add the name to the list of qualified consultants. The Administrator may reject data and findings from non-pre-qualified consultants or require a third-party review, paid for by the applicant.
- When there is a conflict between the findings of a critical areas study and the findings of the Administrator in review of the study, the applicant or affected party

may appeal such decision of the Administrator pursuant to the procedures in KCC Chapter 15A.07.

D. Regulations—general mitigation requirements for all critical areas

- 1. Proponents of new shoreline use and development, including preferred uses and uses that are exempt from permit requirements, shall employ all reasonable measures to mitigate adverse impacts to critical areas and their buffers. Mitigation shall occur according to the mitigation sequence defined in Section 5.2.B.2 of this Program. The Administrator shall first determine whether identified critical area impacts have been avoided and second, whether minimized. Unless otherwise stated in this Program, development proposals that do not fully conform to the dimensional requirements, performance standards, and/or design criteria in this Section and in the Program shall require a variance and compensatory mitigation to ensure no net loss of ecological function at the project scale. The Administrator shall require compensatory mitigation for development proposals that result in measurable damage, loss and/or displacement of a wetland, aquatic habitat conservation area, wildlife habitat conservation area, or flood storage or conveyance area.
- 2. When critical area compensatory mitigation plans are required pursuant to this Section, all of the following shall apply:
 - The quality and quantity of the replaced, enhanced, or substituted critical area, and its buffer, shall be the same or better than the affected critical area and its buffer;
 - b. The mitigation site and associated vegetative planting shall be nurtured and maintained such that healthy native plant communities grow and mature over time:
 - The mitigation shall replace the functions as quickly as possible following the impacts;
 - d. The mitigation activity shall be monitored and maintained to ensure that it achieves its intended functions and values:
 - e. The Administrator shall require the applicant/proponent to post a bond or provide other financial surety equal to one hundred fifty percent (150%) of the estimated cost of the mitigation to ensure the mitigation is carried out successfully. The bond/surety shall be refunded to the applicant/proponent upon completion of the mitigation activity and any required monitoring.
- 3. Compensatory mitigation plans shall be prepared by qualified professionals with education, training, and experience in the applicable field:
 - a. Wetland mitigation plans shall be prepared by a qualified professional who is educated/trained in wetland biology or a closely related field, and has demonstrated experience in mitigation plan design, implementation, and monitoring. The overall goal of any such mitigation plan shall be no net loss of wetland functions, acreage, and values.

- b. Mitigation plans for impacts to aquatic and wildlife habitat conservation areas, including habitat management plans, shall be prepared by a qualified professional with education/training in wildlife biology or a closely related field, and professional experience in habitat mitigation design, implementation, and monitoring. Where this plan is required for the protection of eagle habitat, the eagle habitat management plan shall normally be prepared by the U.S. Fish and Wildlife Service (USFWS), as required under the Bald Eagle Management Rules. The National Bald Eagle Management Guidelines shall serve as guidance for preparing mitigation plans to protect wildlife habitat conservation areas.
- c. Mitigation plans for geologically hazardous areas shall be prepared by a qualified professional who is either a geologist or a geotechnical engineer, or a civil engineer licensed in the state of Washington, who is knowledgeable of regional geologic conditions and who has professional experience in landslide and erosion hazard evaluation, mitigation plan design, implementation, and monitoring.
- d. Mitigation plans for development within frequently flooded areas shall be prepared by a civil engineer licensed in the state of Washington and familiar with hydrology, hydraulics, and fluvial geomorphology.
- 4. Mitigation banking and in-lieu fee (ILF) mitigation: The County may approve mitigation banking and/or in-lieu fee mitigation as a form of compensatory mitigation for wetland and habitat conservation area impacts when the provisions of this Program require mitigation and when the use of a bank/ILF Program will provide equivalent or greater replacement of critical area functions and values when compared to conventional permittee responsible mitigation. Banks and ILF programs shall only be used when it can be demonstrated that they provide significant ecological benefits including long-term conservation of critical areas, important species, habitats and/or habitat linkages, and when they are documented to provide a viable alternative to the piecemeal mitigation for individual project impacts to achieve ecosystem-based conservation goals. Banks and ILF programs shall not be used unless they are certified in accordance with applicable federal and state mitigation rules and expressly authorized through County legislative action.

E. Regulations—general mitigation plan contents for all critical areas

- Baseline Information: Compensatory mitigation plans for all critical area types shall include a written assessment and accompanying maps, and include the following information:
 - a. Impacted critical areas and/or their required buffers, including, at a minimum, existing wetland/stream acreage; vegetative, fauna and hydrologic characteristics; soil and substrate conditions; and topographic elevations.
 - b. Mitigation site, if different from the impacted site, including at a minimum: existing acreage; vegetative, faunal and hydrologic conditions; relationship within watershed and to existing water bodies; soil and substrate conditions topographic elevations; existing and proposed adjacent site conditions; buffers; and ownership.

- 2. Environmental goals and objectives: The mitigation plan shall identify goals and objectives and include:
 - a. The purposes of the compensation measures including a description of site selection criteria, identification of compensation goals, identification of target evaluation species and resource functions, dates for beginning and completion, and a complete description of the structure and functional relationships sought. The goals and objectives shall be related to the functions and values of the original critical area or, if out-of-kind, the type of critical area to be emulated.
 - b. A review of the available literature and/or experience to date in restoring or creating the type of critical area proposed. An analysis of the likelihood of success of the compensation project at duplicating the original resource shall be provided based on the experiences of comparable projects, if any. An analysis of the likelihood of persistence of the created or restored resources shall be provided based on such factors as surface and groundwater supply and flow patterns, dynamics of the ecosystem, sediment or pollutant influx and/or erosion, periodic flooding and drought, presence of invasive flora or fauna, potential human or animal disturbance, and previous comparable projects, if any.
 - c. Performance standards: Specific and measurable criteria shall be provided for evaluating whether or not the goals and objectives of the mitigation plan are being achieved at various stages in the project and for beginning remedial action or contingency measures. Such criteria may include water quality standards, survival rates of planted vegetation, vegetative cover and/or density standards, in-stream habitat conditions, species abundance and diversity targets, habitat diversity indices, or other ecological, geological, or hydrological criteria.
 - d. Detailed construction plans: Written specifications and descriptions of compensation techniques shall be provided, including the proposed construction sequence; grading and excavation details; erosion and sediment control features needed for construction and long-term operation; a planting plan specifying plant species, quantities, locations, size, spacing, and density; source of plant materials, propagules, or seeds; water and nutrient requirements for planting; where appropriate, measures to protect plants from predation; substrate stockpiling techniques and planting instructions; descriptions of water control structures and water-level maintenance practices needed to achieve the necessary hydroperiod characteristics; etc. These written specifications shall be accompanied by detailed site diagrams, scaled cross-sectional drawings, topographic maps showing slope percentage and final grade elevations, and any other drawings appropriate to show construction techniques or anticipated final outcome. The plan shall provide for elevations which are appropriate for the desired habitat type(s).
 - e. Monitoring program: A program outlining the approach for monitoring construction of the compensation project and for assessing a completed project shall be provided. Monitoring may include, but is not limited to:

- i. Establishing vegetation plots to track plant establishment/survival, and changes in plant species composition and density over time;
- ii. Using photo stations to evaluate vegetation community response;
- iii. Measuring physical parameters such as wetland size, stream dimensions, channel characteristics, buffer width;
- iv. Monitoring shallow groundwater levels to document hydrologic regimes/hydro-periods;
- v. Sampling surface and subsurface waters to determine pollutant loading and changes from the natural variability of background conditions (pH, nutrients, heavy metals);
- vi. Measuring base flow rates and stormwater runoff to model and evaluate water quality predictions, if appropriate;
- vii. Measuring sedimentation rates, if applicable; and
- viii. Sampling fish and wildlife populations to determine habitat utilization, species abundance and diversity.
- f. Monitoring and reporting: A monitoring report shall be submitted annually, at a minimum, documenting milestones, successes, problems, and contingency actions of the compensation project. The compensation project shall be monitored for a period necessary to establish that performance standards have been met, but not for a period less than five (5) years.
- g. Contingency plan: Identification of potential courses of action, and any corrective measures to be taken when monitoring or evaluation indicates project performance standards are not being met.
- h. Additional information as specified elsewhere in this Section, as applicable.

F. Regulations—wetland designation, mapping, delineation, and categorization

- 1. Designation: Wetlands are those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include, but are not limited to, swamps, marshes, bogs, ponds, and similar areas. Wetlands do not include those artificial wetlands intentionally created from non-wetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds, and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. Wetlands may include those artificial wetlands intentionally created from non-wetland areas to mitigate the conversion of wetlands.
- 2. Mapping: The approximate location and extent of wetlands are shown on maps maintained by the County. These maps are useful as a guide for project applicants, and/or property owners but do not provide a conclusive or definitive indication of wetland presence or extent. Other wetlands may exist that do not appear on the maps, and some wetlands that appear on the maps may not meet all of the wetland designation criteria.

- 3. Delineation: Wetlands shall be identified and delineated by a qualified wetlands professional in accordance with the most current approved federal wetland delineation manual and applicable regional supplements. This professional shall field stake, flag or mark the on-site wetland boundary to aid the County in reviewing the development proposal. The County may require the on-site wetland boundary to be surveyed by a professional land surveyor. The County may require an applicant to identify the approximate location or presence of any wetlands within three hundred (300) feet of a proposed development site. Wetlands that occur or extend beyond the boundaries of the development site, onto adjoining properties, do not need to be flagged or formally delineated but their general location must be disclosed in order to assess wetland buffer impacts.
- 4. Categorization and rating: Wetlands shall be rated based on categories that reflect the functions and values of each wetland. Wetlands shall be identified, rated, categorized, and delineated by a qualified wetland professional in accordance with the current version of the Washington State Wetland Rating System for Eastern Washington, the procedure outlined in WAC 173-22-035, and the appropriate rating forms approved by the Washington State Department of Ecology. These categories are generally defined as follows:
 - a. Category I wetlands: Category I wetlands are those that represent a unique or rare wetland type, are more sensitive to disturbance than most wetlands, are relatively undisturbed and contain ecological attributes that are impossible or too difficult to replace within a human lifetime, and provide a high level of functions. The following types of wetlands are Category I:
 - i. Alkali wetlands;
 - ii. Wetlands that are identified by scientists of the Washington State
 Department of Natural Resources Natural Heritage Program as high quality,
 relatively undisturbed wetlands, or wetlands that support state threatened or
 endangered plant species;
 - iii. Bogs and calcareous fens:
 - iv. Mature and old-growth forested wetlands over a ¼ acre in size with slow growing trees:
 - v. Forest wetlands with stands of Aspen;
 - vi. Wetland scoring between twenty-two and twenty-seven (22-27) points or more (out of twenty seven (27)) in the Eastern Washington Wetland Rating System.
 - b. Category II wetlands: Category II wetlands are difficult, though not impossible, to replace, and provide high levels of some functions. These wetlands occur more commonly than Category I wetlands, but still need a relatively high level of protection. Category II wetlands include:
 - i. Forested wetlands in the floodplains of rivers;
 - ii. Mature and old-growth forested wetlands with native fast growing trees;
 - iii. Vernal pools;

- iv. Wetlands scoring between nineteen and twenty one (19-21) points (out of twenty seven (27)) in the Eastern Washington Wetland Rating System.
- c. Category III wetlands score between sixteen and eighteen (16-18) points (out of twenty-seven (27)) in the Eastern Washington Wetland Rating System and can often be adequately replaced with a well-planned mitigation project. Wetlands scoring between 16-18 points generally have been disturbed in some ways, and are often smaller, less diverse and/or more isolated from other natural resources in the landscape than Category II wetlands.
- d. Category IV wetlands have the lowest levels of functions, scoring less than sixteen (16) points in the Eastern Washington Wetland Rating System, and are often heavily disturbed. These are wetlands that should be able to be replaced, and in some cases improved. These wetlands may provide some important functions, and also need to be protected.

G. Regulations—wetland buffers

 Buffer widths: Buffers shall be established and maintained to protect all regulated wetlands. Standard minimum buffer for wetlands are listed in Table 5.2-1. The buffer shall not be altered except as authorized by this Program; provided, that such alterations meet all other standards for the protection of regulated wetlands. Buffers are measured horizontally in all directions from the regulated wetland edge as marked in the field.

Table 5.2-1. Wetland Buffers for Wetlands in Shoreline Jurisdiction

Wetland Category	Low Intensity Use and Development	Moderate Intensity Use and Development*	High Intensity Use and Development*
Category I	125 feet	190 feet	250 feet
Category II	100 feet	150 feet	200 feet
Category III	75 feet	110 feet	150 feet
Category IV	25 feet	40 feet	50 feet

^{*} For the purposes of Section 5.2, high intensity use and developments include: commercial, urban, industrial, institutional, retail sales, residential (more than 1 unit/acre), conversion from non-agricultural lands to high intensity agriculture (dairies, animal feed lots, nurseries and green houses, and like uses), high intensity recreation (golf courses, ball fields, and like uses) and hobby farms. Moderate intensity use and developments include: residential (1 unit/acre or less), moderate intensity open space (parks with biking, jogging, and like uses), conversion from non-agricultural lands to moderate intensity agriculture (orchard, hay fields, and like uses), paved trails, building of logging roads, and utility corridor or right-of-way shared by several utilities and including access/maintenance roads. Low intensity use and developments include: forestry (cutting of trees only), low intensity open space (hiking, bird-watching, and like uses), unpaved trails, and utility corridor without a maintenance road and little or no vegetation management.

2. Wetland buffer condition: Wetland buffer areas shall be retained in a natural condition or may be improved to enhance buffer functions and values. Where buffer disturbance is allowed pursuant to this Program, re-vegetation with native vegetation

shall be required. The Kittitas County noxious weed ordinance shall be adhered to. Alterations of the buffer that are not associated with an allowed shoreline use or development shall be prohibited.

- 3. Multiple buffers: In the event that buffers for any shorelines and/or critical areas are contiguous or overlapping, the landward-most edge of all such buffers shall apply.
- 4. Interrupted buffer: When a wetland buffer contains an existing legally established public or private road, the Administrator may allow development on the landward side of the road provided that the development will not have a detrimental impact to the wetland. The applicant may be required to provide a wetland critical areas report to describe the potential impacts. In determining whether a critical areas report is necessary, the County shall consider the hydrologic, geologic, and/or biological habitat connection potential and the extent and permanence of the buffer interruption.
- 5. Buffers of restored wetlands: The buffer for a wetland created, restored, or enhanced as compensation for approved wetland alterations shall be the same as the buffer required for the category of the created, restored, or enhanced wetland.
- 6. Buffer averaging: The Administrator may allow averaging of the standard wetland buffer widths in Table 5.2-1 when necessary to accommodate a single-family residence or residential subdivision of four (4) or fewer lots. With buffer averaging, the buffer width is reduced in one location and increased in another location to maintain the same overall buffer area. Proposals for buffer averaging shall not require a shoreline variance or compensatory mitigation if the following conditions are met:
 - a. The buffer has not been averaged or reduced by any prior actions administered by Kittitas County:
 - b. No feasible site design could be accomplished without buffer averaging;
 - c. The wetland contains variations in sensitivity due to existing physical characteristics or the character of the buffer varies in slope, soils, or vegetation, and that wetland would benefit from a wider buffer in places and would not be adversely impacted by a narrower buffer in other places;
 - d. A critical area report demonstrates that the averaging will not adversely impact wetland function and values;
 - e. The minimum width of the buffer at any given point is at least seventy-five percent (75%) of the standard width per Table 5.2-1, or twenty-five (25) feet, whichever is greater; and
 - f. The area that is added to the buffer to offset the reduction is well-vegetated. The Administrator may require vegetation enhancement and a mitigation plan, if needed, to ensure this criterion is met.
- 7. Buffer reduction: On sites that lack well-vegetated wetland buffers, the Administrator may allow reduction of the buffer widths in Table 5.2-1 when necessary to accommodate a single-family residence or residential subdivision of four (4) or fewer

lots. The buffer reduction shall be allowed only in those limited instances when adherence to the standard buffer is infeasible or presents a substantial hardship because of site conditions, lot configuration or other circumstances. Residential subdivisions of more than four (4) lots and non-water-dependent non-water-related developments shall not be eligible for buffer reduction, except through a shoreline variance. Buffers that have been averaged or reduced by any prior actions administered by Kittitas County shall not be further reduced. Proposals for buffer reduction on such sites shall not require a shoreline variance if the following conditions are met:

- a. The existing buffer is predominantly un-vegetated, composed of nuisance species or in an otherwise highly disturbed condition:
- b. The minimum width of the reduced buffer is at least seventy-five percent (75%) of the standard width per Table 5.2-1;
- c. The reduced portion of the buffer cannot exceed forty percent (40%) of the buffer length on the development property;
- d. A critical area report demonstrates that the reduction will not result in a net loss of wetland functions and values.
- e. The reduced buffer area is planted and enhanced with species native to central Washington; and
- f. A mitigation plan is developed and implemented, per the requirements of Section 5.2.
- 8. Increased wetland buffers: The Administrator shall increase wetland buffer zone widths, up to a maximum of two (2) times the standard width in Table 5.2-1, for a development project on a case-by-case basis when a larger buffer is necessary to protect wetland functions and values. Such determination shall be based on site-specific and project-related conditions which include, but are not limited to, the following circumstances:
 - Wetland sites with known locations of state priority or federally listed endangered, threatened, or sensitive species for which a habitat management plan indicates a larger buffer is necessary to protect habitat values for such species; or
 - b. The adjacent land is susceptible to severe erosion, and erosion control best management practices will not effectively prevent adverse wetland impacts.
- 9. Allowed buffer uses: The following uses may be permitted within a wetland buffer without a variance provided they are not prohibited by any other applicable law, are consistent with the provisions of this Program, and they are conducted in a manner so as to minimize impacts to the buffer and adjacent wetland, including wetland functions and values:
 - Conservation or restoration activities aimed at protecting the soil, water, vegetation, or wildlife.
 - b. Passive recreation facilities designed in accordance with an approved critical area report, including:

- Walkways and trails; provided that those pathways which are generally parallel to the perimeter of the wetland shall be located in the outer twentyfive percent (25%) of the buffer area, and constructed with a surface that is not impervious to water. Raised boardwalks utilizing non-treated pilings may be acceptable;
- ii. Wildlife viewing structures less than five hundred (500) square feet in size.
- c. Stormwater management facilities, limited to stormwater dispersion facilities, outfalls and bioswales, may be allowed within the outer twenty-five percent (25%) of the buffer of Category III or IV wetlands only, provided that:
 - i. No other location is feasible: and
 - The location of such facilities will not degrade the functions or values of the wetland.

H. Regulations—wetland reporting

- 1. Reporting requirement: If a proposed use or development is located within three hundred (300) feet of a known or suspected wetland, a wetland critical areas report is required, and shall include the following:
 - a. The category and precise location of the boundary of the wetland(s); and
 - All wetlands and required buffers within three hundred (300) feet of the project area shall be depicted on the site plan. Best available information should include, but not be limited to, aerial photos, soils maps, and/or topographic maps; and
 - c. An analysis of the onsite wetland(s) including the following site- and proposalrelated information:
 - Documentation of any fieldwork performed on the site, including, but not limited to, field delineation data sheets for delineations, the wetland rating forms, and baseline hydrologic data;
 - ii. A description of the methodologies used to conduct the wetland delineations; and
 - iii. The vegetative, faunal, and hydrologic characteristics of the wetland.

I. Regulations—wetland compensatory mitigation

- 1. Wetland Mitigation Sequencing: Proposed activities or uses that would impact wetlands must follow the mitigation sequencing requirement of 5.2.B.2. Wetland impacts may be allowed when there is no reasonable alternative site design that would result in less adverse impact to a wetland or its buffer. Activities and uses within Category I wetlands shall be limited to the following:
 - a. An existing public facility that must be expanded or extended into the wetland;
 - b. Utility construction or maintenance, where there is no other site that can serve the utility's function; or
 - c. Development associated with an approved variance that allows the impact.

- Compensatory mitigation requirement: Compensatory mitigation is required for all alterations to wetlands or their buffers, except for buffer averaging when done in accordance with this Section.
- 3. Preference of mitigation actions: Mitigation actions that require compensation by replacing, enhancing, or substitution shall occur in the following order of preference:
 - Restoring and/or rehabilitating filled or altered wetlands to their original or nearoriginal condition.
 - b. Creating wetlands on disturbed upland sites such as those with vegetative cover consisting primarily of non-native introduced species. This should only be attempted when there is a consistent source of hydrology and it can be shown that the surface and subsurface hydrologic regime is conducive to the wetland community that is being designed.
 - c. Enhancing significantly degraded wetlands in combination with restoration or creation.
- Mitigation for lost or affected functions: Compensatory mitigation actions shall replace functions affected by the alteration and shall provide equal or greater functions compared to the impacted wetland.
- 5. Mitigation timing: Mitigation projects shall be completed prior to activities that will disturb wetlands. In all other cases, mitigation shall be completed immediately following disturbance and prior to use or occupancy of the activity or development. Construction of mitigation projects shall be timed to reduce impacts to existing fisheries, wildlife, and flora.
- 6. Delay in mitigation: The Administrator may authorize a one-time temporary delay, up to one hundred eighty (180) days, in completing minor construction and landscaping when environmental conditions could produce a high probability of failure or significant construction difficulties. The delay shall not create or perpetuate hazardous conditions or environmental damage or degradation, and the delay shall not be injurious to the health, safety, and general welfare of the public. The request for the temporary delay must include a written justification that documents the environmental constraints which preclude implementation of the mitigation plan. The justification must be verified and approved by the County and include a financial guarantee.
- 7. Mitigation ratios for wetland impacts: Mitigation ratios shall be used when impacts to wetlands cannot be avoided, as specified in Table 5.2-2. The first number specifies the acreage of replacement wetlands, and the second specifies the acreage of wetlands altered. Compensatory mitigation shall restore, create, rehabilitate or enhance equivalent or greater wetland functions. The ratios shall apply to mitigation that is in-kind, is on-site, is the same category, is timed prior to or concurrent with alteration, and has a high probability of success. These ratios do not apply to the use of credits from a certified wetland mitigation bank or ILF program. When credits

from a certified bank or ILF program are used, replacement ratios should be consistent with the requirements of the bank's/program's certification.

Table 5.2-2. Wetland Mitigation Ratios for Unavoidable Wetland Impacts in Shoreline Jurisdiction

Category and Type of Impacted Wetland	Restoration or Creation ^{1,2}	Rehabilitation ^{1,2}	Enhancement Only ^{1,3}	
Category I, forested	6:1	12:1	24:1	
Category I, non- forested	4:1	8:1	16:1	
Category II, forested	4:1	8:1	16:1	
Category II, vernal pool ⁴	2:1	4:1	Case-by-case	
All other Category II	3:1	6:1	12:1	
All Category III	2:1	4:1	8:1	
All Category IV	1.5:1	3:1	6:1	

¹Natural heritage sites, alkali wetlands, and bogs are considered irreplaceable wetlands because they perform special functions that cannot be replaced through compensatory mitigation. Impact to such wetlands would therefore result in a net loss of some functions no matter what kind of mitigation is provided.

- 8. Increased replacement ratios: The Administrator shall increase the wetland mitigation ratios under the following circumstances:
 - Uncertainty exists as to the probable success of the proposed restoration or creation;
 - A significant period of time will elapse between impact and replication of wetland functions; or
 - c. Proposed mitigation will result in a lower category wetland or reduced functions relative to the wetland being impacted.
- 9. Alternative mitigation ratios: The Administrator may approve different mitigation ratios when the applicant proposes a combination of wetland creation, restoration,

²Provides gains in a whole suite of functions both at the site and landscape scale. Rehabilitation actions often focus on restoring environmental processes that have been disturbed or altered by previous ongoing human activity.

³Actions which provide gains in only a few functions. Enhancement action often focuses on structural or superficial improvements to a site and generally does not address larger scale environmental processes.

⁴Compensatory mitigation for vernal pool impacts must be seasonally ponded wetland area(s).

rehabilitation, and/or enhancement, provided that federal and state resource agencies approve the mitigation plan and the plan achieves no net loss of wetland functions and values.

10. Mitigation ratios for wetland buffer impacts:

- a. To mitigate impacts to functions and values of buffers, a minimum buffer ratio of 1:1 (alteration area:mitigation area) is required. This ratio assumes that creation/restoration of a wetland buffer with appropriate native vegetation is sufficient to compensate for the wetland buffer functions and values affected by alteration of an existing wetland buffer. If enhancement of an existing wetland buffer is proposed as mitigation, a higher mitigation ratio may be required. For any proposed wetland buffer activities, the applicant must show that the functions and values of the altered wetland buffer will be fully replaced by the proposed mitigation. The Administrator may increase the buffer mitigation ratios under the following circumstances:
 - i. The replacement ratio needed to recover the lost functions and values of buffer area is greater than 1:1 based upon the existing type of vegetative cover of either the impact site or the proposed mitigation site.
 - ii. Uncertainty exists as to the probable success of the proposed restoration or creation:
 - iii. A significant period of time will elapse between impact and replication of wetland functions.
- 11. Compensatory wetland mitigation plans shall be consistent with "Wetland Mitigation in Washington State, part 1 Agency Policies and Guidance (Ecology Publication # 06-06-011a) and Wetland Mitigation in Washington State Part 2: Guidelines for Developing Freshwater Mitigation Plans and Proposals" (Ecology Publication # 06-06-011b), or as revised.
- J. Regulations—aquatic habitat conservation area designation and mapping
- 1. Designation and classification: Aquatic habitat conservation areas include:
 - a. Those streams and lakes which meet the criteria for Type S, F, Np, and Ns waters, as defined in the water type classifications in the forest practices rules in WAC 222-16-030. Type S waters are synonymous with shorelines of the state.
 - Areas with which federally and/or state-listed endangered, threatened, or sensitive aquatic species have a primary association;
 - c. State priority aquatic habitats and areas associated with state priority aquatic species;
 - d. Naturally occurring ponds under twenty (20) acres in size; and
 - e. Naturally occurring lakes over twenty (20) acres and other waters of the state, including waters planted with game fish by a government or tribal entity.
- 2. Mapping: The approximate location and extent of aquatic habitat conservation areas are shown on the County's critical area maps. These maps are to be used as a

guide and do not provide definitive information about aquatic habitat conservation area size or presence. Other aquatic habitat conservation areas may exist that do not appear on the maps. The County shall update the maps as new aquatic habitat conservation areas are identified and as new information becomes available.

K. Regulations—aquatic habitat conservation area buffers

1. Buffer widths: Buffers shall be established and maintained to protect regulated aquatic habitat conservation areas as shown in Table 5.2-3 below. These stream buffers shall be measured in all directions from the OHWM as identified in the field. The buffer widths for Type S Waters are shown in Table 5.5-1 in Section 5.5 Shoreline buffers and vegetation conservation. Buffers shall not be altered except as authorized by this Program. These standard buffer widths are presumed to be adequate to protect aquatic habitat conservation area functions and values provided that the buffer contains relatively intact native vegetation at the time of the proposed use or development. Where the use is being intensified adjacent to a degraded buffer area that is not well vegetated, the Administrator may require the degraded area to be revegetated to maintain aquatic habitat conservation area functions and values.

Table 5.2-3. Aquatic Habitat Conservation Area Buffers for Type F, Np, and Ns Waters

Aquatic Habitat Conservation Area	Standard Buffer Width
Type F Waters	100 feet
Type Np Waters	50 feet
Type Ns Waters	30 feet

- 2. Buffer condition: Aquatic habitat conservation area buffers shall be maintained in a predominantly well-vegetated and undisturbed condition. Alterations that are not associated with an allowed use or development shall be prohibited.
- 3. Multiple buffers: In the event that buffers for any aquatic habitat conservation areas or other critical areas are contiguous or overlapping, the landward-most edge of all such buffers shall apply.
- 4. Interrupted buffers: When an aquatic habitat conservation area buffer contains an existing legally established public or private road the Administrator may allow a use and/or development on the landward side of the road provided that the use and/or development will not have a detrimental impact to the habitat area. The applicant may be required to provide a critical areas report to describe the impacts. In determining whether a critical areas report is necessary, the County shall consider

the hydrologic, geologic, and/or biological habitat connection potential and the extent and permanence of the buffer interruption.

- 5. Increased buffers: The Administrator shall increase the aquatic habitat conservation area buffer shown in Table 5.2-3 width up to a maximum of two times the standard width where the standard buffer is inadequate to prevent significant adverse environmental impacts or address hazards associated with the site or the proposed development activity. To assess whether a buffer increase is needed to project aquatic habitat conservation area functions and values, the Administrator shall consider:
 - a. The historical and current susceptibility to severe erosion, channel instability, or aggrading;
 - The presence of multiple channels or islands;
 - c. The land adjacent to the ordinary high water mark and extending throughout the standard habitat buffer is steeply sloped (greater than forty percent (40%) slope) and there are no designated landslide hazards within the area of shoreline jurisdiction, such that an increased buffer may be required to protect ecological functions; and
 - d. The adequacy of the standard width to prevent habitat degradation and protect the structure and functions of the habitat area.
- 6. Buffer for aquatic habitat conservation area mitigation sites: Any aquatic habitat conservation area that is created, restored, or enhanced as compensation for approved alterations shall be the same as the buffer required for the category of the created, restored, or enhanced aquatic habitat conservation area.
- 7. Buffer averaging: The Administrator may allow averaging of the aquatic habitat buffer widths in Table 5.2-3 when necessary to accommodate a single-family residence or residential subdivision of four (4) or fewer lots. With buffer averaging, the buffer width is reduced in one location and increased in another location to maintain the same overall buffer area. Proposals for buffer averaging shall not require a shoreline variance or compensatory mitigation if the following conditions are met:
 - a. The buffer has not been averaged or reduced by any prior actions administered by Kittitas County;
 - b. No feasible site design could be accomplished without buffer averaging;
 - c. An approved critical area report demonstrates that the buffer averaging will not reduce stream or habitat functions or adversely affect salmon habitat;
 - d. The minimum width of the buffer at any given point is at least seventy-five percent (75%) of the standard width per Table 5.2-3, or twenty-five (25) feet, whichever is greater; and
 - e. The area that is added to the buffer to offset the reduction is well-vegetated. The Administrator may require vegetation enhancement if needed to ensure this criterion is met.

- 8. Buffer reduction: On sites that lack well-vegetated buffers, the Administrator may allow reduction of the aquatic habitat buffer widths in Table 5.2-3 when necessary to accommodate a single-family residence or residential subdivision of four (4) or fewer lots. The buffer reduction shall be allowed only in those limited instances when adherence to the standard buffer is infeasible or presents a substantial hardship because of site conditions, lot configuration or other circumstances. Residential subdivisions of more than four (4) lots shall not be eligible for buffer reduction, except through a shoreline variance. Buffers that have been averaged or reduced by any prior actions administered by Kittitas County shall not be further reduced. Proposals for buffer reduction on such sites shall not require a shoreline variance if the following conditions are met:
 - a. The existing buffer is predominantly unvegetated, composed of nuisance species or in an otherwise highly disturbed condition;
 - b. The minimum width of the reduced buffer is at least seventy-five percent (75%) of the standard width per Table 5.2-3;
 - c. The reduced portion of the buffer cannot exceed forty percent (40%) of the buffer length on the development property;
 - d. A critical area report demonstrates that the reduction will not result in a net loss of shoreline and aquatic habitat functions and values;
 - e. The reduced buffer area is planted and enhanced with species native to central Washington; and
 - f. A mitigation plan is development and implemented, per the requirements of Section 5.2.
- 9. Prior to approving a request for buffer averaging or reduction, the Administrator shall ensure the development is designed to separate and screen the stream from impacts such as noise, glare, and vegetation trampling. The site design shall consider the varying degrees of impacts of different land uses. For example, parking lots, store entrances, and roads generally have higher noise and glare impacts than the rear of the store. Site screening should take advantage of natural topography or existing vegetation, wherever possible. Where natural screening is not available, berms, landscaping, and structural screens should be implemented (e.g., orient buildings to screen parking lots and store entrances from critical areas).

L. Regulations—aquatic habitat conservation area reporting

- 1. Except for single-family residences located outside of shoreline buffers, if a proposed use or development is located within two hundred (200) feet of a designated aquatic habitat conservation area, a critical areas report is required, and shall include the following:
 - The aquatic habitat conservation area habitat type and location of the OHWM;
 - b. All aquatic habitat conservation areas and required buffers within two hundred (200) feet of the project area shall be depicted on the site plan;
 - c. The vegetative, faunal, topographic, and hydrologic characteristics of the aquatic habitat conservation area; and

- d. A detailed discussion of the direct and indirect potential impacts on aquatic habitat conservation area by the project. Such discussion shall include a discussion of the ongoing management practices that will protect habitat after the project site has been developed.
- M. Regulations—wildlife habitat conservation areas designation, classification, mapping, and surveying
- 1. Designation: Wildlife habitat conservation areas shall include the following:
 - a. Areas where federal and/or state listed endangered, threatened, and sensitive species have a primary association. This includes locations of nests, rookeries, or other breeding areas of species of concern recognized by local, state, and federal public agencies having jurisdiction over such species; and
 - b. State priority wildlife habitats and areas associated with state priority wildlife species; and
 - c. Other state-identified priority habitats, including Aspen stands, biodiversity areas and corridors, old-growth/mature forest, Oregon white oak woodlands, and shrub-steppe.
- 2. Mapping: The approximate location and extent of wildlife habitat conservation areas are shown on the County's critical areas maps. These maps are to be used as a guide and do not provide definitive information about wildlife habitat conservation area size or presence. The County shall update the maps as new wildlife habitat conservation areas are identified and as new information becomes available.
- 3. Habitat boundary survey: If the Administrator determines that a wildlife habitat conservation area may be present within the project vicinity, a wildlife habitat boundary survey shall be required. Habitat surveys shall be conducted by a professional wildlife biologist who is knowledgeable of wildlife habitat within Kittitas County, or by the Washington Department of Fish and Wildlife. The management recommendations for Washington's priority habitats and species or federal equivalent should be used as a tool for identifying and delineating the habitat boundary. The County may waive the requirement for the survey, if:
 - a. The proposed use or development is not within the extended proximity of the associated habitat:
 - There is adequate information available on the area proposed for development to determine the impacts of the proposed development and appropriate mitigating measures; and
 - The applicant provides voluntary deed restrictions that are approved by the County.
- N. <u>Regulations—Fish and Wildlife Habitat Conservation Area reporting and mitigation</u> requirements

- 1. Habitat management plan: When a use or development is proposed in or adjacent to a habitat conservation area, the Administrator shall require the applicant to submit a habitat management plan, prepared by a professional wildlife biologist who is knowledgeable of wildlife habitat within Kittitas County, when the following conditions are met:
 - a. A proposed use or development is located within two hundred (200) feet of a known or suspected Fish and Wildlife Habitat Conservation Area; and
 - b. There are potential direct and/or indirect impacts on wildlife species or habitat from the proposed use or activity.
- 2. Habitat management plan contents: The habitat management plan shall include a discussion of the potential direct and indirect impacts, as well as a discussion of the ongoing management practices that will protect habitat after the project site has been developed. The habitat management plan will include any relevant information and recommendations from the Washington State Department of Fish and Wildlife habitat guidelines for the affected species and/or habitat. Based on the characteristics of the site, the Administrator may require that all or a portion of the following be included in a habitat management plan:
 - a. A map drawn to scale or survey showing the location of the Fish and Wildlife Habitat Conservation Area on the subject property, as well as the approximate location of any potential Fish and Wildlife Habitat Conservation Area within two hundred (200) feet of the subject property; and
 - b. Detailed description of vegetation and habitat characteristics within and adjacent to the site.
 - c. Identification of any endangered, threatened, sensitive, or candidate species that have a primary association with habitat on the project area, and assessment of potential project impacts to use of the buffer and critical area on the site by the species.
 - d. Methods and measures to avoid, minimize and/or compensate for adverse impacts associated with the proposed use and development, including, but not limited to:
 - i. Prohibition or limitation of use and development activities within the Fish and Wildlife Habitat Conservation Area;
 - ii. Establishment of a buffer around the Fish and Wildlife Habitat Conservation Area;
 - iii. Retention of vegetation and/or re-vegetation of areas/habitats critically important to species;
 - iv. Special construction techniques;
 - v. Implementation of erosion and sediment control measures;
 - vi. Habitat enhancement (i.e., fish passage barrier removal);
 - vii. Seasonal restrictions on construction activities on the subject property;
 - viii. Clustering of development activities on the subject property; and
 - ix. Any other requirements and/or recommendations from Washington State Department of Fish and Wildlife's habitat management guidelines.

- 3. Wildlife habitat management and mitigation plan: For unavoidable impacts to Fish and Wildlife Habitat Conservation Areas, a wildlife habitat management and mitigation plan shall be prepared by a wildlife biologist who is knowledgeable of wildlife habitat within Kittitas County. The Wildlife habitat management and mitigation plan shall:
 - a. Demonstrate, when implemented, that there shall be no net loss of ecological function of habitat; and
 - b. Identify how impacts from the proposed project shall be mitigated, as well as the necessary monitoring and contingency actions for the continued maintenance of the Fish and Wildlife Habitat Conservation Area and its associated buffer.
- 4. In addition to the general mitigation plan requirements described above, the wildlife habitat management and mitigation plan shall contain a report containing, but not limited to, the following information:
 - A map or maps indicating the boundary of the habitat conservation areas; the width and length of all existing and proposed structures, utilities, roads, easements; wastewater and stormwater facilities; adjacent land uses, zoning districts and comprehensive plan designations;
 - b. A description of the proposed project including the nature, density and intensity of the proposed use or development and the associated grading, structures, roads, easements, wastewater facilities, stormwater facilities, utilities, etc., in sufficient detail to allow analysis of such land use change upon the Fish and Wildlife Habitat Conservation Area;
 - c. A description of the vegetation in the Fish and Wildlife Habitat Conservation Area, on the overall project site and adjacent to the site;
 - d. A detailed description of the proposed project's effect on the Fish and Wildlife Habitat Conservation Area, and a discussion of any federal, state, or local management recommendations which have been developed for the species or habitats in the area; and
 - e. An explanation of how any adverse impacts created by the proposed use or development will be mitigated, including the following techniques:
 - i. Establishment of buffer zones;
 - ii. Preservation of critically important plants and trees;
 - iii. Limitation of access to the habitat conservation area;
 - iv. Seasonal restriction of construction activities; and
 - v. Establishment of a timetable for periodic review of the plan.
- O. Regulations—geologically hazardous areas designation, classification, and mapping
- 1. Designation: Lands classified as landslide, erosion, mine, volcanic, and seismic hazard areas are hereby designated as geologically hazardous areas and are subject to the standards of this Section.

- 2. Classification: Landslide hazard areas lands potentially subject to landslides based on a combination of geologic, topographic, and hydrologic factors. They include any areas susceptible because of any combination of bedrock, soil, slope (gradient), slope aspect, structure, hydrology, or other factors. The following shall be designated as landslide hazards and are subject to the requirements of this Section:
 - a. Areas of historic failures, such as:
 - Those areas delineated by the Natural Resource Conservation Service (NRCS) as having a "severe" limitation for building site development; or
 - ii. Those areas mapped as landslides, as having a liquefaction susceptibility, or having a NEHPR seismic site class of A through D on the most current Washington State Department of Natural Resources Division of Geology and Earth Resources natural hazards web based map; or
 - iii. Areas designated as quaternary slumps, earth-flows, mudflows, lahars, or landslides on maps published by the U.S. Geological Survey or Washington State Department of Natural Resources Division of Geology and Earth Resources.
 - b. Areas with all three (3) of the following characteristics:
 - i. Slopes steeper than fifteen percent (15%);
 - ii. Hillsides intersecting geologic contacts with a relatively permeable sediment overlying a relatively impermeable sediment or bedrock; and
 - iii. Springs or groundwater seepage.
 - Areas that have shown movement during the Holocene epoch (from 10,000 years ago to the present) or which are underlain or covered by mass wastage debris of this epoch;
 - d. Slopes that are parallel or sub-parallel to planes of weakness (such as bedding planes, joint systems, and fault planes) in subsurface materials;
 - e. Slopes having gradients steeper than eighty percent (80%) subject to rock fall during seismic shaking;
 - f. Areas potentially unstable as a result of rapid stream incision, stream bank erosion, and undercutting by wave action, including stream channel migration zones;
 - g. Areas that show evidence of, or are at risk from snow avalanches;
 - Areas located in a canyon or on an active alluvial fan, presently or potentially subject to inundation by debris flows or catastrophic flooding; and
 - i. Any area with a slope of forty percent (40%) or steeper and with a vertical relief of ten (10) or more feet except areas composed of bedrock. A slope is delineated by establishing its toe and top and measured by averaging the inclination over at least ten (10) feet of vertical relief.
- 3. Classification: Erosion hazard areas areas containing soils that may experience significant erosion, including:
 - a. Slopes forty percent (40%) or steeper with a vertical relief of ten (10) or more feet, except areas composed of consolidated rock.

- b. Concave slope forms equal to or greater than fifteen percent (15%) with a vertical relief of ten (10) or more feet, except areas composed of consolidated rock.
- c. Channel migration zones: Areas within which the stream channel can reasonably be expected to migrate over time as a result of normally occurring hydrological and related processes when considered with the characteristics of the river and its surroundings. Such hazards are characterized by abandoned channels, ongoing sediment deposition and erosion, topographic position, and changes in the plant community, age, structure and composition.
- 4. Classification: Seismic hazard areas lands subject to severe risk of damage as a result of earthquake induced ground shaking, slope failure, settlement, soil liquefaction, or surface faulting the following classifications shall be designated as seismic hazard and are subject to the requirements of this Section.
- 5. Classification: Volcanic hazard areas areas subject to pyroclastic flows, lava flows, debris avalanche, inundation by debris flows, mudflows, or related flooding resulting from volcanic activity. There are no active or dormant volcanoes located within Kittitas County; however Mount Rainer and Mount St. Helens are relatively near. Hazards to Kittitas County residents from these volcanoes are limited to ash deposition.
- 6. Classification: Mine hazards areas areas underlain by abandoned mine shafts, secondary passages between shafts tunnels, or air vents. Mine hazards include subsidence, which is the uneven downward movement of the ground surface caused by underground workings caving in; contamination to ground and surface water from tailings and underground workings; concentrations of lethal or noxious gases; and underground fires.
- 7. Mapping: The approximate location and extent of geologically hazardous areas are shown on maps maintained by the County. These maps shall be advisory and used by the Administrator to provide guidance in determining applicability of the standards to a property. These maps shall be updated periodically as new information becomes available.
- P. Regulations—geologically hazardous areas reporting and protection standards
- 1. New shoreline uses and developments shall be located, designed, constructed, and maintained to avoid geologically hazardous areas. Impact avoidance measures shall include, but not be limited to, locating the use/development outside of the hazard area, reducing the number, size or scale of buildings, driveways and other features; altering the configuration or layout of the proposed development; using environmentally favorable construction materials; implementing special engineering methods for construction, drainage, runoff management etc.; foregoing construction of accessory structures; preserving native vegetation; and other reasonable measures.

- New uses and developments may be allowed in geologically hazardous areas and/or their buffers only when specifically allowed by this Program and when all reasonable measures have been taken to avoid adverse effects on slope stability and protect human health and safety.
- Critical facilities shall be prohibited in geologically hazardous areas and/or their buffers.
- 4. The Administrator shall review each use and development proposal to determine if there is any possible geologically hazardous area on-site. In making the determination, the Administrator shall use the best available information including any previously completed special reports conducted in the vicinity of the subject proposal. If no hazard area is determined to be present, this Section shall not apply to the review of the proposed use or development.
- 5. Hazard present (non-channel migration zone): If it is determined that a severe erosion hazard, mine hazard, seismic hazard, or landslide hazard other than a channel migration zone hazard, may be present on or adjacent to a proposed development site, the applicant shall submit a geologic hazard area risk assessment prepared by a professional engineer, engineering geologist, or geologist. The geologic hazard area risk assessment shall include:
 - a. A description of the geology of the site and the proposed use or development;
 - An assessment of the potential impact the project may have on the geologic hazard;
 - c. An assessment of what potential impact the geologic hazard may have on the project;
 - d. Appropriate mitigation measures, if any; and
 - e. A conclusion as to whether further analysis is necessary.

The assessment shall be signed by and bear the seal of the engineer or geologist that prepared it. No further analysis shall be required if the geologic hazard area risk assessment concludes that there is no geologic hazard present on the site, nor will the project affect or be affected by any potential geologic hazards that may be nearby. If the professional preparing the geologic hazard area risk assessment concludes that further analysis is necessary, the applicant shall submit a geotechnical report consistent with the provisions of this Section.

- 6. Geotechnical report (non-channel migration zone): The geotechnical report shall include a certification from the engineering geologist or geotechnical engineer preparing the report, including the professional's stamp and signature. The geotechnical report shall include the following:
 - a. A detailed description of the geology and soil conditions of the site;
 - b. Evaluation of the geologic conditions giving rise to the geologic hazard;
 - c. An evaluation of the safety of the proposed project;

- d. Conclusions and recommendations regarding the effect of geologic conditions on the proposed use or development;
- e. Conclusions and recommendations on the suitability of the site to be developed;
- f. A statement regarding the risk of damage from the project, both on- and off-site; and whether or not the project will materially increase the risk of occurrence of the hazard;
- Recommendations concerning drainage practices, vegetation retention and other mitigation and monitoring measures which may be needed to ensure slope stability;
- h. Recommended erosion and sediment control measures;
- i. A bibliography of scientific citations; and
- j. Any other specific measures which must be incorporated into the design and operational plan of the project to eliminate or reduce the risk of damage due to the hazard. This shall include a recommendation on the required buffer or setback distance that must be maintained between the proposed action and the hazard to ensure the safety of the use or development.
- 7. Hazard present (channel migration zone): If County maps indicate that a potential channel migration zone hazard exists on or adjacent to a proposed use or development site, the applicant shall either:
 - a. Locate the proposal landward of the channel migration hazard area as indicated on the map; or
 - b. Submit a channel migration zone study, prepared by a geologist, engineering geologist, or professional engineer licensed in the state of Washington with at least five (5) years of experience in analyzing channel response in the fluvial systems of the Pacific Northwest, that demonstrates the following:
 - i. The parcel on which the development or use is proposed is effectively protected (disconnected) from channel movement due to the existence of permanent levees maintained by public agencies or infrastructure such as roads and bridges constructed and maintained by public agencies (not all roads and levees will be considered disconnection points); or
 - ii. The proposed use or development site has minimal risk of channel migration during the next one hundred (100) years as indicated by the existing channel type, land cover (and low likelihood of future alterations in land cover); surficial geology, low soil erosion potential; lack of evidence of likely avulsion pathways (including areas upstream of, but proximate to, the site); low inundation frequency(ies). The assessment shall include a review of available data regarding historical channel locations at the site; identification of the site within a broader geomorphic reach of the river system, and the general characteristics of that reach; description of existing channel type, existing channel alterations and likelihood of future alterations with changes in land cover; surficial geology, soils and erosion potential; and geotechnical setbacks relating to erosion at the toe of adjacent slope(s). The approach to assessing local migration shall be generally equivalent to the methods detailed in "A Framework for Delineating Channel Migration

Zones" (Ecology Publication # 03-06-027), or similar method approved or sanctioned by Ecology.

- 8. Based upon the results of the channel migration zone assessment, the Administrator may prohibit or limit use or development within a channel migration zone and/or require a buffer of undisturbed natural vegetation from the edge of the channel migration zone.
- 9. The Administrator may impose conditions on any new shoreline use and developments in a geologically hazardous area as needed to:
 - a. Protect slope stability and minimize erosion, seismic, and/or landslide hazard risks;
 - b. Maintain natural sediment and erosion processes that are integral to the health and sustainability of freshwater ecosystems;
 - c. Minimize the potential for property damage related to seismic events, erosion and/or landslides;
 - d. Minimize the need for structural shoreline stabilization in the future;
 - e. Protect human health and safety; and
 - f. Reduce public liabilities for damages associated with seismic events, erosion and/or landslides.

Q. Regulations—frequently flooded area designation and mapping

- 1. Designation and mapping: All lands classified as floodway or special flood hazard areas in the Federal Emergency Management Agency report titled "Flood Insurance Rate Maps and Flood Boundary and Floodway Maps" dated November 5, 1980, as now or hereafter amended are designated as frequently flooded areas. The report and maps are on file at Kittitas County. When base flood elevation data has not been provided in the report, the Administrator shall obtain, review, and reasonably utilize any base flood elevation and floodway data available from the Federal Emergency Management Agency, Washington State Department of Ecology, or other qualified source. Where base flood elevation data and floodway delineation are not available either through the report or from a qualified source, historical data, high water marks, and photographs of past flooding shall be used to determine base flood elevations.
- 2. Additional areas may be classified by the Administrator as frequently flooded areas, based upon the following criteria:
 - a. Documented history of flood damage; and/or
 - b. Evidence of stream channel instability and susceptibility to erosion.
- R. Regulations—frequently flooded area protection standards

- New uses and developments within frequently flooded areas, including flood control structures regulated in Section 5.3 of this Program, shall comply with the Kittitas County Flood Prevention Ordinance (KCC Chapter 14.08 – December 2014) which is hereby adopted by reference.
- Floodplain storage: New uses or developments shall not reduce the effective flood storage volume within a frequently flooded area. If proposed grading, fill, or other activity would reduce effective flood storage volume, then mitigation is required per Section T. below.
- S. Regulations—frequently flooded area reporting
- 1. The Administrator's approval of a new use or development within a frequently flooded area shall be contingent upon reporting that meets the requirements of KCC 14.08.110 through 14.08.130 (December 2014).
- T. Regulations—frequently flooded area compensatory mitigation
- Development proposals shall provide compensatory storage if grading, fill, or other activity will reduce the effective base flood storage volume of the floodplain. Compensatory storage shall comply with KCC 14.08.315 (December 2014) and the following:
 - a. Provide equivalent volume at equivalent elevations to that being displaced. For this purpose, "equivalent elevation" means having similar relationship to ordinary high water and to the best available ten-(10)-year, fifty-(50)-year, and one hundred-(100)-year water surface profiles;
 - b. Be hydrologically connected to the source of flooding;
 - Provide compensatory storage in the same construction season as when the displacement of flood storage volume occurs and before the flood season begins;
 - d. If the newly created storage area is accessible to fish during flood events, the area shall be designed, graded and maintained to prevent fish stranding; and
 - e. The Administrator may approve equivalent compensatory storage off the site if acceptable legal arrangements are made to assure that the effective compensatory storage volume will be preserved over time.
- 2. Mitigation plans for development within frequently flooded areas that will reduce the effective base flood storage volume of the floodplain shall be prepared by an engineer licensed in the state of Washington and familiar with hydrology, hydraulics, and fluvial geomorphology. Plans shall include the following information:
 - a. Potential that materials may be swept during flooding onto other lands to the detriment of others;
 - b. Actual danger to life and property if flooding or erosion occurs;
 - c. Susceptibility of the proposed development and its contents to flood damage;
 - d. Availability of alternative locations for the proposed use which are not subject to flood or erosion damage;

- e. Relationship of the proposed use to the comprehensive plan and floodplain management program for that area;
- f. Safety of access to the property in times of flood for ordinary and emergency vehicles:
- g. Expected heights, velocity, duration, rate of rise, and sediment transport of the flood waters and the effects of wave action at the site;
- h. Costs of providing governmental services during and after flood conditions, including maintenance and repair of public utilities and facilities;
- Location and extent of storage area for floodwater which will be displaced by the proposed development; and
- j. The risk to public and private property and public health, safety and welfare due to rising of water levels, shifting of stream channels (including related erosion) as well as costs to individuals and the general public for items which are not insured such as loss of productivity due to closed roads, risk to emergency response workers, loss of uninsured property (cars, landscaping, etc.) and habitat damage as a result of loss of riparian zones and floodplain function.

U. <u>Regulations— critical aquifer recharge areas designation, mapping, and classification</u>

- 1. Designation: Critical aquifer recharge areas are areas where an aquifer that is a source of drinking water is vulnerable to contamination that would affect the potability of the water. These recharge areas have geologic conditions that allow high infiltration rates, which contribute significantly to the replenishment of ground water. These conditions also create a high potential for ground water contamination. All lands and shorelands classified as having high aquifer recharge potential and aquifer susceptibility are hereby designated as critical aquifer recharge areas. Critical aquifer recharge areas also include known wellhead protection areas for Class A water systems. A wellhead protection area is the surface and subsurface area surrounding a well or wellfield that supplies a public water system through which contaminants are likely to pass and eventually reach the water well(s) as designated under the Federal Safe Drinking Water Act.
- 2. Mapping: The general location and extent of critical aquifer recharge are shown on maps maintained by the County. These maps are useful as a guide for Kittitas County, project applicants, and/or property owners, and may be updated as more information on aquifer recharge and susceptibility becomes available. These maps are a reference and do not provide a conclusive or final critical area designation.
- 3. Classification: All Kittitas County shorelands shall be classified as having either a high, medium, or low aquifer recharge potential. At a minimum, classification shall be based on soil permeability and recharge potential as described within the Soil Survey of Kittitas County. Where adequate information is available, aquifer recharge potential shall be further classified based on the recharge potential of surficial geologic materials, presence or absence of restrictive layers, surface and groundwater monitoring data, wellhead protection areas, depth to groundwater,

topography (i.e., slopes), and locally adopted groundwater protection plans and studies. Land classified as having a high, medium, or low aquifer recharge potential shall also be classified as having a high, medium, or low susceptibility to contamination of an underlying aquifer, respectively. Based on these criteria, the potential for recharging aquifers or transmitting contaminants to the underlying aquifer is greatest where the aquifer is close to the ground surface, where ground surface slopes are minimal, and where the recharge potential of the soils and/or surficial geologic material is greatest. All wellhead protection areas shall be designated as highly susceptible critical aquifer recharge areas. Wellhead Protection Areas are the areas defined by the boundaries of the 10-year time of ground water travel, in accordance with WAC 246-290-135.

V. Regulations—critical aquifer recharge areas protection standards

- 1. Protection standards for critical aquifer recharge areas have been incorporated into the water quality regulations in Section 5.6 and into the provisions for specific shoreline uses in Chapter 4. Such standards shall be considered the minimum necessary to protect critical aquifer recharge areas.
- 2. New use and development in a critical aquifer recharge area shall meet the following standards:
 - a. The proposed use and/or development will not cause contaminants to enter the aguifer and will not significantly adversely affect the recharging of the aguifer.
 - b. The proposed use and/or development must comply with applicable water source protection requirements of the Federal Environmental Protection Agency (EPA), Washington State Department of Health, and the Kittitas County Health Department.
 - c. The proposed use and/or development must be designed and constructed in accordance with applicable stormwater management standards
- 3. When located within an area of medium or high aquifer susceptibility, aboveground/underground storage tanks or vaults for the storage of hazardous substances, animals wastes, sewage sludge, fertilizers, or other chemical or biological hazards or dangerous wastes as defined in WAC Chapter 173-303, or any other substances, solids, or liquids in quantities identified by Kittitas County Public Health, consistent with WAC 173-303, as a risk to groundwater quality, shall be designated and constructed so as to:
 - a. Prevent the release of such substances to the ground, groundwaters, or surface waters;
 - Be contained or enclosed by an impervious containment area with a volume greater than the volume of the storage tank or vault to avoid an overflow of the containment area;
 - c. Provide for release detection;
 - d. Provide written spill response and spill notification procedures to the local fire district;

- e. Use material in the construction or lining of the storage containment area which is compatible with the substance to be storage to protect against corrosion or leakage, or otherwise designed in a manner to prevent the release or threatened release of any storage substance; and
- f. Comply with chapters 173-303 and 173-360 WAC.
- g. The tanks must comply with Ecology regulations contained in WAC Chapters 173-360 and 173-303 as well as International Building Code requirements.
- 4. The Administrator may grant a waiver from one or more of the above requirements (in 3.a. through g.) upon a finding that the aboveground storage activity would not create a significant risk to groundwater quality. Aboveground or underground storage facilities designed and maintained according to an approved plan from the Natural Resources Conservation Service or Kittitas County Conservation District are exempt from these requirements but remain under the jurisdiction of the County to ensure compliance with the protective features of this Section and for enforcement purposes.
- 5. The use of fertilizers, herbicides, pesticides, or other chemical for vegetation management within critical aquifer recharge areas shall adhere to the best management practices to prevent impacts to water quality and water supply. Where the application of such chemicals covers five (5) or more acres, a mitigation plan shall be required pursuant the regulations listed below.
- 6. The following uses and development activities, when proposed in medium or high susceptibility critical aquifer recharge areas, have the potential to adversely affect ground water quality and/or quantity and may only be allowed subject to the County's review and approval of a special hydrogeological assessment prepared by a qualified professional:
 - a. Vehicle repair, servicing, and salvaging facilities, provided that the facility must be conducted over impermeable pads and within a covered structure capable of withstanding normally expected weather conditions. Chemicals used in the process of vehicle repair and servicing must be stored in a manner that protects them from weather and provides containment should leaks occur. Dry wells shall not be allowed on sites used for vehicle repair and servicing. Dry wells existing on the site prior to facility establishment must be abandoned using techniques approved by the Washington State Department of Ecology prior to commencement of the proposed activity;
 - b. Use of reclaimed wastewater must be in accordance with adopted water or sewer comprehensive plans that have been approved by Ecology;
 - c. Any other uses or development activity that the Administrator determines is likely to have a significant adverse impact on ground water quality or quantity, or on the recharge of the aquifer. The determination must be made based on credible scientific information;
 - d. New landfills, including hazardous or dangerous waste, municipal solid waste, special waste, wood waste of more than two thousand (2,000) cubic yards, and inert and demolition waste landfills:

- e. Underground injection wells. Class I, III, and IV wells and subclasses 5F01, 5D03, 5F04, 5W09, 5W10, 5W11, 5W31, 5X13, 5X14, 5X15, 5W20, 5X28, and 5N24 of Class V wells:
- f. Wood treatment facilities that allow any portion of the treatment process to occur over permeable surfaces (both natural and manmade); and
- g. Facilities that store, process, or dispose of chemicals containing perchloroethylene (PCE) or methyl tertiary butyl ether (MTBE).

W. Regulations—critical aquifer recharge areas reports

- 1. When required by this code, hydrogeological reports for proposed uses and developments in critical aquifer recharge areas shall include the following information in addition to the general mitigation requirements listed above:
 - a. Geologic setting and soils information for the site and surrounding area;
 - b. Water quality data, including pH, temperature, dissolved oxygen, conductivity nitrates, and bacteria;
 - c. Location and depth of perched water tables;
 - d. Recharge potential of facility site (permeability/transmissivity);
 - e. Hydrologic budget;
 - f. Local groundwater flow, direction, and gradient;
 - g. Location, depth, and other water quality data on the three (3) shallowest wells or springs located within one thousand (1,000) feet of the site;
 - h. Impacts on wellhead protection areas located within the proposed site;
 - i. Surface water locations within one thousand (1,000) feet of the site;
 - Discussion of the effects of the proposed project on groundwater quality and quantity;
 - Recommendations on appropriate mitigation, if any, to assure that there shall be no measurable exceedance of minimum state groundwater quality standards or measurable reduction in available quantity of groundwater;
 - I. Emergency management plan; and
 - m. Containment release detection.

5.3 Flood hazard reduction

The following provisions apply to actions taken to reduce flood damage or hazard and to uses, development, and shoreline modifications that may increase flood hazards. Flood hazard reduction measures may consist of non-structural measures, such as setbacks, land use controls, wetland restoration, dike removal, use relocation, biotechnical measures, and stormwater management programs as well as structural measures such as dikes, levees, revetments, floodwalls, channel realignment, and elevation of structures consistent with the National Flood Insurance Program.

A. Policies

1. Minimize future use and development in flood prone areas in order to protect public health and private property.

- 2. Prohibit new or expanding shoreline uses or development in the shoreline including subdivision of land that would likely require structural flood control works within a river, channel migration zone, floodway, or lakes.
- 3. Limit flood control works in the shoreline to those necessary to protect existing development where non-structural flood hazard reduction measures are infeasible.
- 4. Encourage non-structural and non-regulatory methods to protect, enhance, and restore shoreline ecological functions and processes and other shoreline resources as an alternative to structural flood hazard reduction measures and structures. Non-regulatory and non-structural methods may include public facility and resource planning, land or easement acquisition, education, voluntary protection and enhancement projects, or incentive programs.
- 5. Where feasible, flood hazard reduction measures should be bioengineered to enhance ecological functions, create a more natural appearance, improve ecological processes, and provide more flexibility for long-term shoreline management. Such features may include, but not be limited to, vegetated berms; and vegetative stabilization, including brush matting and buffer strips and retention of existing trees, shrubs and grasses on banks.
- 6. Plan and design flood hazard reduction measures in a manner consistent with applicable watershed management plans, flood hazard mitigation plans, local comprehensive planning efforts, the SMA and WAC 173-26.
- 7. Assure that flood hazard reduction measures result in no net loss of ecological functions and ecosystem-wide processes associated with rivers, streams and lakes.
- 8. Locate, design, construct and maintain flood control measures so their resultant effects on geo-hydraulic shoreline processes will not cause significant damage to other properties or shoreline resources, and so that the physical integrity of the shoreline corridor is maintained.
- Plan for and facilitate returning river and stream corridors to more natural hydrological conditions, recognizing that seasonal flooding is an essential natural process.
- 10. When evaluating alternate flood control measures, consider the removal or relocation of structures in flood-prone areas.
- 11. Evaluate appropriate opportunities to remove or prevent structures that confine floodplains and inhibit channel migration.
- B. Regulations

- 1. Use and development in floodplains shall not significantly or cumulatively increase flood hazards or be inconsistent with comprehensive flood hazard management plans adopted pursuant to RCW Chapter 86.12.
- 2. New uses or development in shoreline jurisdiction, including the subdivision of land, shall not be permitted when it would be reasonably foreseeable that the uses and/or development would require structural flood hazard reduction measures within the channel migration zone or floodway.
- 3. The following uses and activities may be appropriate and/or necessary within the channel migration zone or floodway:
 - a. Actions that protect or restore the ecosystem-wide processes or ecological functions.
 - b. Forest practices in compliance with the Washington State Forest Practices Act and its implementing rules.
 - c. Existing and ongoing agricultural practices provided that no new restrictions to channel movement occur.
 - d. Mining when conducted in a manner consistent with Section 6.12 Mining, the shoreline environment designation, and with the provisions of WAC 173-26-241(3)(h).
 - e. Bridges, utility lines, and other public utility and transportation structures where no other feasible alternative exists or the alternative would result in unreasonable and disproportionate costs. Where such structures are allowed, mitigation shall address impacted functions and processes in the affected shoreline.
 - f. Repair and maintenance of an existing legal use, provided that such actions do not cause significant ecological impacts or increase flood hazards to other uses.
 - g. Use and development with a primary purpose of protecting or restoring ecological functions and ecosystem-wide processes.
 - h. Modification or additions to an existing nonagricultural legal use, provided that channel migration is not further limited and that the new uses and/or development includes appropriate protection of ecological functions.
 - Use and development in incorporated municipalities and designated urban growth areas, as defined in RCW Chapter 36.70A, where structures exist that prevent active channel movement and flooding.
- 4. Allow new structural flood hazard reduction measures in shoreline jurisdiction only when it can be demonstrated by a scientific and engineering analysis that they are necessary to protect existing development; that nonstructural measures are not feasible; that impacts on ecological functions and priority species and habitats can be successfully mitigated so as to assure no net loss; and that appropriate vegetation conservation actions are undertaken consistent with Section 5.5 Shoreline buffer and vegetation conservation, and WAC 173-26-221(5).
- 5. Structural flood hazard reduction measures shall be consistent with the adopted Kittitas County Multi-jurisdictional Hazard Mitigation Plan (October 2012).

- 6. Place new structural flood hazard reduction measures landward of the associated wetlands, and designated vegetation conservation areas, except for actions that increase ecological functions, such as wetland restoration; provided that such flood hazard reduction projects be authorized if it is determined that no other alternative to reduce flood hazard to existing uses and/or development is feasible. The need for, and analysis of feasible alternatives to, structural improvements shall be documented through a geotechnical analysis.
- 7. New structural public flood hazard reduction measures, such as dikes and levees, shall dedicate and improve public access pathways unless public access improvements would cause unavoidable health or safety hazards to the public, inherent and unavoidable security problems, unacceptable and unmitigated significant ecological impacts, unavoidable conflict with the proposed use, or cost that is disproportionate and unreasonable to the total long-term cost of the use or development.
- 8. The removal of gravel for flood management purposes shall be consistent with an adopted flood hazard reduction plan and with the provisions of WAC 173-26, Section 6.7 Dredging and dredge material disposal and Section 6.12 Mining; and be allowed only after a biological and geo-morphological study shows that extraction has a long-term benefit to flood hazard reduction, does not result in a net loss of ecological functions, and is part of a comprehensive flood management solution.

5.4 Public access

Public access includes the ability of the general public to reach, touch, and enjoy the water's edge, to travel on the waters of the state, and to view the water and the shoreline from adjacent locations. Public access provisions below apply to all shorelines of the state unless stated otherwise.

- 1. Promote and enhance the public interest with regard to rights to access waters held in public trust by the state while protecting private property rights and public safety.
- 2. Protect the rights of navigation and space necessary for water-dependent uses.
- 3. Protect the public's opportunity to enjoy the physical and aesthetic qualities of shorelines of the state, including views of the water in a manner consistent with the overall best interest of the state and the people generally.
- 4. Public shoreline access should not cause negative impacts to surrounding properties, such as litter or trespass.
- 5. Regulate the design, construction, and operation of permitted uses in the shorelines of the state to minimize, insofar as practical, interference with the public's use of the water.

- 6. Incorporate physical and/or visual public access to shorelines in new uses and development proposals.
- Public access areas and/or facility requirements should be commensurate with the scale and character of the use or development and should be reasonable, fair and effective.
- 8. Shoreline use and development activities should be designed and operated to minimize obstructions of the public's visual access to the water and shoreline.
- 9. The linkage of shoreline parks, recreation areas and public access points by hiking paths, bicycle paths, easements and/or scenic drives, should be encouraged.
- 10. Public access should be designed for accessibility by disabled persons.
- 11. Public access improvements shall not result in a net loss of shoreline ecological functions.
- 12. Existing public access points, including parks, trailheads, and boat launches shall be maintained to support public use and enjoyment of shorelines.
- 13. Seek opportunities to establish new boat launches and picnic areas along the Yakima River, the Columbia River, and along Lake Cle Elum.
- 14. Additional user amenities at or along shorelines in the Rural Conservancy and Urban Conservancy environments, such as parking areas, restrooms, benches, picnic tables, and signage should be added throughout the region to improve the recreational experience along shorelines.

B. Regulations

- Public access shall consist of a dedication of land or easement and a physical improvement in the form of a walkway, trail, bikeway, corridor, viewpoint, park, deck, observation tower, pier, boat launching ramp, dock or pier area, or other area serving as a means of view and/or physical approach to public waters and may include interpretive centers and displays.
- 2. New shoreline use and development by public entities, such as local governments, port districts, state agencies, and public utility districts, shall provide public access as part of each development project, unless such access is shown to be incompatible with the Program due to reasons of safety, security, or adverse impacts to shoreline functions and processes.
- 3. New shoreline use and development by private entities shall provide public access when:

- a. The development would generate a public demand for one or more forms of such physical or visual access;
- b. The development will impair existing legal access opportunities or rights; or
- c. The development is not a preferred shoreline use (e.g. non-water-oriented commercial or industrial development).
- 4. Public health and safety concerns associated with community or public access sites shall be adequately mitigated.
- 5. Efforts to implement the public access provisions of this Section shall be consistent with all relevant constitutional and other legal limitations on regulation of private property and the principles of nexus and proportionality.
- 6. Public access requirements on privately owned lands shall be commensurate with the scale and character of the use and/or development and shall be reasonable, effective and fair to all affected parties, including, but not limited to, the landowner and the public.
- 7. Where feasible, providers of shoreline public access shall:
 - Locate and design public access improvements in a manner that is compatible
 with the natural shoreline character and avoids adverse impacts to shoreline
 ecological processes and functions; and
 - b. Ensure public access improvements and amenities are safe, respect individual privacy, and avoid or minimize visual impacts from neighboring properties; and
 - Provide maps, signage, and orientation information to inform the public of the presence and location of privately held shorelands, especially those adjacent to public access and recreational areas; and
 - d. Incorporate programs, signage and informational kiosks into public access locations, where appropriate, to enhance public education and appreciation of shoreline ecology and areas of historical or cultural significance.
- 8. Opportunities to provide visual public access shall be evaluated during the review and conditioning of all proposed commercial and industrial shoreline developments and residential developments involving more than four (4) residential parcels.
- 9. Dedicated space for physical public access shall be incorporated into all use and development proposals on public lands, all public and private commercial and industrial uses and developments, multi-family residential development of more than four (4) dwelling units, and all residential subdivisions of greater than four (4) parcels unless the project proponent demonstrates that any of the following conditions exist:
 - a. Unavoidable public health or safety hazards exist and cannot be prevented through reasonable means; or
 - The use and/or development has inherent security or cultural sensitivity requirements that cannot be mitigated through reasonable design measures or other solutions; or

- The provision of public access for the proposed use or development is not consistent with all relevant constitutional and other legal limitations on regulation of private property and the principles of nexus and proportionality; or
- d. The cost of providing the access, easement or an alternative amenity is disproportionate to the total long-term cost of the proposed use or development; or
- e. The public access will cause unacceptable environmental impacts that cannot be mitigated; or
- f. The access would create significant, undue, and unavoidable conflicts with adjacent uses that cannot be mitigated.
- 10. To be relieved from public access requirements the project proponent must demonstrate that all feasible alternatives have been considered, including, but not limited to:
 - Regulating access through means such as maintaining a gate and/or limiting hours of use; and
 - b. Separating uses and activities (e.g., fences, terracing, use of one-way glazing, hedges, landscaping, etc.).
- 11. When physical public access is deemed to be infeasible, the proponent shall provide visual access to the shoreline or provide physical access at an off-site location geographically separated from the proposed use or development (e.g., a street end, vista, or trail system), or for a residential development, provide community access to the shoreline or to a common waterfront lot/tract for non-commercial recreational use of the property owners and guests within the proposed subdivision.
- 12. Public access shall be located and designed to be compatible with the natural shoreline character, to avoid adverse impacts to shoreline ecological functions and processes, and to ensure public safety.
- 13. Public shoreline access provided by public road ends, public road rights-of-way, public utilities and rights-of-way shall not be diminished by the County, neighboring property owners, or other citizens, unless the property is zoned for industrial uses in accordance with RCW Chapter 36.87.130.
- 14. Public access sites shall be directly connected to the nearest public street and shall include improvements that conform to the requirements of the Americans with Disabilities Act (ADA) when feasible and impacts to shoreline ecology are mitigated.
- 15. Opportunities for boat-in public access and access to primitive shorelines not accessible by automobile shall be provided where feasible and appropriate.
- 16. When required for public land, commercial, port or industrial use or development, public access sites shall be fully developed and available for public use prior to final occupancy of such use or development.

- 17. Public access easements, dedications, and permit conditions shall be recorded on the deed of title and/or the face of a short or long plat as a condition running, at a minimum, for a period contemporaneous with the duration of the authorized land use. Recording of such easements, dedications, and conditions shall occur at the time of final approval for all subdivisions and binding site plans or prior to final occupancy for other permits.
- 18. Where there is an irreconcilable conflict between water-dependent shoreline uses or physical public access and maintenance of views from adjacent properties, the water-dependent uses and physical public access shall have priority, unless there is a compelling reason to the contrary.
- 19. Public access facilities shall be maintained over the life of the use or development. Future actions by successors-in-interest or other parties shall not diminish the usefulness or value of required public access areas and associated improvements.
- 20. Maintenance of the public access facility shall be the responsibility of the owner or home owner's association, unless otherwise accepted by a public or non-profit agency through a formal agreement recorded with the County Auditor's Office. Applicants shall make provisions to assure permanence and maintenance of public access facilities.
- 21. Access improvements shall not result in a net loss of shoreline ecological functions and values.
- 22. Rights of navigation shall be protected in conformance with the provisions of this Program.

5.5 Shoreline buffers and vegetation conservation

Shoreline buffers protect shorelines from the adverse effects of adjacent land use and development. Buffers also help protect people and property from natural hazards that are present on some shorelines. Vegetated buffers provide habitat, maintain water quality, stabilize slopes and streambanks, and help achieve no net loss of shoreline ecological functions to function effectively, buffers must be well-vegetated. As a result, the Program promotes vegetation conservation including restrictions on clearing and grading, vegetation restoration and enhancement, and the control of invasive weeds and non-native species.

Unless otherwise stated, buffer and vegetation conservation regulations of this Program do not apply to those activities covered under the Washington State Forest Practices Act, except for conversion of forest uses to other uses and those other forest practice activities over which local governments have authority. As with all master program provisions, buffer and vegetation conservation provisions apply even to those shoreline uses and developments that are exempt from the requirement to obtain a shoreline permit. Like other master program provisions, buffer and vegetation conservation

standards do not apply retroactively to legally established existing uses and structures, such as existing agricultural activities.

A. Policies

- Conserve native shoreline vegetation to maintain shoreline ecological functions and processes and mitigate the direct, indirect and cumulative impacts of shoreline use and development, wherever feasible. Disturbance of native plant communities should be avoided. Disturbed areas should be re-vegetated with native plant species appropriate to the soil and hydrologic conditions.
- 2. Protect the ecological and aesthetic qualities of the shoreline environment and minimize risks associated with flooding, erosion, channel migration, landslides, and other natural events and processes by separating and setting back new shoreline uses and developments from the edge of the water. Vegetated buffers should be maintained between shoreline waters and the adjoining land uses.
- 3. Encourage noxious and invasive weed management and control. Control of such species should be done in a manner that retains on-site native vegetation, provides for erosion control, and protects water quality.

B. Regulations-shoreline buffers

1. New uses and developments shall be located landward of the shoreline buffers shown in Table 5.5-1 in accordance with the shoreline environment designation, unless this Program specifically allows the use/development within the shoreline buffer. Shoreline buffers shall be measured in all directions from the OHWM. Uses/development may also be subject to additional buffers prescribed in Section 5.2 of this Program due to presence of critical areas. In such cases, the landward-most buffer shall apply.

Table 5.5-1. Standard Shoreline Buffers (Type S Waters)

Shoreline Environment Designation	Type S Standard Shoreline Buffer Width (feet)
Urban Conservancy	100
Shoreline Residential	100
Rural Conservancy	100
Natural	150

- 2. Buffer condition: Shoreline buffers shall be maintained in a well-vegetated condition. For purposes of this Program, a well vegetated buffer is one that supports a predominance of native plant species at densities that would occur in similar relatively undisturbed settings. Vegetation conservation standards do not apply retroactively to existing legally established uses and developments. Vegetation associated with existing structures, uses and developments may be maintained within shoreline jurisdiction. A letter of exemption pursuant to Section 7.3.3 is not required for this normal maintenance.
- 3. Interrupted buffer: When a shoreline buffer contains an existing legally established public or private road, the Administrator may allow development on the landward side of the road provided that the development will not have a detrimental impact to the shoreline. The applicant may be required to provide a critical areas report to describe the impacts. In determining whether a critical areas report is necessary, the County shall consider the hydrologic, geologic, and/or biological habitat connection potential and the extent and permanence of the buffer interruption.
- 4. Allowed shoreline buffer alterations: Alteration or disturbance of the standard shoreline buffers shown in Table 5.5-1 shall not be allowed except in those limited instances when the Administrator finds that the alteration is necessary to accommodate one of the following uses/developments. In all cases, the buffer alteration shall be the minimum necessary to accommodate the proposed use/development. The Administrator may require vegetation enhancement outside of the disturbed area as compensation for the buffer alteration:
 - a. Shoreline view corridors: The Administrator may allow limited and selective tree removal, pruning, and/or limbing within the shoreline buffer to create one view corridor on a lot, when otherwise consistent with this Program and if the following conditions are met:
 - i. The view corridor shall be limited to twenty-five (25) feet in width or twenty-five percent (25%) of the width of the lot frontage, whichever distance is less:

- ii. The removal of vegetation shall not require any ground-disturbing equipment and shall not materially alter soils or topography;
- iii. A view clearance plan may be requested by the Administrator when determined that a substantial amount of vegetation is proposed for modification. The plan shall be prepared by a qualified ecologist, forester, arborist, or landscape architect prior to approving the view corridor and will include:
 - (a) Identification and description of the location and extent of the proposed tree removal, pruning, and limbing, and the view corridor; and
 - (b) A critical areas report prepared by a qualified ecologist demonstrating the proposed removal of vegetation will not result in a net loss of shoreline ecological function.
 - iv. Proposed view clearance within a designated landslide or erosion hazard area shall require review of the proposed clearance by an engineering geologist or geotechnical engineer to ensure that the proposed removal of vegetation will not cause or exacerbate hazards.
- b. Selective pruning. Selective pruning of trees for views is allowed. Selective pruning of trees does not include removal of understory vegetation, and must not compromise the health of the tree. A letter of exemption pursuant to Section 7.3.3 is not required for selective pruning, provided the development is exempt pursuant to WAC 173-27-040(2)(a), as amended.
- c. Private pathways: Private pathways which provide pedestrian access to the shoreline may be allowed within a shoreline buffer provided they are constructed of pervious material, are less than or equal to six (6) feet wide, and follow a route that minimizes erosion and gullying (e.g., a winding but direct path). Pathways shall be co-located within the view corridor if one is available in order to minimize buffer disturbance. A letter of exemption pursuant to Section 7.3.3 is not required for private pathways, provided the development is exempt pursuant to WAC 173-27-040(2)(a), as amended.
- d. Hazard tree removal: Removal of a hazard tree, including removal for compliance with KCC 20.10, Wildland Urban Interface Code, may be allowed in the shoreline buffer when trimming is not sufficient to address the hazard. Where the hazard is not immediately apparent to the Administrator, the Administrator may require the applicant to submit a hazard tree determination report prepared by a qualified arborist or forester.
- e. Invasive species management: Removing invasive, non-native shoreline vegetation listed on the Kittitas County Noxious Weed List or Washington State Noxious Weed Board Monitor List should be allowed in the shoreline buffer when otherwise consistent with this Program. The disturbed areas must be promptly revegetated using species native to Kittitas County and appropriate for the ecological sitting. If the removal area is greater than ten thousand (10,000) square feet or requires soil disturbance using non-handheld mechanized equipment, the Administrator shall require a vegetation management plan

prepared by a qualified ecologist, forester, arborist, or landscape architect prior to approving the invasive species removal. The vegetation management plan shall identify and describe the location and extent of vegetation management. For properties within designated landslide or erosion hazard areas, the Administrator may require review of the vegetation management plan by an engineering geologist or geotechnical engineer to ensure that the vegetation management will not cause or exacerbate hazards associated with soil or slope instability. The location and size of the invasive species management area shall be clearly defined on the site plan.

- f. Public trails and other public access improvements: Public trails and public access improvements may be allowed in the shoreline when there is no suitable alternative location outside the buffer and when they are otherwise consistent with the policies and regulations of this Program.
- g. Utilities and essential public facilities: Utilities and essential public facilities that meet the definition of water-dependent or water-related may be allowed in the shoreline buffer when there is no suitable alternative location outside the buffer and when they are consistent with the policies and regulations specified in Section 6.19 of this Program.
- h. Irrigation structures: Water control structures and sprinkle irrigation structures that reduce siltation and retard surface runoff, and associated leveling and filling on land not currently in agricultural use, may be allowed in the shoreline buffer provided the new agricultural activities are located landward of existing agricultural activities. A letter of exemption pursuant to Section 7.3.3 is not required for irrigation structures, provided the development is exempt pursuant to WAC 173-27-040(2)(e), as amended.
- i. Water-dependent and water-related uses: Water-dependent and water-related uses provided the amount of buffer encroachment and disturbance are the minimum needed to accommodate the use or development.
- 5. Buffer averaging: The Administrator may allow averaging of the shoreline buffer widths in Table 5.5-1 when necessary to accommodate a single-family residence, residential subdivision of four (4) or fewer lots, or a water-dependent or water-related use or development. The buffer averaging shall be allowed only in those limited instances when adherence to the standard buffer is infeasible or presents a substantial hardship because of site conditions, lot configuration or other circumstances. Buffers that have been averaged or reduced by any prior actions administered by Kittitas County shall not be further averaged. Prior to approving buffer averaging the Administrator shall require a critical area report (per the requirements in Section 5.2). With buffer averaging, the buffer width is reduced in one location and increased in another location to maintain the same overall buffer area. Proposals for buffer averaging shall not require a shoreline variance or compensatory mitigation if the following conditions are met:
 - a. The minimum width of the buffer at any given point is at least seventy five percent (75%) of the standard width per Table 5.5-1, or twenty-five (25) feet, whichever is greater;

- b. The net buffer area (acreage) after averaging is the same as the buffer area without averaging; and
- c. The area that is added to the buffer to offset the reduction is well-vegetated. The Administrator may require vegetation enhancement if needed to ensure this criterion is met.
- 6. Where possible, development and uses within the urban conservancy, rural conservancy, and natural designations shall be situated to avoid or minimize impacts to forest habitat and other relatively undisturbed native vegetation communities.

5.6 Water quality, stormwater, and nonpoint pollution

The following section applies to all uses and development in shorelines of the state, as defined in WAC 173-26-020, that affect water quality.

To ensure mutual consistency between shoreline management provisions and other regulations that address water quality and stormwater quantity, including public health, stormwater, and water discharge standards, the regulations that are most protective of ecological functions shall apply.

A. Policies

- Prevent impacts to water quality and stormwater quantity that would result in a net loss of shoreline ecological functions, or a significant impact to aesthetic qualities, or recreational opportunities.
- 2. Maintain or enhance the quantity and quality of surface and ground water over the long term.
- Shoreline use and development should minimize the need for chemical fertilizers, pesticides or other similar chemical treatments to prevent contamination of surface and groundwater and/or soils and adverse effects on shoreline ecological functions and values.

B. Regulations

- 1. Shoreline use and development shall incorporate measures to protect and maintain surface and groundwater quantity and quality in accordance with all applicable laws.
- 2. New uses and developments shall provide stormwater management facilities designed, constructed, and maintained in accordance with the current stormwater management standards. Deviations from these standards may be approved where it can be demonstrated that off-site facilities would provide better treatment, or where common retention, detention and/or water quality facilities meeting such standards have been approved as part of a comprehensive stormwater management plan.

- 3. Best management practices for control of erosion and sedimentation shall be implemented for all use and development proposals in shorelines through an approved temporary erosion and sediment control (TESC) plan, identified in the Stormwater Management Manual for Eastern Washington, as amended.
- 4. On-site sewage systems shall be located, designed and maintained to meet all applicable water quality, utility, and health standards.
- 5. All building materials that may come in contact with water shall be constructed of untreated wood, cured concrete, or steel. Materials used for decking or other structural components shall be approved by applicable state agencies for contact with water to avoid discharge of pollutants. Wood treated with creosote, arsenate compounds, copper chromium arsenic or pentachlorophenol is prohibited in shoreline water bodies.
- 6. Permanent stormwater management systems serving property within the shoreline shall be designed using BMP's ensuring water quality treatment in compliance with the Stormwater Management Manual for Eastern Washington to prevent stormwater runoff from degrading or adding to the pollution of recipient waters or adjacent properties. Maintenance of storm drainage facilities on private property shall be the responsibility of the property owner(s). This responsibility and the provision for maintenance shall be clearly stated on any recorded subdivision, short plat, or binding site plan map, building permit, property conveyance documents, maintenance agreements and /or improvement plans.

6. Shoreline use and modification policies and regulations

Sections

- **6.1** General shoreline use policies
- **6.2** General shoreline modification policies
- **6.3** Agriculture
- **6.4** Aquaculture
- **6.5** Boating facilities, marinas, piers, and docks
- **6.6** Commercial development
- **6.7** Dredging and dredge material disposal
- **6.8** Filling, grading, and excavation
- **6.9** Forest practices
- **6.10** Industrial and port development
- **6.11** In-stream structures
- **6.12** Mining
- **6.13** Recreation
- **6.14** Residential development
- **6.15** Shoreline stabilization
- **6.16** Shoreline restoration and habitat enhancement
- **6.17** Signs
- **6.18** Transportation
- **6.19** Utilities
- **6.20** Shoreline bulk and dimensional standards

6.1 General shoreline use policies

- Uses and development within the shoreline jurisdiction should be consistent with the provisions of the environment designation in which they are located and the policies and regulations of this Program.
- Require a shoreline conditional use permit for shoreline uses and development that require specially tailored environmental analysis, design criteria, or consideration of cumulative impacts and for unanticipated uses not classified in this Program.
- 3. New uses and developments should be set back to protect ecological function and protect structures from flooding and channel migration hazards.
- 4. Avoid and reduce significant ecological impacts according to the mitigation sequence in Section 5.2(B)(2).

6.2 General shoreline modification policies

A. Policies

- 1. Allow structural shoreline modifications only where they are demonstrated to be necessary to support or protect an allowed primary structure or a legally existing shoreline use that is in danger of loss or substantial damage or are necessary for reconfiguration of the shoreline for mitigation or enhancement purposes.
- 2. Limit the number and extent of shoreline modifications.
- 3. Allow only shoreline modifications that are appropriate to the specific type of shoreline and environmental conditions for which they are proposed.
- 4. Assure that shoreline modifications individually and cumulatively do not result in a net loss of ecological functions. Give preference to those types of shoreline modifications that have a lesser impact on ecological functions. Require mitigation of identified impacts resulting from shoreline modifications.
- 5. Plan for the enhancement of impaired ecological functions where feasible and appropriate while accommodating permitted uses. As shoreline modifications occur, incorporate all feasible measures to protect ecological shoreline functions and ecosystem-wide processes.

6.3 Agriculture

- 1. Recognize the importance of agriculture in Kittitas County and support its continued economic viability.
- 2. Allow lawfully established agricultural activities occurring on agricultural lands to continue as they historically have. Require new agricultural activities on land not currently used for agriculture, conversion of agricultural lands to other uses, and other development on agricultural land that does not meet the definition of agricultural activities (including any agricultural uses and development not specifically exempted by Section 7.3.2) to meet shoreline requirements.
- 3. Use appropriate vegetation management and Natural Resources Conservation Service conservation practices to avoid and minimize water quality impacts from agricultural activities.
- 4. Encourage agricultural uses to maintain a buffer of permanent vegetation or other soil erosion control measures between tilled areas and associated water bodies that will restrict surface runoff, protect water quality, improve habitat and reduce siltation.

B. Regulations

- 1. The applicability of shoreline review for agricultural activities shall be determined based on WAC 173-26-020 (Definitions) and WAC 173-26-241(3)(a) (Agriculture). Existing agricultural activities (see Section 7.2(2)), including maintenance, repair and replacement of existing equipment and facilities (e.g., machinery, roads, buildings, etc. see Section 7.3(3)(b)), may continue as they historically have and may include changes in crops. New agricultural activities on land not currently in agricultural use are subject to shoreline review. New agricultural activities, equipment, and facilities are subject to shoreline review or exemption when applicable. The following provisions apply to any development, construction, or use of land for agricultural purposes.
- 2. New agricultural activities on lands that did not have agricultural activities in place on the date of adoption of this Master Program; conversion of agricultural lands to nonagricultural activities; the development of non-agricultural activities on agricultural lands; and uses in support of agricultural activities are governed by the provisions of this Master Program and subject to the following criteria:
 - a. Uses and activities shall be consistent with the environment designation;
 - Uses and activities shall be located and designed to ensure no net loss of ecological functions;
 - c. Uses and activities shall not have a significant impact on other shoreline resources and values.
- New agricultural activities, equipment, and facilities shall utilize best management practices established by the USDA Natural Resources Conservation Service or other similar agency.
- 4. Discharge of any manure storage facility into ground or surface water is prohibited.

6.4 Aquaculture

- Aquaculture is a preferred water dependent use of the shoreline when consistent with control of pollution, avoidance of adverse impacts to the environment and preservation of habitat for resident native species.
- 2. Ensure that aquaculture uses do not conflict with other water-dependent uses or navigation, spread disease, establish non-native species that cause significant ecological impact, or significantly impact the aesthetic qualities of the shoreline.
- 3. Protect spawning areas designated by the Washington State Department of Fish and Wildlife from conflicting uses.
- 4. Forms of aquaculture that involve lesser environmental and visual impacts and lesser impacts to native plant and animal species are preferred. Projects that require either

no structures or submerged structures are preferred over those that involve substantial floating structures. Projects that involve little or no substrate modification are preferred over those that involve substantial modification.

5. Design, locate and operate aquaculture activities in a manner that supports long-term beneficial use of the shoreline and protects and maintains shoreline ecological functions and processes. Prohibit aquaculture where it would result in a net loss of shoreline ecological functions; adversely affect the quality or extent of habitat for native species; adversely impact other habitat conservation areas; or interfere with navigation or other water-dependent uses.

B. Regulations

- All structures located within water bodies shall not preclude navigability of those waters at any time, and shall be clearly marked so as to provide no hazard to navigation on those waters.
- 2. Aquaculture facilities shall avoid significant conflict with water-dependent uses, the spreading of disease, introduction of non-native species, or impacts to shoreline aesthetic qualities.

6.5 Boating facilities, marinas, piers, and docks

- 1. Ensure that boating facilities are located only at sites with suitable environmental conditions, shoreline configuration, access, and neighboring uses. All marinas should be developed and operated in accordance with all state and local requirements.
- 2. In planning for marina location and design, special consideration should be given to facilities such as adequate access, parking, and restroom facilities for the public. Such facilities should be located away from the water's edge.
- 3. Boating facilities should provide public physical and visual shoreline access and provide for multiple uses, including water-related use, to the extent compatible with shoreline ecological functions and processes and adjacent shoreline use.
- Accessory uses at marinas or launch ramps should be limited to water-oriented uses, or uses that provide physical or visual shoreline access for substantial numbers of the general public.
- 5. Special care should be given to preventing and controlling invasive species infestations at boat launches.
- 6. Piers and docks should only be allowed for water dependent uses and public access, except that water enjoyment and water-related uses may sometimes be included as part of a mixed use development. New piers and docks must have a specific need and

not exceed the minimum size necessary. The joint use of piers and docks is encouraged.

- 7. New piers and docks, excluding docks accessory to single-family residences, should be permitted only when the applicant/proponent has demonstrated that a specific need exists to support intended water-dependent or public access use.
- 8. A port district or other public or commercial entity involving water-dependent uses may demonstrate a future need for a pier or dock according to WAC 173-26-231(3)(b), and seek approval of a pier design, size, and construction.
- 9. New and existing docks should be designed to be fish-friendly (e.g., grating to allow light penetration, and use of non-toxic materials).
- 10. The County shall prohibit the construction of private docks on all rivers except the Columbia River.
- 11. Overwater structure design, construction, and use shall minimize degradation of aquatic, near-shore, and shoreline habitats.

B. Regulations

- 1. For purposes of this chapter, "boating facilities" excludes docks serving four (4) or fewer single-family residences.
- 2. Private docks shall be prohibited on all rivers except the Columbia River.
- 3. Boating facilities, marinas and extended mooring sites shall:
 - a. Be located and designed as not to obstruct or cause danger to normal public navigation of water bodies;
 - b. Be restricted to suitable locations and should avoid locating in critical habitat including spawning and holding areas for anadromous fish;
 - c. Avoid or mitigate aesthetic impacts;
 - d. Mitigate special impacts of live-aboard vessels, such as water and wastewater needs, and garbage collection;
 - e. Limit the total number of slips dedicated to live-aboard vessels to twenty percent (20%) of marina's total slips;
 - f. Mitigate impacts to existing public access and navigation;
 - g. Provide documentation of ownership or authorization to use associated water areas:
 - h. Demonstrate that state and local regulations will be met. Agencies responsible for such regulations shall be consulted as to the viability of the proposed design; and
 - i. Submit an operations and site plan demonstrating:
 - (1) Location and design of fuel handling and storage facilities to minimize accidental spillage and protect water quality;

- (2) Proper water depth and flushing action for any area considered for overnight or long-term moorage facilities;
- (3) Adequate facilities to properly handle wastes from holding tanks;
- (4) Suitable environmental conditions and shoreline configuration;
- (5) Adequate access located away from the immediate water's edge;
- (6) Adequate parking and restroom facilities located landward of the shoreline buffers shown in Section 5.5.B.1.
- 4. Boat launch ramps shall comply with Section 6.5.B.3.a, b, c, f, g, and h, and shall meet the following:
 - a. Minimize the area disturbed by boat launch construction.
 - b. Submit an operations and site plan demonstrating:
 - i. Vegetation management, moving and trimming;
 - ii. Litter pick-up and disposal;
 - iii. Appropriate directional and regulatory signs;
 - iv. Adequate access located away from the immediate water's edge:
 - v. Adequate parking and restroom facilities located landward of the shoreline buffers shown in Section 5.5.B.1.
- 5. Piers, ramps, and docks permitted on lakes and the Columbia River shall meet the following dimensional standards:
 - a. To prevent damage to shallow water habitat, piers and/or ramps shall extend at least forty (40) feet perpendicular from the OHWM. Docks shall be positioned at least forty (40) feet horizontally from the OHWM.
 - b. Float components for single party docks shall not exceed the dimensions of eight-by-twenty (8-by-20)-feet or an aggregate total of one hundred sixty (160) square feet for all float components. Float components for joint-use docks shall not exceed the dimensions of eight-by-forty (8-by-40)-feet or an aggregate total of three hundred twenty (320) square feet for all float components.
 - c. Piers and ramps shall be no more than four (4) feet in width for single or joint-use docks. Greater widths may be permitted for community, public, or commercial docks where use patterns can justify the increase.
 - d. The bottom of the pier or bottom of the landward edge of the ramp shall be elevated at least two (2) feet above the plane of OHWM.
 - e. Floats shall not be located in shallow water habitat where they could ground or impede the passage or rearing of any life stage of salmonid. Floats shall be in at least ten (10) feet of water.
 - f. Grating shall cover the entire surface area of the pier, ramp, and/or float. The open area of grating shall be at least fifty percent (50%) as rated by the manufacturer.
 - g. Pier and ramp construction shall meet or exceed the standards and/or requirements of the Washington State Departments of Ecology, Fish and Wildlife, and Natural Resources and the United States Army Corps of Engineers.
 - h. Flotation materials shall be permanently encapsulated to prevent breakup into small pieces and dispersal in water, (e.g., rectangular float tubs).

- 6. New pier or dock construction, excluding docks accessory to single-family residences must demonstrate that a specific need exists to support the intended water-dependent or public access use, for example, a market analysis showing demand for additional pier or dock facilities.
- 7. New residential development of two (2) or more dwellings must provide joint-use or community dock facilities, rather than allow individual docks for each residence, unless documentation is provided demonstrating joint use is not feasible.
- 8. All piers and docks shall be designed and constructed to avoid or, if that is not possible, to minimize and mitigate the impacts to ecological functions and critical areas. Structures shall be made of materials that have been approved by the Washington State Department of Fish and Wildlife.
- 9. Extended moorage on waters of the state is prohibited, except as allowed by applicable state regulations and unless a lease or permission is obtained from the state and impacts to navigation and public access are mitigated.

6.6 Commercial development

A. Policies

- Limit commercial development to those activities that are particularly dependent upon a shoreline location. Other commercial uses should be encouraged to locate upland.
- Give first preference to water-dependent commercial uses over non-waterdependent commercial uses; and give second preference to water-related and water-enjoyment commercial uses over non-water-oriented commercial uses. Allow non-water-oriented commercial uses in limited situations.
- Commercial uses located in the shoreline should provide public access unless such improvements are demonstrated to be infeasible or present hazards to life and property.

B. Regulations

- 1. Water-dependent commercial uses shall be given preference over-water-related and water-enjoyment commercial uses. Prior to approval of water-dependent uses, the Administrator shall review a proposal for design, layout, and operation of the use and shall make specific findings that the use qualifies as a water-dependent use.
- 2. Non-water-oriented commercial uses are prohibited in the shoreline unless the use provides significant public benefit with respect to the objective of the Act such as providing public access and ecological restoration, and the commercial use is:
 - a. Part of a mixed use project that includes a water-dependent use; or
 - b. Proposed on a site where navigability is severely limited.

- 3. Commercial development shall not result in a net loss of ecological functions that have significant adverse impacts to other shoreline uses, resources and values, such as navigation, recreation, and public access.
- 4. Public access and ecological restoration should be considered as potential mitigation of impacts to shoreline resources and values for all water-related or waterdependent development unless such improvements are demonstrated to be infeasible or inappropriate.
- 5. Only those portions of water-dependent commercial uses that require over-water facilities shall be permitted to locate waterward of the OHWM, provided they are located on pilings or other open-work structures, and they are limited to the minimum size necessary to support the structures intended use.
- Non-water-dependent commercial uses shall not be allowed over-water except in limited instances where they are appurtenant and necessary to support waterdependent uses.

6.7 Dredging and dredge material disposal

A. Policies

- 1. Dredging material disposal on land away from the shoreline is generally preferred over open water disposal.
- 2. Dredging waterward of the OHWM for the primary purpose of obtaining fill material should not be allowed, except when the material is necessary for the restoration of ecological functions.
- 3. Disposal of dredge material on shorelands or wetlands within a river's channel migration zone is discouraged.

B. Regulations

- Dredging and dredge material disposal shall be done in a manner that avoids or minimizes significant ecological impacts. Impacts that cannot be avoided should be mitigated in a manner that assures no net loss of shoreline ecological functions.
- New uses and developments should be sited and designed to avoid or, where avoidance is not possible, to minimize the need for new and/or maintenance dredging.
- 3. Dredging for the purpose of establishing, expanding, relocating, or reconfiguring navigation channels and basins shall be allowed where necessary for assuring safe and efficient accommodation of navigational uses and then only when significant ecological impacts are minimized and mitigated.

- 4. Maintenance dredging of established navigation channels and basins shall be restricted to maintaining previously dredged and/or existing authorized locations, depths and widths.
- 5. All applications for substantial development permits that include dredging shall supply a dredging plan that includes the following information:
 - a. The quantity of material to be removed;
 - b. The method of removal;
 - c. Location of spoil disposal sites and measures that will be taken to protect the environment around them; and
 - d. Plans for the protection and restoration of the shoreline environment during and after dredging operations.
- A dredging operation judged by the Administrator to be insufficient for protection or restoration of the shoreline environment shall cause denial of a substantial development permit.
- 7. Dredging in surface waters shall be allowed only where necessary because of existing navigation needs, habitat restoration or improvement, maintenance or construction of water-dependent uses.
- 8. Minor trenching to allow the installation of necessary underground pipes or cables may be allowed if no alternative, including boring, is feasible, and:
 - a. Impacts to fish and wildlife habitat are avoided to the maximum extent possible;
 - b. The utility installation shall not increase or decrease the natural rate, extent, or opportunity of channel migration;
 - c. Appropriate best management practices are employed to prevent water quality impacts or other environmental degradation; and
 - d. Mitigation is implemented, as appropriate, pursuant to Section 5.2 Environmental protections and critical areas.
- 9. Dredging for the purpose of obtaining fill material is prohibited, except when permitted under Section 6.12 Mining; or when needed for a project associated with the Model Toxics Control Act (MTCA) or the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) habitat restoration, or any other significant restoration effort approved by a shoreline conditional use permit, where placement of fill is waterward of the OHWM.
- 10. Dredging and excavation shall be confined to the minimum area necessary to accomplish the intended purpose or use.
- 11. Hydraulic dredging or other techniques that minimize the dispersal and broadcast of bottom materials shall be preferred over agitation forms of dredging.
- 12. Curtains and other appropriate mechanisms shall be used to minimize widespread dispersal of sediments and other dredge materials.

- 13. Entries across shore and wetland edges to accomplish dredging or excavation shall be confined to the minimum area necessary to gain entry and shall be confined to locations with the least potential for site disturbance and damage.
- 14. Dredging and excavation shall be scheduled at times having the least impact to fish spawning, nesting patterns, and other identified natural processes.
- 15. Dredge spoils are also considered fill, and shall not be deposited within the shoreline except where such deposit is in accordance with approved procedures intended to preserve or enhance wildlife habitat, natural drainage, or other naturally occurring conditions.
- 16. Disposal of dredge material within a river's channel migration zone shall require a conditional use permit.
- 17. Dredge material disposal on land away from the shoreline is permitted under the following conditions:
 - a. Shoreline ecological functions and processes will be preserved, including protection of surface and groundwater;
 - b. Erosion, sedimentation, floodwaters or runoff will not increase adverse impacts to shoreline ecological functions and processes or property; and
 - c. Sites will be adequately screened from view of local residents or passersby on public rights-of-way.

6.8 Filling, grading, and excavation

- Filling, grading, and excavation should be located, designed, and constructed to protect shoreline ecological functions and ecosystem-wide processes, including channel migration.
- 2. Allow normal and reasonable land grading and filling where necessary to develop a land area for a permitted use. There should be no substantial changes made in the natural drainage patterns and no reduction of floodwater storage capacity that might endanger other areas. Allow filling, grading, and excavation within the OHWM only when necessary to support water dependent uses, public access, transportation facilities, mitigation, restoration, enhancement, and other uses listed in 6.8.B.2.
- 3. In evaluating filling, grading, and excavation projects, such factors as total water surface reduction, navigation restriction, impediment to water flow and circulation, impediment to irrigation systems, reduction of water quality, and destruction of fish and wildlife habitat should be examined.

4. Locate and design shoreline fills or cuts to avoid creating a hazard to adjacent life, property, and natural resources systems, and to provide all perimeters of fills with vegetation, retaining walls, or other mechanisms for erosion prevention.

B. Regulations

- 1. Filling, grading or excavation waterward of the OHWM for any use except ecological restoration shall require a conditional use permit.
- 2. Fill waterward of the OHWM shall be allowed with a shoreline conditional use permit only when necessary to support:
 - a. Water-dependent use;
 - b. Public access:
 - c. Cleanup and disposal of contaminated sediments as part of an interagency environmental clean-up plan;
 - d. Disposal of dredged material considered suitable under, and conducted in accordance with the dredged material management program of the Washington State Department of Natural Resources;
 - e. Expansion or alteration of transportation facilities of statewide significance currently located on the shoreline and then only upon a demonstration that alternatives to fill are not feasible; or
 - f. Mitigation action, environmental restoration, or enhancement project.
- 3. Fill for the purpose of increasing elevation may be permitted if such can be accomplished in a manner consistent with the policies of this SMP.
- 4. Fill shall be the minimum necessary to accomplish the use or purpose and shall be confined to areas having the least impact to the stream corridor. Other alternatives should be preferred over fill to elevate new homes in the floodplain, such as increasing foundation height or zero-rise methods such as piers, posts, columns, or other methods.
- 5. Fill in floodplains shall meet the requirements of Section 5.2 Environmental protection and critical areas and Section 5.3 Flood hazard reduction.
- 6. Pile or pier supports shall be preferred over fill for water-dependent uses and facilities.
- 7. Unless site characteristics dictate otherwise, fill material within surface waters or wetlands shall be sand, gravel, rock, or other clean material, with a minimum potential to degrade water quality.
- 8. Fill placement shall be scheduled at times having the least impact to fish spawning, nesting patterns, and other identified natural processes.

- 9. Fill shall be stabilized with native vegetation where appropriate to prevent erosion, migration of sediments and other material from the fill area to surrounding water, shore, and wetlands, unless technical consultation with other regulating agencies indicates alternative means are required.
- 10. Projects that propose fill shall make every effort to acquire fill on-site (also known as compensatory storage) where appropriate.
- 11. Excavation that occurs either waterward of the OHWM or within wetlands shall be considered dredging for purposes of this Program.
- 12. Filling, grading or excavation shall not be located where shoreline stabilization will be necessary to protect materials placed or removed. Disturbed areas shall be immediately stabilized and re-vegetated, as applicable.
- 13. Filling, grading, and excavation shall be designed to blend physically and visually with existing topography whenever possible, so as not to interfere with long-term appropriate use including lawful access and enjoyment of scenery.
- 14. Cut and fill slopes shall generally be no steeper than one (1) foot vertical for every three (3) feet horizontal unless a specific engineering analysis has been provided certifying that the proposed slope is stable, and the Administrator determines that the fill blends physically and visually with existing topography.
- 15. A temporary erosion and sediment control (TESC) plan, consistent with the standards found in the Stormwater Manual for Eastern Washington, shall be provided for all proposed filling, grading, and excavation activities.
- 16. Excavation and grading for the primary purpose of restoration of shoreline habitat and the natural character of the shoreline must demonstrate the following:
 - a. The site is currently degraded and provides limited ecological function; and
 - b. The restoration project will result in a net increase in ecological function within the project boundaries; and
 - c. The project complies with the provisions of Section 5.2 Environmental protection and critical areas.

6.9 Forest practices

A. Policies

Shoreline areas having well-known scenic qualities (such as those providing a
diversity of views, unique landscape contrasts, or landscape panoramas) should be
maintained as scenic views in timber harvesting areas. Timber harvesting practices,
including road construction and debris removal, should be closely regulated so that
the quality of the view and viewpoints along shorelines of statewide significance in
the region are not degraded.

- Forest management shall proceed in accordance with regulations established by the Washington State Forest Practices Act, including coordination with Kittitas County on forest practice conversions and other Class IV-forest practices where there is a likelihood of conversion to non-forest uses.
- 3. Ensure that timber harvesting on shorelines of statewide significance does not exceed the limitations established in RCW 90.58.150 (regarding selective harvest requirements), except as provided in cases where selective logging is rendered ecologically detrimental or is inadequate for preparation of land for other uses.
- 4. Accomplish reforestation in shorelines as quickly as possible. Replanting should be done with native species common to the area.
- 5. Forest lands should be reserved for long-term forest management and other uses compatible with forest use.

- 1. All federal forest practices or non-federal forest practices meeting the criteria below shall qualify for an exemption from this Program. All forest practices qualifying for this exemption shall demonstrate compliance by providing a copy of the federal approval or state forest practices permit. To qualify for an exemption a non-federal forest practice must meet the following criteria:
 - a. The activities includes harvest/treatment of at least five (5) acres of forestland, or supporting such an operation;
 - b. All harvesting within two hundred (200) feet of the OHWM of a shoreline of statewide significance use methods meeting RCW 90.58.150 (selective harvest), as amended:
 - c. The activities are not associated with a conversion option harvest;
 - d. The activities are approved under a forest practices permit;
 - e. The activities are not associated with a harvest under a Class IV–General application to convert forest land to non-forestry use.
- 2. Non-federal forest practices not meeting criteria (a), (b), or (c) above shall require a conditional use permit.
- 3. Non-federal forest practices not meeting criteria (d) above (Class 1 forest practices activities not requiring DNR approval) shall be reviewed as separate uses or activities.
- 4. Non-federal forest practices not meeting criteria (e) above shall be reviewed as a new proposed use.
- 5. Within the shoreline jurisdiction, development activities associated with timber harvest (such as road construction), land conversion of forest land to non-forest

uses, and forest practices not meeting any of the exemptions listed above must conform to all applicable provisions of this Program.

6.10 Industrial and port development

A. Policies

- 1. Allocate sufficient quantities of suitable land for water-related industry. Give preference to water-dependent industrial uses over non-water-dependent industrial uses; and give preference to water-related industrial uses over non-water-oriented industrial uses. Allow non-water-oriented industrial development in limited situations.
- 2. Industrial development shall be located, designed, or constructed in a manner that assures no net loss of shoreline ecological functions such that it does not have significant adverse impacts to other shoreline resources and values.
- 3. Discourage industries which have proven to be environmentally hazardous from locating along the shorelines.
- Industrial development should consider incorporating public access as mitigation for impacts to shoreline resources and values unless public access cannot be provided in a manner that does not result in significant interference with operations or hazards to life or property.
- 5. Where industrial use is proposed for location on land in public ownership, public access should be required.
- 6. Industrial development and redevelopment should be encouraged to locate where environmental cleanup and restoration of the shoreline area can be incorporated.

- 1. Industrial uses are allowed subject to the policies and regulations of this Program and the specific criteria below:
 - a. Water-dependent industrial uses shall be given preference over non-water dependent industrial uses and, second, preference shall be given to waterrelated industrial uses over non-water-oriented industrial uses. Prior to approval of water-dependent uses, the Administrator shall review a proposal for design, layout, and operation of the proposed use and shall make specific findings that the use qualifies as water-dependent.
 - b. Non-water-oriented industrial uses may be permitted where located on a site physically separated from the shoreline by another property in separate ownership or a public right-of-way such that access for water-oriented use is precluded. All other non-water-oriented industrial and port uses are prohibited in the shoreline unless the use provides significant public benefit and is either

- part of a mixed-use project that includes water-dependent uses; or located on a site where navigability is severely limited.
- c. Industrial development shall be located, designed, and constructed in a manner that assures no net loss of shoreline ecological functions and such that it does not have significant adverse impacts to other shoreline resources and values.
- Required setback areas shall not be used for storage of industrial equipment, materials, or waste disposal, but may be used for outdoor recreation and public access. Portions of side yard setbacks may be used for light motor vehicle parking if design of such facilities is consistent with this Program.
- 3. Disposal or storage of solid or other industrial wastes is not permitted on shorelines.
- 4. When feasible, mitigation to ensure no net loss of shoreline ecological functions should be implemented in a manner consistent with restoration opportunities identified in the "Kittitas County Shoreline Restoration Plan."
- 5. Only those portions of water-dependent industrial uses that require over-water facilities shall be permitted to locate waterward of the OHWM, provided they are located on pilings or other open-work structures, and they are limited to the minimum size necessary to support the structures intended use.

6.11 In-stream structures

A. Policies

- 1. In-stream structures should be planned and designed to be compatible with appropriate multiple uses of stream resources over the long-term, especially in shorelines of statewide significance.
- 2. The location and planning of in-stream structures shall give due consideration to the full range of public interests, watershed functions and processes, and environmental concerns, with special emphasis on protecting and restoring priority habitats and species.
- 3. In-stream structures should be located, designed, constructed and maintained so their resultant effects on geologic or hydrologic shoreline processes will not cause damage to other properties or shoreline resources, and so that the physical integrity of the shoreline process corridor is maintained.
- 4. In-stream structures shall be sited and designed consistent with appropriate engineering principles, including, but not limited to, guidelines of the Natural Resource Conservation Service and the U.S. Army Corps of Engineers.
- 5. Non-structural and non-regulatory methods to protect, enhance, and restore shoreline ecological functions and processes and other shoreline resources should

be encouraged as an alternative to in-stream structures. Non-regulatory and nonstructural methods may include public facility and resource planning, land or easement acquisition, education, voluntary protection and enhancement projects, or incentive programs.

6. Planning and design of in-stream structures should be consistent with and incorporate elements from applicable watershed management and restoration plans and/or surface water management plans.

- 1. Channelization projects that damage fish and wildlife resources, degrade recreation and aesthetic resources, or result in high flood stages and velocities shall not be permitted when feasible alternatives are available.
- Cut-and-fill slopes and backfilled areas shall be stabilized with brush matting and buffer strips and re-vegetated with native grasses, shrubs, or trees to prevent loss of shoreline ecological functions and processes.
- 3. In-stream structures shall be constructed and maintained in a manner that does not degrade the quality of affected waters. The jurisdictions may require reasonable conditions to achieve this objective, such as setbacks, buffers, or storage basins.
- 4. Natural in-stream features such as snags, uprooted trees, or stumps should be left in place unless it can be demonstrated that they are causing significant bank erosion or higher flood stages, or pose an unavoidable hazard to navigation.
- 5. In-stream structures shall allow for natural groundwater movement and surface runoff.
- 6. A professionally engineered design is required for any proposed in-stream structure.
- 7. The design of all dams and the suitability of the proposed site for dam construction shall be certified by a professional engineer licensed in the state of Washington. The professional design shall include a maintenance schedule.
- 8. For all dams that are not regulated by either the Federal Energy Regulatory Commission licensing procedures, or the Washington State Department of Ecology reservoir permit requirements, a maintenance agreement and construction bond for one hundred fifty percent (150%) of the cost of the structure shall be filed with the Administrator prior to construction. The maintenance agreement shall specify who is responsible for maintenance, shall incorporate the maintenance schedule specified by the design engineer, shall require annual inspections by a civil engineer licensed in the state of Washington and shall stipulate abandonment procedures which shall include, where appropriate, provisions for site restoration.

- 9. No in-stream structure shall commence without having obtained all applicable federal, state, and local permits and approvals, including but not limited to a hydraulic project approval (HPA) from the Washington State Department of Fish and Wildlife.
- 10. Shoreline modification projects shall be designed and constructed to avoid or minimize impacts to sediment transport.

6.12 *Mining*

A. Policies

- 1. Mining and associated activities shall be designed and conducted to result in no net loss of shoreline ecological functions and processes. Mining should not be approved where it could interfere with shoreline ecological functions or processes or cause irreparable damage to shoreline resources or features. Application of this policy shall include avoidance and mitigation of adverse impacts during the course of mining and reclamation. The determination of whether there will be no net loss of ecological function shall be based on an evaluation of the reclamation plan required for the site and shall consider impacts on ecological functions during operation. Preference shall be given to mining proposals that result in the creation, restoration, or enhancement of habitat for priority species.
- 2. Mineral prospecting shall be allowed according to the provisions of WAC 220-110-200 through 220-110-206.
- 3. Mining should not be located on shorelines where unavoidable adverse impacts on other users or resources taken together equal or outweigh the benefits from mining.
- 4. Mining should not interfere with public recreation on the shoreline.
- 5. Mining should be located and operated so as to provide long-term protection of water quality, and fish and wildlife habitats.
- Mining, particularly surface or strip mining, should provide for timely restoration of disturbed areas to a biologically productive, attractive semi-natural, or other useful condition through a reclamation process consistent with regulations administered by the Washington State Department of Natural Resources and other applicable local standards.
- 7. Mining of shorelines having high value for recreation, or as fish or wildlife habitat, should generally not be permitted.
- 8. Mining should only be permitted where appropriate studies and detailed operation plans demonstrate that:
 - a. Fish habitat, upland habitat and water quality will not be significantly harmed; and

- b. The operation will not adversely affect geologic or hydrologic processes, channel alignment, nor increase bank erosion or flood damage.
- 9. Mining operations should be located, designed, and managed so that other appropriate uses are not subjected to substantial or unnecessary adverse impacts from noise, vibration, odor, dust or other effects of the operation. The operator may be required to implement measures such as buffers, limited hours, or other mitigating measures to minimize adverse impacts.

- 1. Mining below the OHWM of a river shall be permitted only when:
 - Removal of specified quantities of sand and gravel or other materials at specific locations will not adversely affect the natural processes of gravel transportation for the river system as a whole; and
 - b. The mining and any associated permitted activities will not have significant adverse impacts to habitat for priority species nor cause a net loss of ecological functions of the shoreline.
 - c. Determination of whether the two provisions above have been met shall be made consistent with RCW 90.58.100(1) and WAC 173-26-201(2)(a). Such evaluation of impacts should be appropriately integrated with relevant environmental review requirements of SEPA (RCW Chapter 43.21C) and the SEPA rules (WAC Chapter 197-11).
 - d. In considering renewal, extensions or reauthorization of gravel bar and other inchannel mining operations in locations where they have previously been conducted, local government shall require compliance with this subsection (1) to the extent that no such review has previously been conducted. Where there has been prior review, local government shall review previous determinations comparable to the requirements of this Section to assure compliance with this subsection(1) under current site conditions.
 - e. The provisions of this Section do not apply to dredging of authorized navigation channels when conducted in accordance with WAC 173-26-231(3)(f).
- 2. Mining within any channel migration zone that is within the shoreline jurisdiction shall require a shoreline conditional use permit.
- 3. Mining shall not be permitted in designated fish and wildlife habitat areas except as a part of an approved flood control program or in conjunction with a habitat restoration or enhancement plan, provided that such activities are demonstrated to be water-dependent. A determination of water dependency shall be based on an evaluation of geologic factors such as the distribution and availability of mineral resources for that jurisdiction, and a need for such mineral resources, economic, transportation, and land use factors. This demonstration may rely on analysis or studies prepared for purposes of comprehensive plan designations, and may be integrated with any relevant environmental review conducted under SEPA (RCW Chapter 43.21 C), or

otherwise be shown in a manner consistent with RCW 90.58.100(1) and WAC 173-26-201 (2)(a).

- 4. Application for permits for mining operations shall be accompanied by operation plans, reclamation plans, and analysis of environmental impacts in compliance with local ordinances and sufficient to make a determination as to whether the project will result in net loss of shoreline ecological functions and processes during the course of mining and after reclamation. Creation, restoration, or enhancement of habitat for priority species and the future productivity of the site may be considered in determining no net loss of ecological functions.
- 5. The designation of mineral resource lands of long-term commercial significance and the development of mineral resource activities must demonstrate that mining is dependent on a shoreline location, and that demand cannot reasonably be accommodated in operations outside shoreline jurisdiction. Information required to meet this criteria shall evaluate geologic factors such as the distribution and availability of mineral resources and the need for such mineral resources.
- 6. Renewal, extension, or reauthorization of in-stream and gravel bar mining activities requires review for compliance with WAC 173-26-241(3)(h)(ii)(D)(IV).
- 7. A reclamation plan that complies with the format and detailed minimum standards of RCW 78.44 shall be included with any shoreline permit application for mining. In reviewing reclamation plans together with permit applications, the Administrator shall determine whether or not the plan is also consistent with this Program and other local regulations. An inconsistent reclamation plan shall constitute sufficient grounds for denial of a shoreline permit, provided, the applicant/proponent shall be given reasonable opportunity to revise the plan.
- 8. Subsequent use of reclaimed sites shall be consistent with the provisions of this Program.

6.13 Recreation

A. Policies

- 1. Recreational development includes both commercial and public recreational developments.
- 2. Recreational development should be given priority for shoreline location to the extent that the use facilitates the public's ability to access (visual and physical), enjoy, and use the water and shoreline in accordance with Section 5.4 Public access.
- 3. Recreational uses and development should provide for the preservation and enhancement of scenic views and vistas.

- 4. Ensure that recreational facilities do not interfere with the use and enjoyment of adjacent properties by providing buffering when necessary between the recreation development and adjacent private property.
- 5. Recreational uses and facilities should be designed and located to ensure no net loss of critical areas and shoreline ecological functions.
- 6. Opportunities incorporating educational and interpretive information should be pursued in design and operation of recreation facilities.
- 7. Where consistent with the provisions of this Program, shoreline use and development should specifically support opportunities to increase or enhance the following forms of recreation: boating, fishing, camping, hiking, bicycle riding, swimming, and picnicking.
- 8. Commercial recreational facilities should be consistent with the provisions of Section 6.6 Commercial development.
- 9. Components of an approved recreational use or development that are water-dependent or water-related may be allowed within the shoreline buffer provided that the amount of buffer encroachment and disturbance are the minimum needed to accommodate the water-dependent or water-related component and provided further that the use/development:
 - a. Is located in pre-existing disturbed areas with low habitat value or within the active use area;
 - b. Will not impact a geologically hazardous area;
 - c. Uses low impact development techniques to minimize adverse effects on water quality and habitat; and
 - d. Complies with all other requirements of the Program.
- 10. The Administrator shall determine whether and how much water-dependent or water-related recreational development to allow in the buffer on a case-by-case basis by considering all of the following factors:
 - a. The type and intensity of the proposed recreational use;
 - b. The size and configuration of the parcel and the ability to locate structures and other facilities outside the buffer without significantly diminishing the recreational experience:
 - c. The amount of native vegetation that would be cleared/removed;
 - d. The sensitivity of the aquatic habitat to the disturbances caused by the proposed use: and
 - e. The ability of the proponent to offset unavoidable impacts through compensatory mitigation on-site or at an appropriate off-site location.

- 1. Recreational development is a priority use of the shoreline. Preference shall be given to water-dependent uses such as fishing, swimming, and boating. Water-related and water-enjoyment uses such as picnicking, hiking, and walking are permitted provided they do not displace water-dependent uses and are consistent with the specific shoreline environment. Non-water-related recreation facilities and/or support facilities such as parking lots shall be located in upland areas.
- 2. Linkage of shoreline parks and public access points by means of linear access should be encouraged.
- 3. Commercial and public recreation areas or facilities on the shoreline shall provide physical or visual public access consistent with Section 5.4, Public access.
- 4. Commercial recreational facilities shall be consistent with the provisions of Section 6.6 Commercial development.
- 5. Recreational uses and facilities shall be designed and located to ensure no net loss of critical areas and shoreline ecological functions.
- 6. Recreation facilities shall be designed to take maximum advantage of and enhance the natural character of the shoreline area. The use of native plant species is preferred over the use of plant types that need extensive maintenance and support (mowing, pruning, irrigation, etc.).
- Recreational facilities shall incorporate means to prevent erosion, control the amount
 of runoff and prevent harmful concentrations of chemicals and sediment from
 entering water bodies.
- 8. State-owned shorelines of the state are priority locations for wilderness beaches, ecological study areas and other recreational activities for the general public.
- 9. The location, design, and operation of recreational facilities shall be consistent with the purpose of the environmental designation.
- 10. Within the natural environment, passive water-oriented recreational development, such as primitive trails or primitive campsites, is permitted provided, topography and native vegetation are not substantially altered. Any necessary landscaping or site restoration shall use native or similar self-maintaining vegetation. No permanent structures are allowed in the natural environment.
- 11. Recreational activities in the urban conservancy and rural conservancy environment must be compatible with existing or proposed uses in the area and must not create a noise, traffic, visual, or similar problem.

6.14 Residential development

A. Policies

- 1. Residential development shall be designed and constructed in a way that ensures no net loss of shoreline ecological function.
- Residential development and appurtenant structures and uses should be set back an adequate distance from steep slope areas and shorelines vulnerable to erosion to ensure that shoreline and/or soil stabilization structures will not be needed to protect the residential use. (e.g., bulkheads, rip-rap or other shoreline or slope stabilization structures.)
- 3. Residential development and appurtenant structures and uses should be sited in locations sufficiently set back from flood prone areas to ensure that flood hazard protection measures are not necessary to protect the structure.
- 4. Single-family residences are a priority use when planned and built in accordance with the policies and regulations of this Program. New over-water residences, including floating homes, are not a preferred shoreline use and should be prohibited
- 5. New multi-unit residential developments, including short plats and subdivisions, should provide access (visual and physical) to the shoreline in conformance with Section 5.4, Public access.
- 6. New lot creation should not create a need for new shoreline stabilization or flood hazard reduction measures and should be consistent with the shoreline environment designation policies and general shoreline policies.
- 7. Measures to conserve native vegetation should be implemented in conformance with Section 5.2, Environmental protection and critical areas and Section 5.5 Shoreline buffers and vegetation conservation.
- 8. Whenever possible, non-regulatory methods to protect, enhance and restore shoreline ecological functions and other shoreline resources should be encouraged for residential development. Such methods may include resource management planning, low impact development techniques, voluntary protection and enhancement projects, education, and/or incentive programs.
- 9. Encourage residential development that provides common ownership of the shoreline to protect views of the shoreline, provide equitable access for property owners and to protect the natural character and functions of the shoreline consistent with other provisions in the Master Program.

B. Regulations

1. New residential development, including lot creation, will not be approved in cases when it can be reasonably foreseeable that the use or development would require

structural flood hazard reduction measures within the floodway during the life of the use or development.

- 2. New residential development shall assure that the proposal will not require shoreline or slope stabilization measures. Where located in a designated geologically hazardous area, a geotechnical analysis of the site and shoreline characteristics shall demonstrate that shoreline stabilization is unlikely to be necessary; setbacks from steep slopes, bluffs, landslide hazard areas, seismic hazard areas, riparian shoreline and erosion areas, shall be sufficient to protect structures during the life of the structure; and impacts to adjacent, downslope or down-current properties are not likely to occur during the life of the lots created.
- 3. New over-water residential structures, including floating homes, are prohibited.
- 4. New residential development shall be designed to comply with applicable setbacks, critical area buffers, lot frontage requirements, height limits and density standards.
- 5. Residential development shall make provisions for vegetation conservation in conformance with Section 5.5 Shoreline buffer and vegetation conservation.
- Shoreline access for residential development shall incorporate access to adjacent publicly owned shorelines or public water bodies as provided for in Section 5.4, Public access.

6.15 Shoreline stabilization

Shoreline erosion – including erosion caused by currents, flood, wind or wave action – is a natural phenomenon associated with properly functioning shoreline environments. However, erosion can put existing structures and uses at risk. In some cases, shoreline stabilization is necessary to protect existing uses and development from naturally occurring erosion. Shoreline stabilization includes actions taken to address erosion impacts to property and dwellings, businesses, or structures caused by natural processes, such as current, flood, wind, or wave action. These actions include nonstructural and structural methods.

Nonstructural methods include building setbacks, relocation of the structure to be protected, groundwater management, planning and regulatory measures to avoid the need for structural stabilization.

Structural stabilization measures include:

- Vegetation enhancement;
- Anchor trees;
- · Gravel placement;
- Rock revetments;
- Gabions;
- · Concrete groins;

- Retaining walls and bluff walls; and
- Bulkheads.

Structural stabilization measures can be "hard" or "soft." "Hard" structural stabilization refers to those with solid, hard surfaces, such as concrete bulkheads, while "soft" structural measures rely on less rigid materials, such as biotechnical vegetation measures.

Generally, the harder the construction measure, the greater the impact on shoreline processes, including sediment transport, geomorphology, and biological functions. Additionally, hard structures, especially vertical walls, often create conditions that lead to failure of the structure. Failed bulkheads and walls adversely impact beach aesthetics, may be a safety or navigational hazard, and may adversely impact shoreline ecological functions.

A. Policies

- Nonstructural alternatives of stabilization should be encouraged over structural methods, whenever possible. Such alternatives may include no action, increased building setbacks, building relocation, drainage controls, and bioengineering, including vegetative stabilization.
- 2. New structures should be located and designed to avoid the need for future shoreline stabilization where feasible. New lots created through short plat or subdivision should be designed to assure that future use or development on the created lots will not require structural shoreline stabilization for reasonable use or development to occur.
- 3. New or expanded structural shoreline stabilization should be permitted only where demonstrated to be necessary to protect an existing primary structure that is in imminent danger of loss or substantial damage, and where mitigation of impacts would not cause a net loss of shoreline ecological functions and processes.
- 4. New or expanded structural shoreline stabilization for ecological enhancement, restoration, or hazardous substance remediation projects should be allowed only when non-structural measures, vegetation planting, or on-site drainage improvements would be insufficient to achieve enhancement, restoration or remediation objectives.
- 5. Shoreline stabilization should not interfere with public access to shorelines.
- 6. New shoreline stabilization should not cause significant impacts to adjacent or down-current properties.
- 7. Shoreline stabilization should be developed in a coordinated manner among affected property owners and public agencies. Where erosion threatens existing uses or developments, a comprehensive program for shoreline management should be established.

- 8. Non-regulatory methods to protect, enhance, and restore shoreline ecological functions and other shoreline resources should be encouraged for shoreline stabilization. Non-regulatory methods may include public facility and resource planning, technical assistance, education, voluntary enhancement and restoration projects, or other incentive programs.
- 9. Materials used for construction of shore stabilization should be selected for long-term durability, ease of maintenance, compatibility with local shore features including aesthetic values, and flexibility for future uses.
- 10. All shore stabilization activities must be designed and constructed to accepted engineering standards.
- 11. Breakwaters, jetties, groins, and weirs are shoreline stabilization structures, which should be allowed only when necessary to support water-dependent uses, public access, shoreline stabilization, or other specific public purposes, and should be designed to protect critical areas and provide for mitigation.

- 1. New uses and developments shall be located and designed to avoid the need for future shoreline stabilization to the extent feasible.
- 2. Subdivision of land should not create lots that will require shoreline stabilization in order for reasonable use or development to occur.
- 3. New uses and developments on steep slopes or bluffs shall be set back sufficiently to ensure that shoreline stabilization is unlikely to be necessary during the life of the structure, as demonstrated by a geotechnical analysis.
- New uses and developments that would require shoreline stabilization which causes significant impacts to adjacent or down-current properties and shoreline areas shall not be allowed.
- 5. New structural stabilization measures shall only be allowed for the following instances, and then only when necessity is demonstrated based on criteria included in this Section:
 - a. When necessary to protect an existing primary structure;
 - b. In support of new non-water-dependent development, including single-family residence;
 - c. In support of new water-dependent development; and
 - d. To protect projects for the restoration of ecological functions or hazardous substance remediation projects.
- 6. New or enlarged structural shoreline stabilization measures for an existing primary structure, including residences, are permitted only if there is conclusive evidence,

documented by a geotechnical analysis, that the structure is in danger from shoreline erosion caused by stream processes or waves. Normal sloughing, erosion of steep bluffs, or shoreline erosion itself, without a scientific or geotechnical analysis, is not demonstration of need. The geotechnical analysis shall evaluate on-site drainage issues and address drainage problems away from the shoreline edge before considering structural shoreline stabilization.

- 7. New structural stabilization for new non-water-dependent development, including single-family residences, is permitted only if it can be demonstrated that:
 - a. The erosion is not being caused by upland conditions, such as the loss of vegetation and drainage;
 - Nonstructural measures, such as placing the proposed use or development further from the shoreline, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient; and
 - c. The need to protect primary structures from damage due to erosion is demonstrated through a geotechnical report that states damage was caused by natural processes, such as stream processes or waves.
- 8. New structural stabilization for water-dependent development is permitted only if it can be demonstrated that:
 - a. The erosion is not being caused by upland conditions, such as the loss of vegetation and drainage;
 - b. Nonstructural measures, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient; and
 - c. The need to protect primary structures from damage due to erosion is demonstrated through a geotechnical report.
- 9. New structural stabilization to protect projects for the restoration of ecological functions or hazardous substance remediation projects is permitted only if it can be demonstrated that nonstructural measures, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient.
- 10. An existing shoreline stabilization structure may be replaced with a similar structure if there is a demonstrated need to protect primary uses or structures or public facilities from erosion caused by stream undercutting or wave action.
- 11. Soft shoreline stabilization measures that provide restoration of shoreline ecological functions may be permitted waterward of the OHWM, provided a geotechnical analysis documents that alternative solutions are not feasible or do not provide sufficient protection.
- 12. Replacement walls or bulkheads shall not encroach waterward of the OHWM or existing structure unless the residence was occupied prior to January 1, 1992, and there are overriding safety or environmental concerns. In such cases, the replacement structure shall abut the existing shoreline stabilization structure.

- 13. All new, expanded, or replacement shoreline stabilization shall be permitted only if it can be demonstrated that the erosion rate exceeds that which would normally occur in a natural condition, that the measure does not interfere with fluvial hydrological and geo-morphological processes normally acting in natural conditions, and that the proposed measures will not result in a net loss of shoreline ecological functions.
- 14. For purposes of this Section, "replacement" means the construction of a new structure to perform a shoreline stabilization function of an existing structure which can no longer adequately serve its purpose. Additions to or increases in size of existing shoreline stabilization measures shall be considered new structures.
- 15. Geotechnical reports that address the need to prevent potential damage to a primary structure shall address the necessity for shoreline stabilization by estimating time frames and rates of erosion and report on the urgency associated with the specific situation. Hard armoring solutions should not be authorized except when a geotechnical report confirms that there is a significant possibility that the primary structure will be damaged within three (3) years as a result of shoreline erosion in the absence of hard armoring measures, or where waiting until the need is that immediate, would foreclose the opportunity to use measures that avoid impacts on ecological functions. Where the geotechnical report confirms a need to prevent potential damage to a primary structure, but the need is not as immediate as the three (3) years, the report may still be used to justify more immediate authorization to protect against erosion using soft measures.
- 16. When structural shoreline stabilization measures are demonstrated to be necessary, the following provisions shall apply:
 - a. The size of stabilization measures shall be limited to the minimum necessary. Use measures designed to assure no net loss of shoreline ecological functions;
 - b. Soft approaches shall be used unless demonstrated not to be sufficient to protect primary structures, dwellings, and businesses; and
 - c. Publicly financed or subsidized shoreline erosion control measures should not restrict appropriate public access to the shoreline except where such access is not feasible because of incompatible uses, safety, security, or harm to ecological functions. See Section 5.4 Public access. Where feasible, incorporate ecological restoration and public access improvements into the project.
- 17. Breakwaters, jetties, groins, and weirs shall:
 - a. Be located waterward of the OHWM and shall be allowed only where necessary to support water-dependent uses, public access, shoreline stabilization, or other specific public purposes; and
 - b. Require a conditional use permit; except for those structures installed to protect or restore ecological functions.
- 18. Shoreline stabilization projects shall be designed to protect critical areas and shall avoid and reduce significant ecological impacts by providing for mitigation according to the sequence in Section 5.2.B.2.

- 19. Public access shall be required as part of publicly-financed shoreline erosion control measures.
- 20. Shoreline stabilization projects shall be designed and constructed to avoid or minimize impacts to sediment transport.

6.16 Shoreline restoration and habitat enhancement

A. Policies

- 1. Restoration actions should improve shoreline ecological functions and processes as well as shoreline features and should promote sustainability of sensitive and/or regionally important plant, fish, and/or wildlife species and their habitats.
- Restoration and enhancement of shorelines should be designed using principles of landscape and conservation ecology and should restore or enhance chemical, physical, and biological watershed processes that create and sustain shoreline habitat structures and functions.
- 3. Provide, where feasible and desirable, restoration of degraded areas along the shorelines of Kittitas County.
- Restoration should be used to complement and not take the place of the shoreline protection strategies required by this Program to achieve the greatest overall ecological benefit.
- 5. Consider opportunities to seek funding from state, federal, private and other sources to implement planned restoration, enhancement, and acquisition projects.
- 6. Develop processing guidelines that will streamline the review of restoration only projects.
- 7. Encourage public and private shoreline owners to promote the proliferation of native, noninvasive wildlife, fish, and plants.
- 8. Ensure that long-term maintenance and monitoring of restoration sites is included in the original permitting of the project.
- 9. Support voluntary and cooperative restoration efforts between local, state, and federal public agencies, tribes, non-profit organizations, and landowners to improve shorelines with impaired ecological functions and/or processes.
- 10. Restoration projects should be coordinated with applicable local public utility and conservation districts.
- 11. Restoration should be integrated with and should support other natural resource management efforts in Kittitas County.

- 12. Jurisdictions should coordinate with state resource agencies to develop educational materials which promote the maintenance and restoration of shoreline functions. Educational materials shall provide resources for a variety of scenarios and trends occurring within the shoreline that is reflected in the inventory and analysis, such as: the conversion of agricultural land to non-agricultural use; existing and ongoing agricultural uses; and existing or planned residential and commercial development.
- 13. Encourage the agricultural industry to continue to work closely with agencies, such as the Natural Resource Conservation Service and conservation districts, with expertise in agricultural practices and restoration to improve degraded shoreline functions.
- 14. Allow for the use of tax incentive programs, mitigation banking, restoration grants, land swaps, or other programs, as they are developed, to encourage restoration of shoreline ecological functions and to protect habitat for fish, wildlife, and plants.
- 15. Jurisdictions should pursue the development of a public benefit rating system that provides incentives for the restoration of the shoreline.

B. Regulations

In addition to the regulations below, shoreline restoration and habitat enhancement is regulated though Section 5.2 Environmental protection and critical areas, Section 5.5 Shoreline buffers and vegetation conservation, and Section 5.6 Water quality, stormwater, and nonpoint pollution.

- Restoration shall be carried out in accordance with a County or resource agencyapproved restoration plan and in accordance with the policies and regulations of this Program.
- All shoreline restoration and enhancement projects shall protect the integrity of adjacent natural resources, including aquatic habitats and water quality, and shall not result in significant adverse changes to ecological functions, processes or properties.
- 3. Restoration projects shall be monitored and maintained to ensure they achieve their intended restoration goals. The project proponent shall assess and document each restoration project according to the requirements prescribed by the applicable authorizing or funding agency. The project proponent shall be responsible for implementing corrective actions as needed to ensure the project's ecological benefits are sustainable over time.
- 4. The Administrator shall track and document shoreline restoration efforts and their expected and actual contribution to shoreline ecological functions on a regular and ongoing basis as part of demonstrating whether no net loss is being achieved.

- 5. The Administrator, at his/her discretion, may waive or reduce review fees for shoreline enhancement projects that meet either of the following criteria, provided a reciprocal fee agreement has been approved by the Board of County Commissioners:
 - a. Sponsored projects: Restoration and enhancement projects sponsored by Kittitas County, Washington State Department of Fish and Wildlife, Kittitas County Conservation District, Natural Resources Conservation Service, United States Fish and Wildlife Service, Washington State Department of Natural Resources, Yakama Nation, Yakima Basin Fish & Wildlife Recovery Board, Yakima Tributary Access & Habitat Program, or other public agency approved by the Administrator which are consistent with the County comprehensive plan or other plans adopted by the Kittitas County Board of Commissioners.
 - b. Vegetation planting/removal: Planting of native vegetation or removal of nonnative species for the enhancement of a shoreline buffer or designated critical area; provided that such activities are limited to the area being enhanced.

6.17 *Signs*

A. Policies

- Signs should be located, designed, and maintained to be visually compatible with local shoreline scenery as seen from both land and water, especially on shorelines of statewide significance.
- 2. Sign location and design should not significantly impair shoreline views or public access.

B. Regulations

1. Signs may be permitted above the OHWM in any shoreline environment, subject to the locally adopted signage standards.

6.18 Transportation

A. Policies

- 1. New public or private transportation facilities should be located inland from the water, out of the shoreline, unless:
 - a. Perpendicular water crossings are required for access to authorized uses consistent with this Program; or
 - b. Facilities are primarily oriented to pedestrian and non-motorized use and provide an opportunity for a substantial number of people to enjoy shoreline areas, and are consistent with policies and regulations in Section 5.2 Environmental protection and critical areas.

- 2. Transportation facilities should be located and designed to avoid public recreation and access areas and significant natural, historic, archaeological or cultural sites.
- 3. Parking shall only be allowed to support authorized uses.
- 4. Circulation planning shall include systems for pedestrian, bicycle and public transportation where appropriate. Circulation planning and projects should support existing and proposed shoreline uses that are consistent with this Master Program.
- 5. Transportation system route planning, acquisition, and design in the shoreline should provide space wherever possible, for compatible multiple uses such as utility lines, pedestrian shore access or view points, or recreational trails.
- 6. Transportation system plans and projects within shorelines should accommodate non-motorized traffic such as pedestrians, bicyclists, or equestrians. Space for such uses should be encouraged along roads on shorelines and should be considered when rights-of-way are being disposed of or abandoned.
- 7. Viewpoints, parking, trails and similar improvements should be considered for inclusion in transportation system projects in shoreline areas.
- 8. Public transportation routes should be located, designed, and maintained to provide safe enjoyment of adjacent shoreline areas.

- 1. Roads and railroads shall not be located within a designated shoreline except where it is necessary to cross a stream corridor, or where an existing use, development, topography, and other conditions preclude locations outside the shoreline.
 - a. Construction of roadways across stream corridors shall be by the most direct route possible having the least impact to the stream corridor.
 - b. Roadways that must run parallel to stream or wetland edges shall be along routes having the greatest possible distance from stream or wetland and the least impact to the corridor.
 - c. Roadways within the stream corridor shall not hydrologically obstruct, cut-off, or isolate stream corridor features.
- Material excavated from the roadway area to achieve the design grade shall be used as fill where necessary to maintain grade, or shall be transported outside the shoreline.
- 3. Necessary fill to elevate new roadways shall not impede the normal flow of floodwaters or cause displacement that would increase the elevation of flood waters such that it would cause properties not in the floodplain to be flood-prone.
- 4. Spoil, construction waste, and other debris shall not be used as road fill or buried within the shoreline.

- 5. Bridges and water crossing structures shall not constrict the stream channel or impede the flow of the ordinary high water, sediment, and woody debris.
- 6. Natural stream channels and drainage ways shall be preserved through the use of bridges for crossings, unless the use of culverts is demonstrated to be the only technically feasible means for crossing. The use of bridges shall be the preferred means to preserve natural streams and drainage ways. Where bridges are not feasible, large, natural bottom culverts, multi-plate pipes and bottomless arches shall be used.
- 7. The alignment and slope of culverts shall parallel and match the natural flow of streams or drainage ways, unless doing so conflicts with subsections 1 and 2 above, and shall be sized to accommodate the OHWM, sediment, debris and ice.
- 8. Culverts for stream crossings, if needed, shall be designed according to applicable state and federal criteria for fish passage as required by law and regulation.
- 9. At least one end of a wood stringer bridge shall be anchored to prevent it from being washed away during high water.
- 10. Roads must be designed and constructed using established flood resistant and design and construction methods when they may be subject to damage by floodwaters.
- 11. Parking is not a preferred shoreline use and shall be allowed only as an accessory use to an authorized primary use when no other feasible alternative exists.
- 12. Authorized parking areas shall be designed and constructed to minimize the visual impact of parking facilities from the shoreline and to prevent environmental impacts to the shoreline.

6.19 Utilities

A. Policies

- 1. New utility facilities should be located so as not to require extensive shoreline protection works.
- 2. Utility facilities and corridors should be located so as to protect scenic views. Whenever possible, such facilities may be placed underground, or alongside or under bridges.
- 3. Utility facilities and rights-of-way should be designed to preserve the natural landscape and to minimize conflicts with present and planned land uses.

- 1. Utilities are services and facilities that produce, transmit, carry, store, process, or dispose of electric power, gas, water, sewage, communications, oil, and the like. The provisions in this Section apply to primary uses and activities, such as solid waste handling and disposal, sewage treatment plants, pipelines and outfalls, public high-tension utility lines on public property or easements, power generating or transfer facilities, and gas distribution lines and storage facilities that are water-dependent. The provisions in this Section do not apply to utility facilities accessory to an existing use or accessory to a new use or development undergoing review by this SMP.
- 2. Non-water dependent utilities should be placed outside of shoreline jurisdiction unless no other feasible option exists.
- 3. All utility facilities shall be designed and located to assure no net loss of shoreline ecological functions, preserve the natural landscape, and minimize conflicts with present and planned land and shoreline uses while meeting the needs of future populations in areas planned to accommodate growth. The Administrator may require the relocation or redesign of proposed utility development in order to ensure no net loss of ecological function.
- 4. Utility production and processing facilities, such as power plants and sewage or stormwater treatment facilities, or parts of those facilities that are non-water-oriented shall not be allowed in shoreline areas unless it can be demonstrated that no other feasible option is available. In such cases, significant ecological impacts shall be avoided.
- 5. Transmission facilities for the conveyance of services, such as power lines, cables, and pipelines, shall be located outside of the shoreline area where feasible and when necessarily located within the shoreline area shall assure no net loss of shoreline ecological functions. Utilities should be located in existing rights-of-way and corridors whenever feasible.
- 6. Development of pipelines and cables on shorelines, particularly those running roughly parallel to the shoreline, and development of facilities that may require periodic maintenance or that cause significant ecological impacts shall not be allowed unless no other feasible option exists. When permitted, those facilities shall include adequate provisions to protect against significant ecological impacts.
- 7. Restoration of ecological functions shall be a condition of new and expanded non-water-dependent utility facilities. The Administrator or designee will consult the provisions of this SMP and determine the applicability and extent of ecological restoration required. The extent of ecological restoration shall be that which is reasonable given the specific circumstances of utility development.

- 8. New solid waste disposal sites and facilities are prohibited. Existing solid waste disposal and transfer facilities in shoreline jurisdiction shall not be added to or substantially reconstructed.
- 9. New electricity, communications and fuel lines shall be located underground, except where the presence of bedrock or other obstructions make such placement infeasible or if it is demonstrated that above-ground lines would have a lesser impact. Existing aboveground lines shall be moved underground during normal replacement processes.
- 10. Transmission and distribution facilities shall cross areas of shoreline jurisdiction by a route that has the least ecological impact to the shoreline.
- 11. Utility developments shall be located and designated so as to avoid or minimize the use of any structural or artificial shoreline stabilization or flood protection works.
- 12. Utility production and processing facilities shall be located outside shoreline jurisdiction unless no other feasible option exists. Where major facilities must be placed in a shoreline area, the location and design shall be chosen so as not to destroy or obstruct scenic views, and shall meet no-net-loss standards.
- 13. All underwater pipelines transporting liquids intrinsically harmful to aquatic life or potentially injurious to water quality are prohibited, unless no other feasible alternative exists. In those limited instances when permitted by conditional use, automatic shut-off valves shall be provided on both sides of the water body.
- 14. Filling in shoreline jurisdiction for development of utility facility or line purposes is prohibited. Permitted crossings shall utilize pier or open pile techniques.
- 15. Power-generating facilities shall require a conditional use permit.
- 16. Clearing of vegetation for the installation or maintenance of utilities shall be kept to a minimum and upon project completion any disturbed areas shall be restored to their pre-project condition.
- 17. Telecommunication towers, such as radio and cell phone towers, are specifically prohibited in shoreline jurisdiction.
- 18. Utilities that need water crossings shall be placed deep enough to avoid the need for bank stabilization and stream/riverbed filling both during construction and in the future due to flooding and bank erosion that may occur over time. Boring, rather than open trenching, is the preferred method of utility water crossing.
- 19. Water systems for irrigation or domestic supply are permitted uses if allowable under Washington State water laws and regulations.

6.20 Shoreline bulk and dimensional standards

A. Policies

1. Standards for density, setbacks, height, and other provisions should ensure no net loss of shoreline ecological functions and/or processes, and should preserve the existing character of the shoreline, consistent with the purpose of the shoreline environment designations.

- 1. Table 6.21-1 establishes the minimum dimensional requirements for shoreline use development. Dimensional standards are measured on the horizontal plane, as applicable. Dimensional standards relating to critical areas are governed by the provisions of Section 5.2 Environmental protection and critical areas.
- 2. Bulk and dimensional standards shall be coordinated with KCC Title 17, Zoning and other Kittitas County development standards to protect the natural character of the shoreline and ensure no net loss of shoreline ecological functions and processes consistent with the purpose of the environment designation. In the event the provisions of this Program conflict with provisions of federal, state or Kittitas County regulations, the provision that is more protective of shoreline resources shall prevail, when consistent with SMA policy.
- 3. No new structures within the shoreline shall exceed a height of thirty-five (35) feet above average grade level, except as provided herein.
- 4. Proposals for new or expanded commercial, multi-family or mixed use structures exceeding the thirty-five (35) foot building height limitation shall only be allowed with a Shoreline Variance where the Administrator finds the following standards are met:
 - a. The proposed building shall not obstruct the view of the water for a substantial number of residential buildings located with a view of the adjoining shoreline.
 - b. The applicant shall provide a view analysis identifying the properties and structures located within the view corridor for that shoreline demonstrating the level of obstruction represented by the proposed structure for each affected property.
 - c. The view corridor shall include residential buildings located outside of the shoreline area if it can be clearly demonstrated that the property has significant water views.
 - d. To insure that the analysis is cumulative in nature, it shall include vacant existing parcels of record as well as existing structures. Vacant parcels of record shall be assumed to be developed with structures complying with the thirty-five (35) foot height limitation.
 - e. The proposed structure shall not obstruct more than thirty percent (30%) of the view of the shoreline enjoyed by the structures within the view corridor.

- f. The structure shall be located and oriented on the subject property in a manner that diminishes the potential view impact.
- g. No side yard setbacks shall be reduced to accommodate the proposed structure. Side yard setbacks may be increased where necessary to mitigate potential view obstruction resulting from the proposed structure.
- h. Extraordinary circumstances are demonstrated and the public interest will be served by the proposed use or development.
- 5. Where permitted above ground, power poles and transmission towers are not subject to height limits but shall not be higher than necessary to address public safety and meet federal and state standards.
- 6. The following types of development are not subject to side yard setbacks, provided that they are constructed and maintained in a manner that minimizes adverse impacts on shoreline functions and processes, and provided further that they comply with all applicable regulations in Sections 5.2 Environmental protection and critical areas and 5.5 Shoreline buffers and vegetation conservation:
 - a. Those portions of approved water-dependent development that require a location waterward of the OHWM of rivers and lakes, associated wetlands and/or within their associated buffers.
 - b. Underground utilities.
 - c. Modifications to existing development that are necessary to comply with environmental requirements of any agency, when otherwise consistent with this Program, provided that the Administrator determines that the facility cannot meet the dimensional standard and accomplish the purpose for which it is intended and the facility is located, designed, and constructed to meet specified dimensional standards to the maximum extent feasible, and the modification is in conformance with the provisions of Section 7.2.3 Prior development and Section 7.2.4 Non-conformance.
 - d. Roads, railways and other essential public facilities that must cross shorelines and are necessary to access approved water-dependent development.
 - e. Stairs and walkways not greater than five (5) feet in width or eighteen (18) inches in height above grade, except for railings.
 - f. An essential public facility or public utility where the Administrator determines that no feasible alternative location will accommodate the use.
 - g. Shared moorages shall not be subject to side yard setbacks when located on or adjacent to a property line shared in common by the project proponents.
- 7. Common line shoreline buffer: To ensure new single-family dwellings have similar, though not necessarily equivalent, shoreline views as existing development, a common line shoreline buffer determined by averaging the buffers for each of the adjacent residential dwelling units on the shoreline may be utilized for the development of a single-family dwelling where:
 - a. The lot was a legal lot of record in place on the date of adoption of this Program;

- The lot is located adjacent to existing residential dwelling units on both adjacent shoreline lots;
- c. The lot is located within an urban growth area, planned unit development, Limited Area of More Intense Rural Development (LAMIRD), rural recreation zoning district, or cluster development;
- d. There is less than fifteen (15) feet of elevation difference between the vacant lot and adjacent lots and less than two hundred fifty (250) cubic yards of grade or fill is required to accommodate use of the common line shoreline buffer; and
- e. A management and mitigation plan prepared by a qualified professional shall be submitted and approved which demonstrates no net loss of ecological functions for the site in conformance with Sections 5.2 Environmental protection and critical areas and 5.5 Shoreline buffers and vegetation conservation.
- 8. Shoreline buffers shall comply with Sections 5.2 Environmental protection and critical areas and 5.5 Shoreline buffers and vegetation conservation.
- 9. Standards which apply to impervious surface area and water quality review are found in Section 5.6, Water quality, stormwater and nonpoint pollution.
- 10. Density for subdivisions, short plats, and multi-family and duplex development shall be calculated based on the total area of the parent parcel including those areas located outside of shoreline jurisdiction. Submerged lands within the boundaries of any waterfront parcel that are located waterward of the OHWM shall not be used in density calculations. The density of that portion of the parent parcel located outside of the shoreline jurisdiction shall be limited to the density permitted by the underlying zoning district.
- 11. Lot frontage: Lot frontage standards are provided in Table 6.21-1. Lot frontage standards of underlying zoning districts and/or development standards of each jurisdiction may be more restrictive. The most restrictive lot frontage standard shall apply. Lot frontage refers to the minimum lot frontage for any division or exempt parcel transfer, or parcel boundary modification permitted by a local jurisdiction on the shoreline. Lot frontage shall be measured at right angles along a horizontal distance, between the side lot lines, at the most landward point of the OHWM. Lot frontage requirements are measured in feet.
- 12. Reduced setbacks: the building setbacks listed in Table 6.21-1 may be reduced by twenty-five (25) percent where the applicant demonstrates that:
 - a. Compliance with the standard setback significantly interferes with development potential due to the unique size, shape or natural features of the lot;
 - b. The design of the project is compatible with other authorized and planned uses within the area; and
 - c. The project will not cause adverse impacts to the shoreline environment.

6.21 Shoreline Bulk and Dimensional Standards Table

Table 6.21-1: Shoreline Bulk and Dimensional Standards

Shoreline Bulk and Dimensional Standards(1)					
	Urban Conservancy	Shoreline Residential	Rural Conservancy	Natural	Aquatic
Shoreline Buffer(2)	100'	100'	100'	150'	N/A
Building Setback (measured from edge of shoreline buffer) (3)	15'	15'	15'	15'	N/A
Height	35'	35'	35'	35'	N/A
Maximum Impervious Surface Coverage	N/A	N/A	10%	N/A	N/A
Lot Frontage	60'	60'	300'	300'	N/A
Other (density, etc.)	Governed by underlying zone				

Notes to Shoreline Bulk and Dimensional Standards Table:

^{1.} Where the standards of this table conflict with the standards of the underlying zone, the standard that is most protective of shoreline ecological function shall apply.

^{2.} Unless common line shoreline buffer provisions of 6.20.B.7 are met.

^{3.} Unless reduced setback provisions of 6.20.B.12 are met.

7. Administration and procedures

Sections

- **7.1** Purpose
- **7.2** Applicability
- **7.3** Exemptions
- **7.4** Types of permits
- **7.5** Review authority
- 7.6 Review criteria
- 7.7 Review procedures
- **7.8** Appeals
- **7.9** Timing
- 7.10 Revisions
- **7.11** Liberal construction
- **7.12** Enforcement
- 7.13 Amendments to SMP

7.1 Purpose

The purpose of this Shoreline Management Program is to provide for the administration and management of uses and development within the shoreline jurisdiction in a manner consistent with RCW 90.58, the Shoreline Management Act, and other rules and guidelines adopted by the Washington State Department of Ecology.

7.2 Applicability

1. Generally

Except when specifically exempted by statute, all proposed uses and development occurring within shoreline jurisdiction must conform to RCW Chapter 90.58, the Shoreline Management Act, and this master program. No substantial development shall be undertaken on shorelines of the state without first obtaining a permit. See also Section 1.7 Applicability.

2. Agricultural activities on agricultural lands

Nothing in this SMP shall require modification of or limit agricultural activities occurring on agricultural lands. However, new agricultural activities on land not meeting the definition of agricultural land, conversion of agricultural lands to other uses, and development not meeting the definition of agricultural activities is subject to the provisions of this SMP.

3. Prior development

The provisions of WAC 173-27-070 shall apply to substantial development undertaken prior to the effective date of the Act.

4. Nonconformance

a. Applicability.

- i. The following provisions apply to lots, structures and uses lawfully established prior to the effective date of this master program, or amendments thereto, which do not conform to the current regulations or standards of this program.
- The following provisions do not apply to lots, structures or uses that were unlawfully established.

b. Nonconforming lots.

i. An undeveloped lot, tract, parcel, site, or division of land located landward of the ordinary high water mark which was established in accordance with local and state subdivision requirements prior to the effective date of this master program but which does not conform to the present lot size standards may be developed as permitted by the land use regulations of the local government so long as such development conforms to all other requirements of the applicable master program and the act.

c. Nonconforming structures.

- Nonconforming structures may be maintained, repaired, renovated, and remodeled, provided such activity does not enlarge or expand the structure.
- ii. Nonconforming structures may be enlarged or expanded provided that said enlargement does not increase the extent of nonconformity by further encroaching upon or extending into areas where construction would not be allowed for new development.
- iii. Enlarging or expanding a nonconforming non-residential structure in a manner that increases the extent of nonconformity requires a variance.
- iv. Enlarging or expanding nonconforming residential structures used for a conforming use in a manner that increases the extent of nonconformity may be allowed if the change is consistent with the provisions of this Program and demonstrates no net loss of shoreline ecological functions.
- v. Nonconforming single-family residences may increase their height within the existing structural footprint up to maximum of thirty-five (35) feet without requiring a variance.
- vi. A nonconforming structure which is moved any distance must be brought into conformance with this Program and the Act.
- vii. Damaged nonconforming structures outside frequently flooded areas may be reconstructed to those configurations existing immediately prior to the time the development was damaged. Reconstruction of nonconforming development located in frequently flooded areas shall comply with reconstruction regulations contained within the Kittitas County Flood Prevention Ordinance (KCC Chapter 14.08– December 2014).

d. Nonconforming uses.

- i. Nonconforming uses may be continued consistent with their lawfully established scale and range of uses.
- ii. A structure which is being or has been used for a nonconforming use may be used for a different nonconforming use only upon the approval of a conditional use permit. In addition to the conditional use permit criteria of Section 7.6.3, a conditional use permit for a change in a nonconforming use may be approved only upon a finding that:
 - (a) No reasonable alternative conforming use is practical because of the configuration of the structure and/or the property;
 - (b) The proposed use will be at least as consistent with the policies and provisions of the Act and this Program and as compatible with the uses in the area as the pre-existing use;
 - (c) The use or activity is enlarged, intensified, increased or altered only to the minimum amount necessary to achieve the intended functional purpose;
 - (d) The structure(s) associated with the nonconforming use shall not be expanded in a manner that increases the extent of the non-conformity, including encroachment into areas such as setbacks, and any critical areas and/or associated buffers where new structures, use, or development would not be allowed:
 - (e) The shoreline buffer and vegetation conservation standards of this Program are met (see Section 5.5);
 - (f) The change in use, remodel, or expansion will not create adverse impacts to shoreline ecological functions and/or processes;
 - (g) Uses which are specifically prohibited or which would thwart the intent of the Act or this Program shall not be authorized; and
 - (h) Conditions necessary to assure that the use will not become a nuisance or a hazard have been attached to the permit.
- e. Redevelopment of nonconforming rights-of-way and associated transportation structures, such as railroad trestles, may be permitted for purposes of facilitating the development of public trails and/or public shoreline access; provided, that such redevelopment shall be otherwise consistent with the provisions of this Program, including, but not limited to, the provisions for public access and no net loss of shoreline ecological functions and processes, except as provided for in Section 7.3 of this chapter.
- f. If a nonagricultural nonconforming use is discontinued for twelve (12) consecutive months or for twelve (12) months during any two-(2)-year period, the nonconforming rights shall expire and any subsequent use shall be conforming.

7.3 Permit exemptions

1. General provisions.

a. Only those uses and developments that meet the precise terms of one (1) or more of the listed exemptions may be granted exemption from the substantial development

- permit process.
- An exemption from the substantial development permit process is not an exemption from compliance with the Act or Master Program or from any other regulatory requirements.
- c. The burden of proof that a development or use is exempt from the permit process is on the applicant.
- d. If any part of a proposed use or development is not eligible for exemption, then a substantial development permit is required for the entire proposal.
- e. Conditions may be attached to the approval of exempted uses or developments as necessary to assure consistency of the project with the Act and the Master Program.
- 2. <u>Developments exempt from shoreline substantial development permitting process</u>.

Subject to the general provisions above, exempt activities include those set forth in WAC 173-27-040(2) and RCW 90.58.030, as amended:

- a. Any use or development of which the total cost or fair market value, whichever is higher, does not exceed seven thousand forty seven dollars (\$7,047), if such use or development does not materially interfere with the normal public use of the water or shorelines of the state. The dollar threshold established in this subsection will be adjusted for inflation by the office of financial management every five (5) years, according to WAC 173-27-040(2)(a). For purposes of determining whether or not a permit is required, the total cost or fair market value shall be based on the value of development that is occurring on shorelines of the state as defined in RCW 90.58.030 (2)(c). The total cost or fair market value of the development shall include the fair market value of any donated, contributed or found labor, equipment or materials.
- b. Normal maintenance or repair of existing structures or developments, including damage by accident, fire or elements. "Normal maintenance" includes those usual acts to prevent a decline, lapse, or cessation from a lawfully established condition. "Normal repair" means to restore a development to a state comparable to its original condition including, but not limited to, its size, shape, configuration, location and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to shoreline resource or environment. Replacement of a structure or development may be authorized as repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including, but not limited to, its size, shape, configuration, location and external appearance and the replacement does not cause substantial adverse effects to shoreline resources or environment.
- c. Construction of the normal protective bulkhead common to single-family residences. A "normal protective" bulkhead includes those structural and nonstructural developments installed at or near, and parallel to, the OHWM for the sole purpose of protecting an existing single-family residence and appurtenant structures from loss or damage by erosion. A normal protective bulkhead is not exempt if constructed for the purpose of creating dry land. When a vertical or near vertical wall is being

constructed or reconstructed, not more than one (1) cubic yard of fill per one (1) foot of wall may be used as backfill. When an existing bulkhead is being repaired by construction of a vertical wall fronting the existing wall, it shall be constructed no further waterward of the existing bulkhead than is necessary for construction of new footings. When a bulkhead has deteriorated such that an OHWM has been established by the presence and action of water landward of the bulkhead, then the replacement bulkhead must be located at or near the actual OHWM. Bioengineered erosion control projects may be considered a normal protective bulkhead when any structural elements are consistent with the above requirements and when the project has been approved by the Washington State Department of Fish and Wildlife.

- d. Emergency construction necessary to protect property from damage by the elements. An "emergency" is an unanticipated and imminent threat to public health, safety, or the environment which requires immediate action within a time too short to allow full compliance with this chapter. Emergency construction does not include development of new permanent protective structures where none previously existed. Where new protective structures are deemed by the Administrator to be the appropriate means to address the emergency situation, upon abatement of the emergency situation the new structure shall be removed or any permit which would have been required, absent the emergency, obtained, pursuant to RCW Chapter 90.58 and this Master Program. All emergency construction shall be consistent with the policies of RCW Chapter 90.58 and this Master Program. As a general matter, flooding or other seasonal events that can be anticipated and may occur but that are not imminent are not an emergency.
- e. Construction and practices normal or necessary for farming, irrigation, and ranching activities, including agricultural service roads and utilities on shorelands, construction of a barn or similar agricultural structure, and the construction and maintenance of irrigation structures including, but not limited to, head gates, pumping facilities, and irrigation channels. Provided that a feedlot of any size; all processing plants; other activities of a commercial nature; alteration of the contour of the shorelands by leveling or filling other than that which results from normal cultivation; shall not be considered normal or necessary farming or ranching activities. A feedlot shall be an enclosure or facility used or capable of being used for feeding livestock hay, grain, silage, or other livestock feed, but shall not include land for growing crops or vegetation for livestock feeding and/or grazing, nor shall it include normal livestock wintering operations. See definition of "feedlot" at Section 2.37.
- f. Construction or modification of navigational aids such as channel markers and anchor buoys.
- g. Construction on shorelands by an owner, lessee or contract purchaser of a single-family residence for their own use or for the use of their family, which residence does not exceed a height of thirty-five (35) feet above average grade level and which meets all requirements of the County, other than requirements imposed pursuant to RCW Chapter 90.58. "Single-family residence" means a detached dwelling designed for and occupied by one (1) family including those structures and developments within a contiguous ownership which are a normal appurtenance. An "appurtenance" is necessarily connected to the use and enjoyment of a single-family residence and

is located landward of the OHWM and the perimeter of a wetland. Normal appurtenances include a garage, deck, driveway, utilities, fences, installation of a septic tank and drainfield, and grading which does not exceed two hundred fifty (250) cubic yards and which does not involve placement of fill in any wetland or waterward of the OHWM. Construction authorized under this exemption shall be located landward of the OHWM.

- h. Construction of a dock, including a community dock, designed for pleasure craft only for the private non-commercial use of the owner, lessee, or contract purchaser of single-family and multi-family residences. A dock is a landing and moorage facility for watercraft and does not include recreational decks, storage facilities or other appurtenances. This exception applies if either:
 - i. In salt waters, the fair market value of the dock does not exceed two thousand five hundred dollars (\$2,500); or
 - ii. In fresh waters, the fair market value of the dock does not exceed:
 - (a) Twenty-two thousand five hundred dollars (\$22,500) for docks that are constructed to replace existing docks, are of equal or lesser square footage than the existing dock being replaced, or
 - (b) Eleven thousand two hundred dollars (\$11,200) for all other docks constructed in fresh waters.

However, if subsequent construction occurs within five years of completion of the prior construction, and the combined fair market value of the subsequent and prior construction exceeds the amount specified above, the subsequent construction shall be considered a substantial development for the purposes of this chapter.

- i. Operation, maintenance, or construction of canals, waterways, drains, reservoirs, or other facilities that now exist or are hereafter created or developed as a part of an irrigation system for the primary purpose of making use of system waters including return flow and artificially stored groundwater from the irrigation of lands.
- j. The marking of property lines or corners on state-owned lands, when such marking does not significantly interfere with normal public use of the surface of the water.
- k. Operation and maintenance of any system of dikes, ditches, drains, or other facilities existing on September 8, 1975, which were created, developed, or utilized primarily as a part of an agricultural drainage or diking system.
- I. Any project with a certification from the governor pursuant to RCW Chapter 80.50.
- m. Site exploration and investigation activities that are prerequisite to preparation of an application for development authorization under WAC 173-27-040(2), when all of the following conditions are met:
 - i. The activity does not interfere with the normal public use of the surface waters;
 - The activity will have no significant adverse impact on the environment including, but not limited to, fish; wildlife; fish or wildlife habitat; water quality; and aesthetic values;
 - iii. The activity does not involve the installation of any structure, and upon completion of the activity, the vegetation and land configuration of the site are restored to conditions existing before the activity; and
 - iv. A private entity seeking development authorization under this Section first posts

a performance bond or provides other evidence of financial responsibility to the local jurisdiction to ensure that the site is restored to preexisting conditions.

- n. The process of removing or controlling aquatic noxious weeds, as defined in RCW 17.26.020, through the use of an herbicide or other treatment methods applicable to weed control that are recommended by a final environmental impact statement published by the Washington State Department of Agriculture or the Washington State Department of Ecology jointly with other state agencies under RCW Chapter 43.21C; recommended under RCW Chapter 43.21C.
- o. Watershed restoration projects as defined herein. The County shall review the projects for consistency with the Shoreline Master Program in an expeditious manner and shall issue its decision along with any conditions within forty-five (45) days of receiving all materials necessary to review the request for exemption from the applicant. No fee may be charged for accepting and processing requests for exemption for watershed restoration projects as used in this Section.
 - i. "Watershed restoration project" means a public or private project authorized by the sponsor of a watershed restoration plan that implements the plan or a part of the plan and consists of one or more of the following activities:
 - (a) A project that involves less than ten (10) miles of stream reach, in which less than twenty-five (25) cubic yards of sand, gravel, or soil is removed, imported, disturbed or discharged, and in which no existing vegetation is removed except as minimally necessary to facilitate additional plantings;
 - (b) A project for the restoration of an eroded or unstable stream bank that employs the principles of bioengineering, including limited use of rock as a stabilization only at the toe of the bank, and with primary emphasis on using native vegetation to control the erosive forces of flowing water; or
 - (c) A project primarily designed to improve fish and wildlife habitat, remove or reduce impediments to migration of fish, or enhance the fishery resource available for use by all of the citizens of the state; provided that any structure, other than a bridge or culvert or instream habitat enhancement structure associated with the project, is less than two hundred (200) square feet in floor area and is located above the OHWM of the stream.
 - ii. "Watershed restoration plan" means a plan, developed or sponsored by the Washington State Departments of Fish and Wildlife, Ecology, Natural Resources, and Transportation (WSDOT); a federally recognized Indian tribe acting within and pursuant to its authority; a city; a county; or a conservation district that provides a general program and implementation measures or actions for the preservation, restoration, re-creation, or enhancement of the natural resources, character, and ecology of a stream, stream segment, drainage area, or watershed for which agency and public review has been conducted pursuant to RCW Chapter 43.21C, the state Environmental Policy Act.
 - p. The external or internal retrofitting of an existing structure with the exclusive purpose of compliance with the Americans with Disabilities Act of 1990 (42)

- U.S.C. Sec. 12101 et seq.) or to otherwise provide physical access to the structure by individuals with disabilities.
- q. A public or private project that is designed to improve fish or wildlife habitat or fish passage, when all of the following apply:
 - i. The project has been approved in writing by the Washington State Department of Fish and Wildlife:
 - ii. The project has received hydraulic project approval by the Washington State Department of Fish and Wildlife pursuant to RCW Chapter 77.55; and
 - iii. The County determines that the project is substantially consistent with the Shoreline Master Program. The County shall make such determination in a timely manner and provide it by letter to the project proponent.
 - iv. Fish habitat enhancement projects that conform to the provisions of RCW 77.55.181 are determined to be consistent with local shoreline Master Programs, as follows:
 - (a) In order to receive the permit review and approval process created in this Section, a fish habitat enhancement project must meet the criteria under p.iv(a)(1) and (2) of this subsection:
 - (1) A fish habitat enhancement project must be a project to accomplish one or more of the following tasks:
 - Elimination of human-made fish passage barriers, including culvert repair and replacement, and fish passage barrier removal projects that comply with the forest practices rules, as the term "forest practices rules" is defined by RCW 76.09.020; or
 - (ii) Restoration of an eroded or unstable stream bank employing the principle of bioengineering, including limited use of rock as a stabilization only at the toe of the bank, and with primary emphasis on using native vegetation to control the erosive forces of flowing water; or
 - (iii) Placement of woody debris or other instream structures that benefit naturally reproducing fish stocks.
 - (iv) The Washington State Department of Fish and Wildlife shall develop size or scale threshold tests to determine if projects accomplishing any of these tasks should be evaluated under the process created in this Section or under other project review and approval processes. A project proposal shall not be reviewed under the process created in this Section if the Washington State Department of Ecology determines that the scale of the project raises concerns regarding public health and safety; and
 - (2) A fish habitat enhancement project must be approved in one of the following ways:

- (i) By the Washington State Department of Fish and Wildlife pursuant to RCW Chapter 77.95 or 77.100;
- (ii) By the sponsor of a watershed restoration plan as provided in RCW Chapter 89.08;
- (iii) By the Washington State Department of Fish and Wildlife as a WDFW-sponsored fish habitat enhancement or restoration project;
- (iv) Through the review and approval process for the Jobs for the Environment Program;
- (v) Through the review and approval process for conservation district-sponsored projects, where the project complies with design standards established by the Conservation Commission through interagency agreement with the U. S. Fish and Wildlife Service and the Natural Resource Conservation Service;
- (vi) Through a formal grant program established by the Legislature or the Washington State Department of Fish and Wildlife for fish habitat enhancement or restoration; and
- (vii) Through the Department of Transportation's environmental retrofit program as a stand-alone fish passage barrier correction project; and
- (viii) Through a local, state, or federally approved fish barrier removal grant program designed to assist local governments in implementing stand-alone fish barrier corrections; and
- (ix) By a city or county for a stand-alone fish passage barrier correction project funded by the city or county; and
- (x) Through the approval process established for forest practices hydraulic projects in Chapter 76.08 RCW.
- (b) Fish habitat enhancement projects meeting the criteria of p.iv.A of this subsection are expected to result in beneficial impacts to the environment. Decisions pertaining to fish habitat enhancement projects meeting the criteria of p.iv.A of this subsection and being reviewed and approved according to the provisions of this Section are not subject to the requirements of RCW 43.21C.030 (2)(c).
- (c) A hydraulic project approval (HPA) permit is required for projects that meet the criteria of p.iv.A of this subsection and are being reviewed and approved under this Section. An applicant shall use a joint aquatic resource permit (JARPA) application form developed by the Office of Regulatory Assistance to apply for approval under this chapter. On the same day, the applicant shall provide copies of the completed application form to the Washington State Department of Fish and Wildlife and to each appropriate local government agency. Local governments shall accept the application as notice of the proposed project. The Washington State Department of Fish and Wildlife shall provide a fifteen-(15)-day comment period during which it will receive comments

regarding environmental impacts. Within forty-five (45) days, the Washington State Department of Fish and Wildlife shall either issue a permit, with or without conditions, deny approval, or make a determination that the review and approval process created by this Section is not appropriate for the proposed project. WDFW shall base this determination on identification during the comment period of adverse impacts that cannot be mitigated by the conditioning of a permit. If WDFW determines that the review and approval process created by this Section is not appropriate for the proposed project, WDFW shall notify the applicant and the appropriate local governments of its determination. The applicant may reapply for approval of the project under other review and approval processes. Any person aggrieved by the approval, denial, conditioning, or modification of a permit under this Section may formally appeal the decision to the Hydraulic Appeals Board pursuant to the provisions of this chapter.

- (d) The County may not require permits or charge fees for fish habitat enhancement projects that meet the criteria of p.iv.A of this subsection and that are reviewed and approved according to the provisions of this Section.
- 3. Developments not required to obtain shoreline permits or local reviews.
- Requirements to obtain a Substantial Development Permit, Conditional Use Permit, Variance, letter of exemption; or other review to implement the Shoreline Management Act do not apply to the following:
 - i. Remedial actions. Pursuant to RCW 90.58.355, any person conducting a remedial action at a facility pursuant to a consent decree, order, or agreed order issued pursuant to Chapter 70.105D RCW, or to the Department of Ecology when it conducts a remedial action under Chapter 70.105D.
 - ii. Boatyard improvements to meet NPDES permit requirements. Pursuant to RCW 90.58.355, any person installing site improvements for storm water treatment in an existing boatyard facility to meet requirements of a national pollutant discharge elimination system storm water general permit.
 - iii. WSDOT facility maintenance and safety improvements. Pursuant to RCW 90.58.356, Washington State Department of Transportation projects and activities meeting the conditions of RCW 90.58.356 are not required to obtain a Substantial Development Permit, Conditional Use Permit, Variance, letter of exemption, or other local review.
 - iv. Projects consistent with an environmental excellence program agreement pursuant to RCW 90.58.045.
 - v. Projects authorized through the Energy Facility Site Evaluation Council process, pursuant to Chapter 80.50 RCW.

4. Letter of exemption.

a. General. A letter of exemption is required for all requests for exemption from a shoreline substantial development permit to ensure the proposal complies with the

regulations of this SMP, except for emergency development pursuant to WAC 173-27-040(2)(d) and those uses and developments specifically allowed without a letter of exemption in Section 5.5.B.

- b. Application. Any person claiming exemption from the substantial development permit requirements shall submit an application for such an exemption in the manner prescribed by the Shoreline Administrator. Applications shall include, at a minimum: a summary of the proposed development project; identification of the specific exemption provisions from WAC 173-27-040 that applies to the proposal; and a description of how the proposal will comply with the applicable policies and regulations of this Shoreline Master Program.
- c. Letter of exemption. Kittitas County shall prepare a letter of exemption, addressed to the applicant and the Washington State Department of Ecology, whenever a proposal is determined to be exempt from the substantial development permit requirements. The letter of exemption must indicate the specific exemption provision from WAC 173-27-040 that is applicable to the proposal and provide a summary of the consistency of the proposal with the regulations of this SMP.
- d. Watershed restoration projects. This Section applies to a letter of exemption for a watershed restoration project pursuant to WAC 173-27-040 or subject to one or more of the following federal permits: U.S. Army Corps of Engineers Section 10 permit under the Rivers and Harbors Act of 1899 (generally applicable to any project occurring on or over navigable waters); or Section 404 permit under the Federal Water Pollution Control Act of 1972 (generally applicable to any project which may involve discharge of dredge or fill material to any water or wetland area).
 - i. The letter of exemption must indicate the specific exemption provision from WAC 173-27-040 that is applicable to the proposal and provide a summary of the consistency of the proposal with the regulations of this SMP.
 - Watershed restorations projects must be reviewed in an expeditious manner ii. and an exemption decision, together with any conditions, must be issued within forty-five (45) days of receiving all materials necessary to review the request for exemption. No fee may be charged for accepting and processing requests for exemption for watershed restoration projects as used in this Section.
- 5. Programmatic statements of exemption.
- a. Applicability. Programmatic statements of exemption may be issued for activities exempt under the provisions of subsection 7.3.2 above that:
 - i. Are repetitive and part of a maintenance program or other similar program;
 - ii. Have the same or similar identifiable impacts each time the activity is repeated at all sites covered by the programmatic statement of exemption; and
 - Are suitable to having standard conditions that will apply to any and all sites. iii.
- b. Conditions. A programmatic statement of exemption shall not be issued until appropriate conditions, if needed, are developed and approved. Conditions shall Chapter 7

apply uniformly to each activity authorized and all locations covered by the programmatic statement of exemption. Conditions may include specifications for the frequency, method and contents of periodic status reports.

- c. Revisions. The programmatic statement of exemption may be modified or withdrawn if the Shoreline Administrator determines that:
 - i. The programmatic statement of exemption or activities authorized under the statement of exemption no longer comply with law;
 - ii. The programmatic statement of exemption does not provide adequate regulation of the activity:
 - iii. The conditions or the manner in which the conditions are implemented are not adequate to protect against the impacts resulting from the activity.
- d. Expiration. Programmatic exemptions shall expire 5 years after the date of issuance if a shorter expiration period is not specified in the exemption approval.

7.4 Types of permits

- 1. Substantial development permits: All substantial development undertaken on shorelines of the state requires a permit to ensure consistency with the policies of RCW 90.58.020 and the Master Program.
- 2. Variances: The purpose of a variance permit is strictly limited to granting relief from specific bulk, dimensional or performance standards set forth in the applicable Master Program where there are extraordinary circumstances relating to the physical character or configuration of property such that the strict implementation of the Master Program will impose unnecessary hardships on the applicant or thwart the policies set forth in RCW 90.58.020. When a use or development is proposed that does not comply with the bulk, dimensional and performance standards of the Master Program, such use or development can only be authorized by approval of a variance.
- 3. Conditional uses: The purpose of a conditional use permit is to provide a system within the Master Program which allows flexibility in the application of use regulations in a manner consistent with the policies of RCW 90.58.020. Uses which are classified or set forth in the applicable Master Program as conditional uses may be authorized with a conditional use permit. Other uses which are not classified or set forth in the applicable Master Program may be authorized as conditional uses provided the applicant can demonstrate consistency with the requirements of this Section and the requirements for conditional uses contained in the Master Program. Uses which are specifically prohibited by the Master Program may not be authorized as conditional uses.

7.5 Review authority

1. Administrator: The Administrator or his/her designee shall have the authority to

review and approve, deny, or approve with conditions, applications for the following:

- a. Letters of exemption;
- b. Shoreline substantial development permits;
- c. Revisions to substantial development permits; and
- d. Requests for timing extensions.
- 2. Hearing Examiner: The Hearing Examiner or his/her designee shall have the authority to review and make initial local County approval, denial, or approval with conditions for the following:
 - a. Shoreline conditional use permits; and
 - b. Shoreline variances.
- 3. Board of County Commissioners: The Board of County Commissioners or their designee shall have the authority to:
 - a. Review and approve, deny, or approve with conditions, applications for shoreline substantial development permits that are included in consolidated permit applications that are subject to Board review and action.
 - b. Review and make initial local County approval, denial, or approval with conditions for shoreline conditional use permits and shoreline variances that are in consolidated permit applications that are subject to Board review and action.
 - Acquire lands and easements within shorelines of the state by purchase, lease, or gift, either alone or in concert with other governmental entities, when necessary to achieve implementation of the Master Program;
 - d. Accept grants, contributions, and appropriations from any agency, public or private, or individual for the purposes of the Master Program;
 - e. Appoint advisory committees to assist in carrying out the purposes of the Master Program;
 - f. Contract for professional or technical services required by the Master Program which cannot be performed by its employees;
 - g. Adopt moratoria or other interim official controls necessary to implement SMP, in accordance with RCW 90.58.590 as amended; and
 - h. Take other actions as deemed appropriate.
- 4. Washington State Department of Ecology: The Washington State Department of Ecology shall be responsible for the final approval, denial, or approval with conditions for the following:
 - a. Shoreline conditional use permits and revisions to same; and
 - b. Shoreline variances and revisions to same.

7.6 Review criteria

1. <u>All development permits</u>. As provided in Section 6.20, no permit shall be issued for any new or expanded building or structure of more than thirty-five (35) feet above average grade level on shorelines of the state that will obstruct the view of a

substantial number of residences on areas adjoining such shorelines unless overriding considerations of the public interest will be served.

- 2. <u>Substantial development permits</u>. A substantial development permit shall be granted only when the applicant demonstrates all of the following:
 - a. That the proposal is consistent with the policies and procedures in RCW Chapter 90.58 and WAC Chapter 173-27;
 - b. That the proposal is consistent with the policies and procedures of the Master Program; and
 - c. That the proposal has been appropriately conditioned where necessary to assure consistency of the project with the Act and the local Master Program.
- 3. <u>Conditional use permits</u>. Uses which are classified are set forth in Table 4.9-1 as conditional uses, or unclassified uses not specifically prohibited, may be authorized as a conditional use provided that the applicant demonstrates all of the following:
 - a. That the proposed use is consistent with the policies of RCW 90.58.020 and the Master Program;
 - b. That the proposed use will not interfere with the normal public use of public shorelines;
 - That the proposed use of the site and design of the project is compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and SMP;
 - d. That the proposed use will cause no significant adverse effects to the shoreline environment in which it is to be located;
 - e. That the public interest suffers no substantial detrimental effect;
 - f. That if conditional use permits were granted for other developments in the area where similar circumstances exist, the cumulative impact of such uses would remain consistent with the policies of RCW 90.58.020 and not produce substantial adverse effects to the shoreline environment.
 - g. That the proposed use has been appropriately conditioned to prevent undesirable effects of the proposed use and to assure consistency of the project with the Act and the local Master Program.
 - h. When converting from one nonconforming use to a different nonconforming use, the applicant must demonstrate that no reasonable alternative conforming use is practical and that the proposed use will be at least as consistent with the policies and provisions of the Act and the Master Program and as compatible with the uses in the area as the pre-existing use.

4. Variance.

a. General provisions. Variance permits should be granted in circumstances where denial of the permit would result in a thwarting of the policy enumerated in RCW 90.58.020. In all instances the applicant must demonstrate that extraordinary circumstances shall be shown and the public interest shall suffer no substantial detrimental effect. Variances from the use regulations of the Master Program are prohibited.

- b. Review criteria for all variances. Variance permits for uses and/or development that will be located landward of the OHWM and/or landward of any wetland may be authorized provided the applicant can demonstrate all of the following:
 - That the strict application of the bulk, dimensional or performance standards set forth in the applicable Master Program precludes, or significantly interferes with, reasonable use of the property;
 - ii. That the hardship is specifically related to the property, and is the result of unique conditions such as irregular lot shape, size, or natural features and the application of the Master Program, and not, for example, from deed restrictions or the applicant's own actions;
 - iii. That the design of the project is compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and SMP and will not cause adverse impacts to the shoreline environment;
 - iv. That the variance will not constitute a grant of special privilege not enjoyed by the other properties in the area;
 - v. That the variance requested is the minimum necessary to afford relief;
 - vi. That the public interest will suffer no substantial detrimental effect; and
 - vii. That the cumulative impact of additional requests for variances in the area where similar circumstances exist would not produce substantial adverse effects to the shoreline environment.
- c. Additional review criteria for variances waterward of the OHWM. In addition to the criteria established under subsection 4.b above, applicants for variance permits for uses and/or development that will be located waterward of the OHWM must also demonstrate:
 - i. That the strict application of the bulk, dimensional or performance standards set forth in the applicable Master Program precludes all reasonable use of the property; and
 - ii. That the public rights of navigation and use of the shorelines will not be adversely affected.

7.7 Review procedures

- 1. <u>Generally</u>. The general procedural requirements of the County shall apply to shoreline permits except where this chapter is more restrictive or specific, in which case the provision of this chapter shall apply.
- Complete application. The Administrator shall issue a determination of completeness, upon finding that the following required information has been submitted with an application for a substantial development, conditional use, or variance permit:
 - a. A site development plan consisting of maps and elevation drawings, drawn to an appropriate scale to depict clearly all required information, photographs and text

which shall include:

- The boundary of the parcel(s) of land upon which the use or development is proposed;
- ii. The OHWM of all water bodies located adjacent to or within the boundary of the project. This may be an approximate location provided, that for any use or development where a determination of consistency with the applicable regulations requires a precise location of the OHWM, the mark shall be located precisely and the biological and hydrological basis for the location as indicated on the plans shall be included in the development plan. Where the OHWM is neither adjacent to or within the boundary of the project, the plan shall indicate the distance and direction to the nearest OHWM of a shoreline:
- iii. Existing and proposed land contours. The contours shall be at intervals sufficient to accurately determine the existing character of the property and the extent of proposed change to the land that is necessary for the use or development. Areas within the boundary that will not be altered by the use or development may be indicated as such and contours approximated for that area:
- iv. A delineation of all wetland areas that will be altered or used as a part of the proposal;
- v. A general indication of the character of vegetation found on the site;
- vi. The dimensions and locations of all existing and proposed structures and improvements including, but not limited to: buildings, paved or graveled areas; roads; utilities; septic tanks and drainfields; material stockpiles or surcharge; and stormwater management facilities;
- vii. Where applicable, scaled elevation drawings of all proposed structures including location of the OWHM;
- viii. Where applicable, a landscaping plan for the project;
- ix. Where applicable, plans for use and development of areas on or off the site as mitigation for impacts associated with the proposed project shall be included and contain information consistent with the requirements of this Section;
- x. Quantity, source, and composition of any fill material that is placed on the site whether temporary or permanent:
- xi. Quantity, composition, and destination of any excavated or dredged material:
- xii. A vicinity map showing the relationship of the property and proposed use or development to roads, utilities, and existing uses and developments on adjacent properties;
- xiii. Where applicable, a depiction of the impacts to views from existing residential uses and public areas; and
- xiv. On all Variance Permit applications the plans shall clearly indicate where use and/or development could occur without approval of a variance, the physical features and circumstances on the property that provide a basis for the request, and the location of adjacent structures and uses.

3. <u>Concurrent submittals</u>. When a substantial development permit and a conditional use or variance permit are required for a proposal, the submittal on the permits shall be made concurrently.

4. Notice.

- a. Required. The Administrator shall notify the public, the Washington State Department of Ecology, the Yakama Nation, other agencies with jurisdiction as well as individuals and organizations that have requested notice in writing of applications for a shoreline management substantial development, conditional use, or variance permit.
- b. Timing. Notice of application shall be provided within fourteen (14) days after the determination of completeness.
- c. When an open record hearing is required. If an open record pre-decision hearing is required for the requested project permits, the notice of application shall be provided at least fifteen (15) days prior to the open record hearing.
- d. Contents. The notice shall include:
 - i. The date of application; the date of the notice of completion for the application; and the date of the notice of application;
 - ii. A description of the proposed project action and a list of the project permits included in the application and, if applicable, a list of any studies requested;
 - iii. The identification of other permits not included in the application to the extent known by the local government;
 - iv. The identification of existing environmental documents that evaluate the proposed project, and, if not otherwise stated on the document providing the notice of application, such as a land use bulletin, the location where the application and any studies can be reviewed;
 - v. A statement of the public comment period, which shall be not less than thirty (30) days following the date of notice of application, and statements of the right of any person to comment on the application, receive notice of and participate in any hearings, request a copy of the decision once made, and any appeal rights. A local government may accept public comments at any time prior to the closing of the record of an open record pre-decision hearing, if any, or, if no open record pre-decision hearing is provided, prior to the decision on the project permit;
 - vi. The date, time, place, and type of hearing, if applicable and scheduled at the date of notice of the application;
 - vii. A statement of the preliminary determination, if one has been made at the time of notice, of those development regulations that will be used for project mitigation and of consistency; and
 - viii. Any other information determined appropriate by the local government.
- e. Method. The notification system shall assure that notice to the general public and property owners in the vicinity of such application is given by at least one of the following methods:

- Mailing of the notice to the latest recorded real property owners as shown by the records of the county assessor within at least five hundred (500) feet of the boundary of the property upon which the use or development is proposed; or
- ii. Posting of the notice in a conspicuous manner on the property upon which the project is to be undertaken.
- 5. Review and decision. The appropriate review authority identified in Section 7.5 shall review applications for compliance with review criteria in Section 7.6 and either approve, deny, or approve with conditions. In the case of shoreline conditional use and variance permits, the decision shall serve as a recommendation to the Washington State Department of Ecology, which is responsible for the final decision on shoreline conditional use permits and variances.
- 6. Submittal to the Washington State Department of Ecology:
 - a. After all local permit administrative appeals or reconsideration periods are complete, and the permit documents amended to incorporate any resulting changes, Kittitas County will mail the permit using return receipt requested mail to the Department of Ecology regional office and the Office of the Attorney General. Projects that require both Conditional Use Permits and or Variances shall be mailed simultaneously with any Substantial Development Permits for the project.
 - i. The permit and documentation of the final local decision will be mailed together with the complete permit application; a findings and conclusions letter; a permit data form (cover sheet); and applicable SEPA documents.
 - ii. Consistent with RCW 90.58.140(6), the state's Shorelines Hearing Board twenty-one day appeal period starts with the date of filing, which is defined below:
 - (a) For projects that only require a Substantial Development Permit: the date that Ecology receives Kittitas County's decision.
 - (b) For a Conditional Use Permit (CUP) or Variance: the date that Ecology's decision on the CUP or Variance is transmitted to the applicant and Kittitas County.
- 7.8 For SDPs simultaneously mailed with a CUP or Variance to Ecology: the date that Ecology's decision on the CUP or Variance is transmitted to the applicant and Kittitas County. Appeals

Any person aggrieved by the granting, denying, or rescinding of a permit on shorelines of the state may seek review from the shorelines hearings board by filing a petition for review within twenty-one (21) days of the date of filing of the decision, pursuant to RCW 90.58.180.

7.9 Timing

Applicability. The time requirements of this Section shall apply to all Substantial
 Chapter 7

Development Permits and to any development authorized pursuant to a Variance or Conditional Use Permit.

- 2. <u>Effective date</u>. The effective date of a Substantial Development Permit shall be the date of filing as provided in RCW 90.58.140(6).
- 3. <u>Commencement</u>. Construction activities associated with a shoreline permit are not authorized and shall not begin until twenty-one (21) days from the date of filing or until all review proceedings initiated within twenty-one (21) days from the date of such filing have been terminated. Construction activities, or the use or activity where no construction activities are involved, shall be commenced within two (2) years of the effective date of a Substantial Development Permit.
- 4. <u>Expiration</u>. Authorization to conduct development activities shall terminate five (5) years after the effective date of a shoreline permit, unless extended in accordance with the provisions below.
- 5. <u>Extension</u>. The Administrator may authorize a single extension for a period not to exceed one (1) year based on reasonable factors, if a request for extension has been filed before the expiration date and notice of the proposed extension is given to parties of record on the shoreline permit and to the Washington State Department of Ecology.
- 6. <u>Exclusions</u>. The time periods in this Section do not include the time during which a use or activity was not actually pursued due to the pendency of administrative appeals or legal actions or due to the need to obtain any other government permits and approvals for the proposal, including all reasonably related administrative or legal actions on any such permits or approvals.
- 7. <u>Flexibility</u>. Upon a finding of good cause, based on the requirements and circumstances of the project proposed and consistent with the policy and provisions of the master program and RCW 90.58, the County may adopt different time limits from those set forth in this subsection as part of action on a Substantial Development Permit.

7.10 Revisions

1. Applicability.

a. Substantive changes. A permit revision is required whenever the applicant proposes substantive changes to the design, terms, or conditions of a project from that which is approved in the permit. Changes are substantive if they materially alter the project in a manner that relates to its conformance to the terms and conditions of the permit, the Master Program and/or the policies and provisions of the Shoreline Management Act (RCW 90.58). Changes which are not substantive in effect do not require approval of a revision.

- b. Substantial development. If the proposed change, or the sum of the proposed revisions and any previously approved revisions, constitutes substantial development then the applicant is not eligible for the revision process and shall be required to apply for a new permit.
- 2. <u>Submittal requirements</u>. An applicant seeking to revise a permit shall submit detailed plans and text describing the proposed changes to the Administrator.
- 3. <u>Review criteria and findings</u>. The Administrator may approve a revision when the proposed changes are within the scope and intent of the original permit, and are consistent with the applicable Master Program and the Act. At a minimum, Administrator must find:
 - a. No additional over-water construction is involved except that pier, dock, or float construction may be increased by five hundred (500) square feet or ten percent (10%) from the provisions of the original permit, whichever is less;
 - b. Ground area coverage and height may be increased a maximum of ten percent (10%) from the provisions of the original permit;
 - c. The revised permit does not authorize development to exceed height, lot coverage, setback, or any other requirements of the applicable Master Program except as authorized under a variance granted as the original permit or a part thereof;
 - d. Additional or revised landscaping is consistent with any conditions attached to the original permit and with the applicable Master Program;
 - e. The use authorized pursuant to the original permit is not changed; and
 - f. No adverse environmental impact will be caused by the project revision
- 4. <u>Timing and limitations</u>. Revisions to permits may be authorized after original permit authorization has expired. However, such revisions shall be limited to authorization of changes which are consistent with this Section and which would not require a shoreline permit for the development or change. This subsection shall not be used to extend the time requirements or to authorize substantial development beyond the time limits of the original permit.
- 5. <u>Notice</u>. Notice of the revision approval shall be given to parties of record on the original permit and to the Washington State Department of Ecology.
- 6. <u>Effective date</u>. The revised permit is effective immediately upon final decision by the Administrator or, when appropriate, upon final action by the Washington State Department of Ecology.

7. Appeals.

a. Timing. Appeals shall be in accordance with RCW 90.58.180 and shall be filed within twenty-one (21) days from the date of receipt of the local government's action on a substantial development permit revision by the Washington State Department of Ecology or, for revisions to conditional use permits or variances,

- the date Ecology's final decision is transmitted to local government and the applicant.
- b. Grounds. Appeals shall be based only upon contentions of noncompliance with the provisions of WAC 173-27-100.
- c. Construction during appeal period. Construction undertaken pursuant to that portion of a revised permit not authorized under the original permit is at the applicant's own risk until the expiration of the appeals deadline.
- d. Impact of appeal on original permit. If an appeal is successful in proving that a revision is not within the scope and intent of the original permit, the decision shall have no bearing on the original permit.

7.11 Liberal construction

As provided for in RCW 90.58.900, the Act is exempted from the rule of strict construction. The Act and this Program shall be liberally construed to give full effect to the purposes, goals, objectives, and policies for which the Act and this Program were enacted and adopted, respectively.

7.12 Enforcement

Chapter 173-27 WAC contains enforcement regulations, including authority for the County to issue regulatory orders to enforce the SMA and the SMP. Upon a determination that there has been a violation of any provision of the County's shoreline regulations, the County may pursue code enforcement and penalties in accordance with the provisions of KCC Title 18, Code Enforcement.

7.13 Amendments to master program

 Applicability. This Section applies to comprehensive Shoreline Master Program updates as well as limited SMP amendments that may be necessary from time to time to comply with state and federal laws and implementing rules, address newly annexed shorelines, improve consistency with the Act's goals and policies, or correct errors or omissions. All Master Program amendments shall be processed pursuant to the procedural requirements of WAC 173-26-010 through 173-26-160 and RCW 90.58.090.

2. Initiation of amendments.

- a. By elected or appointed officials. The Board of County Commissioners or Planning Commission may initiate an amendment to this Program according to the procedures prescribed in WAC 173-26-100.
- b. By the public. Any person may petition the Board of County Commissioners or Planning Commission to amend this Program. Petitions shall specify the changes requested and any and all reasons therefor. The Board of County Commissioners or Planning Commission may schedule a public hearing on said petition(s) if it deems the proposed amendment would make this Program more

- consistent with the Act or more equitable in its application to persons or property due to changed conditions in an area.
- c. As the result of annual review. The Administrator shall submit an annual report reviewing the effectiveness of the Program in achieving its stated purpose, goals, and objectives as well as any proposed amendments deemed necessary to increase its effectiveness or equity. If said report contains proposed amendments, the Board of County Commissioners may schedule a public hearing to consider such matter.
- 3. Notice. Notice of a public hearing shall be published in one or more newspapers of general circulation in the area in which the hearing is to be held. The notice shall include: a reference to the authority under which the action is proposed; a statement or summary of the proposed changes to the Master Program; the date, time and location of the hearing; the manner in which interested persons may present their views; and reference to the availability of the draft proposal for public inspection at the Kittitas County Community Development Department.

4. Consultations.

- a. The local government shall consult with and solicit the comments of any persons, groups, federal, state, regional, or local agency, and tribes having interests or responsibilities relating to the shorelines or any special expertise with respect to any environmental impact.
- b. Adjacent local governments with jurisdiction over common shorelines of that state shall be included in the consultation process.
- c. The local government shall solicit comments on the draft proposal from the Washington State Departments of Ecology and Commerce at least sixty (60) days prior to final local approval.
- 5. <u>Coordination</u>. The County shall coordinate with the participating jurisdictions and verify concurrence with or denial of the proposal. The amendments of concurring jurisdictions shall be processed together.
- 6. <u>Hearing</u>. The County shall conduct at least one (1) public hearing to consider the draft proposal.
- 7. <u>Washington State Department of Ecology Approval</u>. Washington State Department of Ecology approval is required pursuant to RCW 90.58.090.

Acronym List

ADA Americans with Disabilities Act

BLM Federal Bureau of Land Management

BMPs Best Management Practices
CAC Citizen advisory committee
CARA Critical aquifer recharge area

CERCLA Comprehensive Environmental Response, Compensation and Liability Act

CFS Cubic feet per second
CMZ Channel migration zone

EPA Environmental Protection Agency

FEMA Federal Emergency Management Agency
FWHCA Fish and wildlife habitat conservation area

GMA Growth Management Act
HPA Hydraulic project approval

ILF In-lieu fee

ICR Shoreline Inventory and Characterization Report

JARPA Joint aquatic resource permit

KCC Kittitas County Code

LAMIRD Limited areas of more intensive rural development

MTCA Model Toxics Control Act
OHWM Ordinary high water mark
RCW Revised Code of Washington

SMA Shoreline Management Act
SMP Shoreline Master Program

TAC Technical advisory committee

TESC Temporary erosion and sediment control

UGA Urban Growth Area

WAC Washington Administrative Code

WDFW Washington State Department of Fish and Wildlife WSDOT Washington State Department of Transportation

Appendix A

Shoreline Environment Designation Maps

[Note to Reader: See maps at end of this document]

Appendix B

Shoreline Environment Designation Descriptions

Department of Ecology SMP Guidelines (WAC 173-26-221)(2)(b)) requires master programs to contain an up-to-date and accurate map of the shoreline area delineating the environment designations and their boundaries. These maps are included in Appendix to this SMP. This SMP also includes "common boundary descriptions" to accurately define and distinguish the boundaries of the environments on the ground. The table below provides these common boundary descriptions.

In the event of a mapping error, Kittitas County will rely upon these common boundary descriptions and the criteria contained in Chapter 4 of this SMP, rather than the incorrect or outdated map.

SR=Shoreline Residential

UC=Urban Conservancy

RC=Rural Conservancy

N=Natural

Waterbody (Streams)	Environment Designation	Reach Description
Bear Creek	RC	From the creek's confluence with the Little Naches River to 0.55 miles upstream
Big Creek	RC	From the creek's confluence with the Yakima River to the west parcel line of parcel 20469, with the exception of the left bank area between Nelson Siding Rd and I-90 (see below)
	SR	The left bank area between Nelson Siding Rd and I-90, including parcel 913736, 409134, and parcel 516136 north to parcel 900434
	N	From the west parcel line of parcel 20469 to the west parcel line of parcel 305237
	RC	From the west parcel line of parcel 305237 to approximately 2.8 miles upstream
Box Canyon Creek	RC	From the creek's outlet at Kachess Lake upstream to the boundary of the Alpine Lakes Wilderness Area
	N	From the Alpine Lakes Wilderness Area

Waterbody (Streams)	Environment Designation	Reach Description
		boundary to approximately 1.3 miles upstream
Cabin Creek	RC	From the creek's confluence with the Yakima River to 9.05 miles upstream
Cherry Creek	RC	From the creek's confluence with Wilson Creek upstream to the creek's confluence with Parke Creek
Chief Creek	N	From the creek's confluence with the Waptus River to 0.83 mile upstream
Cle Elum River	RC	From the river's confluence with the Yakima River upstream to I-90
	UC	All areas within Cle Elum's UGA
	N	From the Cle Elum city limits upstream to the western parcel line of parcel 542534
	RC	From the western parcel line of parcel 542534 upstream to the outlet of Lake Cle Elum
Coal Creek	RC	From the creek's outlet in Keechelus Lake to 1.69 miles upstream
Cold Creek	RC	From the creek's outlet in Keechelus Lake to 1.95 miles upstream
Columbia River	RC	From the Kittitas-Yakima county line north to the north end of the I-90 right-of-way parcel.
	N	Island within parcel 331333
	UC	From the north end of the I-90 right-of-way parcel upstream to the north parcel line of parcel 940933
	SR	Vantage. From parcel 600933 north to parcel 880933
	RC	From the north parcel line of parcel 880933 north to approximately 0.16 miles north of the southeast corner of parcel 830933

Waterbody (Streams)	Environment Designation	Reach Description
	N	From approximately 0.16 miles north of the southeast corner of parcel 830933 north to the south parcel line of parcel 885234
	RC	From the south parcel line of parcel 885234 north to the north corner of parcel 745234
	N	From the north corner of parcel 745234 north to the Kittitas-Douglas county line
Cooper River	RC	From the river's confluence with the Cle Elum River upstream to the outlet of Cooper Lake, with the exception of parcel 052736 north to parcel 322736
	SR	Parcel 052736 north to parcel 322736
	RC	From the river's inlet into Cooper Lake upstream to, and including, parcels 029035 and 478835
	N	From upstream of parcels 029035 and 475535 upstream to the river's confluence with Lemah Creek
Delate Creek	N	From the creek's confluence with the Cooper River upstream to the outlet of Spectacle Lake
Fortune Creek	RC	From the creek's confluence with the Cle Elum River to 3.56 miles upstream
French Cabin Creek	RC	From the creek's outlet into Lake Cle Elum to 2.87 miles upstream
Gale Creek	RC	From the creek's outlet into Kachess Lake to 2.67 upstream
Goat Creek	N	From the creek's confluence with the Waptus River to 1.26 miles upstream
Gold Creek	RC	From the creek's outlet into Keechelus Lake upstream to the west parcel line of parcel 138135 and the west and south parcel lines of parcel 44337

Waterbody (Streams)	Environment Designation	Reach Description
	N	From the west parcel line of parcel 138135 and the west and south parcel lines of parcel 44337 to upstream approximately 4.6 miles, excluding parcels 453337 and 328235
	RC	Parcel 453337
	SR	Parcel 328235
Kachess River	RC	From the river's outlet into Lake Easton upstream to the river's inlet from Kachess Lake, with the parcels along Kachess River Rd (parcel 142136 northwest to parcel 112136
	SR	The parcels along Kachess River Rd (parcel 142136 northwest to parcel 112136
	RC	From the river's outlet into Kachess Lake upstream to the Mineral Creek confluence
Lemah Creek	N	From the creek's confluence with the Cooper River upstream to the creeks inlet at Pete Lake
	N	From the creek's outlet into Pete Lake to approximately 1.0 mile upstream
Lemah Creek UT	N	From the creek's confluence with the mainstem Lemah Creek to approximately 1.5 miles upstream
Little Creek	SR	From the creek's confluence with the Yakima River upstream to the north side of the I-90 right-of-way parcel.
	RC	From the north side of the I-90 right-of-way parcel upstream approximately 0.7 miles from the north parcel line of parcel 185434
	N	From approximately 0.7 miles upstream of the north parcel line of parcel 185434 to approximately 3.3 miles upstream
Little Nachess	RC	From the Kittitas-Yakima county line upstream to

Waterbody (Streams)	Environment Designation	Reach Description
River		the river's confluence with its north fork
Log Creek	RC	From the creek's confluence with the Cabin Creek to 3.13 miles upstream
Manastash Creek	RC	From the creek's confluence with the Yakima River upstream to its confluence with the South Fork
Meadow Creek	RC	From the creek's outlet into Keechelus Lake to 3.39 miles upstream
Middle Fork Little Naches River	RC	From the river's confluence with the North Fork Little Naches River to 0.27 miles upstream
Middle Fork Teanaway River	RC	From the river's confluence with the mainstem to 12.45 miles upstream, excluding the parcels from parcel 207335 west to parcel 567335
	SR	From parcel 207335 west to parcel 567335
Mineral Creek	N	From the creek's confluence with the Kachess River to 2.06 miles upstream
Naneum Creek	RC	From the creek's confluence with Wilson Creek to 25.26 miles upstream
North Fork Little Naches River	RC	From the river's confluence with the mainstem to 5.41 miles upstream
North Fork Taneum Creek	RC	From the creek's confluence with the mainstem to 9.77 miles upstream
North Fork Teanaway River	RC	From the river's confluence with the mainstem to 8.58 miles upstream
North Fork Teanaway River UT	RC	From the river's confluence with the north fork to 7.68 miles upstream
Parke Creek	RC	From the creek's confluence with Cherry Creek to 1.0 miles upstream

Waterbody (Streams)	Environment Designation	Reach Description
Quartz Creek	RC	From the creek's confluence with the Little Naches River to 0.83 mile upstream
Roaring Creek	RC	From the creek's outlet into Keechelus Lake upstream to the west parcel line of parcel 625835
	SR	From the west parcel line of parcel 625835 upstream to the east parcel line of parcel 625835
	RC	From the east parcel line of parcel 625835 upstream to the creek's inlet at Lost Lake
Scatter Creek	RC	From the creek's confluence with the Cle Elum river to 0.54 mile upstream
Shovel Creek	N	From the creek's confluence with the Waptus River upstream to the creek's inlet at Shovel Lake
	N	From the creek's outlet at Shovel Lake to approximately 1.0 mile upstream
Silver Creek	RC	From the creek's confluence with the Yakima River to 0.75 mile upstream
South Fork Manastash Creek	RC	From the creek's confluence with the mainstem to 13.36 miles upstream
South Fork Taneum Creek	RC	From the creek's confluence with the mainstem to 5.95 miles upstream
Spade Creek	N	From the creek's confluence with the Waptus River to 1.08 miles upstream
Spinola Creek	N	From the creek's confluence with the Waptus River to 3.98 miles upstream
Stafford Creek	RC	From the creek's confluence with the North Fork Teanaway River to 2.70 miles upstream
Swauk Creek	RC	From the creek's confluence with the Yakima River to 16.81 miles upstream

Waterbody (Streams)	Environment Designation	Reach Description
Taneum Creek	RC	From the creek's confluence with the Yakima River upstream to the west parcel lines of parcels 407634 and 956644
	N	From the west parcel lines of parcels 407634 and 956644 upstream to the west parcel line of parcel 523633
	RC	From the west parcel line of parcel 523633 upstream to the creek's confluence with its north and south forks
Teanaway River	RC	From the river's confluence with the Yakima River to the river's confluence with its west and middle forks, excluding the parcels along Teanaway Acres Rd (parcel 805235 northeast to parcel 095235)
	SR	The parcels along Teanaway Acres Rd (parcel 805235 northeast to parcel 095235)
Thorp Creek	N	From the creek's confluence with the Cle Elum River to 2.20 miles upstream
Trail Creek	N	From the creek's confluence with the Waptus Creek to 1.84 miles upstream
Waptus River	N	From the river's confluence with the Cle Elum River upstream to the river's inlet at Waptus Lake
	N	From the river's outlet at Waptus Lake upstream to the river's confluence with Shovel Creek
West Fork Box Canyon Creek	RC	From the creek's confluence with the mainstem to 0.24 mile upstream
West Fork Teanaway River	RC	From the river's confluence with the mainstem to approximately 0.2 mile upstream of the southern parcel line of parcel 117235
	N	From approximately 0.2 mile upstream of the southern parcel line of parcel 117235 to approximately 4.0 miles upstream

Waterbody (Streams)	Environment Designation	Reach Description
Wilson Creek	RC	From the creek's confluence with the Yakima River upstream to the creek's confluence with Naneum Creek
Yakima River	RC	For all areas within Kittitas County jurisdiction, except for the areas listed below
	N	From the Kittitas-Yakima county line upstream to the southern parcel line of parcel 494233
	N	From the southern parcel lines of parcels 583533 and 464233 upstream to, and including, parcels 32033, 630333, and 080333, excluding parcel 564133 north to parcel 844533, the portion of 764533 east of the Yakima River, and parcel 924433 north to parcel 593036
	UC	All areas within Ellensburg's UGA
	UC	All areas within South Cle Elum's UGA
	UC	All areas within Cle Elum's UGA
	SR	The area along Kiias Elk Trail, from parcel 055334 west to parcel 265334
	SR	From the north parcel line of parcel 165934 northeast to the west parcel line of parcel 799234
	SR	The area along Pebble Beach Dr, from parcel 083234 north to parcels 839234 and 289234 (Sun Country Estates subdivision)
	SR	The Elk Meadows subdivision
	SR	The Pine Glen subdivision
	SR	The Sun Island subdivision

Waterbody (Lakes)	Environment Designation	Reach Description
Alaska Lake	N	Entire lake shoreline
Chikamin Lake	N	Entire lake shoreline
Circle Lake	N	Entire lake shoreline
Cle Elum Lake	RC	Entire lake shoreline, except for from parcel 787235 south to parcel 626936
	SR	From parcel 787235 south to parcel 626936
Cooper Lake	RC	Entire lake shoreline, except for from parcel 448835 east to parcel 348835
	SR	From parcel 448835 east to parcel 348835
Deep Lake	N	Entire lake shoreline
Fiorito Lake	RC	Entire lake shoreline
Glacier Lake	N	Entire lake shoreline
Joe Lake	N	Entire lake shoreline
Kachess Lake	RC	Entire lake shoreline, except where described below
	SR	Along Bakers Ln, from parcel 126535 south to parcel 718436
	SR	Along Summer Park Ct, Via Kachess Rd and, and Mountain View Ln, from parcel 696835 south to parcel 306635
	SR	From parcel 487136 east to parcel 467136
	SR	Along Forest Service Rd 4818, from parcel 717436 south to parcel 86835
Keechelus Lake	RC	Entire lake shoreline
Lake Easton	RC	Entire lake shoreline

Waterbody (Lakes)	Environment Designation	Reach Description
Lake Ivanhoe	N	Entire lake shoreline
Lake Lillian	N	Entire lake shoreline
Lake Michael	N	Entire lake shoreline
Lake Rowena	N	Entire lake shoreline
Lavender Lake	RC	Entire lake shoreline, except for from parcel 180134 east to parcel 550334
	SR	Along Pine Glen Dr, from parcel 180134 east to parcel 550334
Lost Lake	RC	Entire lake shoreline
Manastash Lake	RC	Entire lake shoreline
Matoon Lake	UC	Entire lake shoreline within County jurisdiction
Mirror Lake	RC	Entire lake shoreline
Pete Lake	N	Entire lake shoreline
Rachael Lake	N	Entire lake shoreline
Robin Lake	N	Entire lake shoreline
Shovel Lake	N	Entire lake shoreline
Spade Lake	N	Entire lake shoreline
Spectacle Lake	N	Entire lake shoreline
Tuck Lake	N	Entire lake shoreline
Tucquala Lake	RC	Entire lake shoreline
Unnamed Lake- Gold Creek Reach 01	RC	Entire lake shoreline, except where described below
11000.101	N	Parcel 443337
	SR	Parcel 748335

Waterbody (Lakes)	Environment Designation	Reach Description
Unnamed Lake 05-Yakima River Reach 07	RC	Entire lake shoreline
Unnamed Pond 04-Yakima River Reach 04	RC	Entire pond shoreline
Unnamed Waterbody 01- Yakima River Reach 04	RC	Entire waterbody shoreline
Unnamed Waterbody 02- Yakima River Reach 04	RC	Entire waterbody shoreline
Unnamed Waterbody 03- Yakima River Reach 04	RC	Entire waterbody shoreline
Venus Lake	N	Entire lake shoreline
Waptus Lake	N	Entire lake shoreline